

Section 15.2

Adamczewska AM, Morris S (1994a). Exercise in the terrestrial Christmas Island red crab *Gecarcoidea natalis*. I Blood gas transport. *Journal of Experimental Biology* 188: 235-256.

Adamczewska AM, Morris S (1994b). Exercise in the terrestrial Christmas Island red crab *Gecarcoidea natalis*. II Energetics of locomotion. *Journal of Experimental Biology* 188: 257-274.

Bahr R (1992). Excess postexercise oxygen consumption – magnitude, mechanisms and practical implications. *Acta Physiologica Scandinavica* 144: Supplement 605, 1-70.

Bucking C, Wood CM (2008). The alkaline tide and ammonia excretion after voluntary feeding in freshwater rainbow trout. *Journal of Experimental Biology* 211: 2533-2541

Butler PJ, Turner DL, Al-Wassia A, Bevan RM (1988a). Regional distribution of blood flow during swimming in the tufted duck (*Aythya fuligula*). *Journal of Experimental Biology* 135: 461-472.

Butler PJ, Turner DL (1988) Effect of training on maximal oxygen uptake and aerobic capacity of locomotory muscles in tufted ducks, *Aythya fuligula*. *The Journal of Physiology* 401: 347-359.

Clark TD, Butler PJ, Frappell PB (2005). Digestive state influences heart rate hysteresis and rates of heat exchange in the varanid lizard *Varanus rosenbergi*. *Journal of Experimental Biology* 208: 2269-2276.

Clark TD, Taylor BD, Seymour RS, Ellis D, Buchanan J, Fitzgibbon QP, Frappell PB (2008). Moving with the beat: heart rate and visceral temperature of free-swimming and feeding bluefin tuna. *Proceedings of the Royal Society B* 275: 2841-2850

De Wachter B, McMahon BR (1996). Haemolymph flow distribution, cardiac performance and ventilation during moderate walking activity in *Cancer magister* (Dana) (Decapoda, Crustacea). *Journal of Experimental Biology* 199: 627-633.

Eliason EJ, Higgs DA, Farrell AP (2008). Postprandial gastrointestinal blood flow, oxygen consumption and heart rate in rainbow trout (*Oncorhynchus mykiss*). *Comparative Biochemistry and Physiology A* 149: 380-388.

Eliassen EJ, Clark TD, Hague MJ, Hanson LM, Gallagher ZS, Jeffries KM, Gale K, Patterson DA, Hinch SG, and Farrell AP (2011). Differences in thermal tolerance among sockeye salmon populations. *Science* 332: 109-112.

Full RJ, Herreid CF II (1983). Aerobic response to exercise in the fastest land crab. *American Journal of Physiology* 244: R530-R536

Komai Y (1998). Augmented respiration in a flying insect. *Journal of Experimental Biology* 201: 2359-2366.

McGaw IJ, Reiber CL (2000). Integrated physiological responses to feeding in the blue crab *Callinectes sapidus*. *Journal of Experimental Biology* 203: 359-368.

Musch TI, Friedman DB, Pitetti KH, Haidet GC, Stray-Gundersen J, Mitchell JH, Ordway GA (1987). Regional distribution of blood flow of dogs during graded dynamic exercise. *Journal of Applied Physiology* 63: 2269-2277.

Portugal SJ, Green JA, Cassey P, Frappell PB, Butler PJ (2009). Predicting the rate of oxygen consumption from heart rate in barnacle geese *Branta leucopsis*: effects of captivity and annual changes in body condition. *Journal of Experimental Biology* 212, 2941-2948

Portugal SJ, Green JA, White CR, Guillemette M, Butler PJ (2011). Wild geese do not increase flight behaviour prior to migration. *Biology Letters* 8: 469-472.

Secor SM, Diamond J (1997). Determinants of the post-feeding metabolic response of Burmese pythons, *Python molurus*. *Physiological Zoology* 70: 202-212.

Seth H, Sandblom E, Holmgren S, Axelsson M (2008). Effects of gastric distension on the cardiovascular system in rainbow trout (*Oncorhynchus mykiss*). *American Journal of Physiology* 294: R1648-R1656

Slay CE, Enok S, Hicks JW, Wang T (2014). Reduction in blood oxygen levels enhances postprandial cardiac hypertrophy in Burmese python (*Python bivittatus*). *Journal of Experimental Biology* 217: 1784-1789.

Ward S, Bishop CM, Woakes AJ, Butler PJ (2002). Heart rate and rate of oxygen consumption of flying and walking barnacle geese (*Branta leucopsis*) and bar-headed geese (*Anser indicus*). *Journal of Experimental Biology* 205: 3347-3356.

West NH, Butler PJ, Bevan RM (1992). Pulmonary blood flow at rest and during swimming in the green turtle, *Chelonia mydas*. *Physiological Zoology* 65: 287-310.

Section 15.3

Bernaldo de Quirós Y, González-Díaz O, Arbelo M, Sierra E, Sacchini S, and Fernández A (2012). Decompression vs. decomposition: distribution, amount, and gas composition of bubbles in stranded marine mammals. *Frontiers in Physiology* 3: doi: 10.3389/fphys.2012.00177

**Butler, Brown, Stephenson & Speakman, *Animal Physiology*
Primary Research Articles**

Bevan RM, Butler PJ (1992). Cardiac output and blood flow distribution during swimming and voluntary diving of the tufted duck (*Aythya fuligula*). *Journal of Experimental Biology* 168: 199-217.

Bishop CM, Spivey RJ, Hawkes LA, Batbayar N, Chua B, Frappell, PB, Milsom WK, Natsagdorj T, Newman SH, Scott GR, Takekawa JY, Wikelski M, Butler PJ (2015). The roller coaster flight strategy of bar-headed geese conserves energy during Himalayan migrations. *Science* 347: 250-254.

Denison DM, Kooyman GL (1973). The structure and function of the small airways in pinniped and sea otter lungs. *Respiration Physiology* 17: 1-10

Dillon ME, Dudley R (2014). Surpassing Mt. Everest: extreme flight performance of alpine bumble-bees. *Biology Letters* 10: <https://doi.org/10.1098/rsbl.2013.0922>

Fabrizius A, Hoff MLM, Engler G, Folkow LP, Burmester T (2016). When the brain goes diving: transcriptome analysis reveals a reduced aerobic energy metabolism and increased stress proteins in the seal brain. *BMC Genomics* 17: 583 DOI 10.1186/s 12864-016-2892-y

Halsey LG, Butler PJ, Blackburn TM (2006). A phylogenetic analysis of the allometry of diving. *The American Naturalist* 167: 276-287.

Handrich Y, Bevan RM, Charrassin J.-B., Butler P.J, Pütz K, Woakes AJ, Lage J, Le Maho Y (1997). Hypothermia in foraging penguins. *Nature* 388: 64-67.

Hawkes LA, Balachandran S, Batbayar N, Butler PJ, Chua B, Douglas DC, Frappeli, P.B. et al. (2012). The paradox of extreme high-altitude migration in bar-headed geese *Anser indicus*. *Proceedings of the Royal Society B* 280: <https://doi.org/10.1098/rspb.2012.2114>.

Kilgore DL, Faraci FM, Fedde MR (1985). Ventilatory and intrapulmonary chemoreceptor sensitivity to CO₂ in the burrowing owl. *Respiration Physiology* 62: 325-339

Kilgore DL, Boggs DF, Kilgore TJ, Colby C, Williams BR Jr, Bavis RW (2008). Ventilatory and metabolic responses of burrowing owls, *Athene cunicularia*, to moderate and extreme hypoxia: Analysis of the hypoxic ventilatory threshold vs hemoglobin oxygen affinity relationship in birds. *Comparative Biochemistry and Physiology Pt A* 150: 247-257

Kooyman GL, Schroeder JP, Denison DM, Hammond DD, Wright JJ, Bergman WP (1972). Blood nitrogen tensions of seals during simulated deep dives. *American Journal of Physiology* 223: 1016-1020.

Kooyman GL, Schroeder JP, Greene DG, Smith VA (1973). Gas exchange in penguins during simulated dives to 30 and 68 m. *American Journal of Physiology* 225: 1467-1471.

Butler, Brown, Stephenson & Speakman, *Animal Physiology*
Primary Research Articles

Mandic M, Todgham AE, Richards JG (2009). Mechanisms and evolution of hypoxia tolerance in fish. *Proceedings of the Royal Society B* 276: 735-744.

Meir JU, Champagne CD, Costa DP, Williams CL, Ponganis PJ (2009). Extreme hypoxemic tolerance and blood oxygen depletion in diving elephant seals. *American Journal of Physiology* 297: R927-R939.

Mirceta S, Signore AV, Burns JM, Cossins AR, Campbell KL, Berenbrink M (2013). Evolution of mammalian diving capacity traced by myoglobin net surface charge. *Science* 340: DOI: 10.1126/science.1234192

Petersen MF, Steffensen JF (2003). Preferred temperature of juvenile Atlantic cod *Gadus morhua* with different haemoglobin genotypes at normoxia and moderate hypoxia. *Journal of Experimental Biology* 206: 359-364.

Ponganis PJ, Kooyman GL, van Dam R, LeMaho Y (1999). Physiological responses of king penguins during simulated diving to 136 m depth. *Journal of Experimental Biology* 202: 2819-2822.

Portugal SJ, Green JA, White CR, Guillemette M, Butler PJ (2011). Wild geese do not increase flight behaviour prior to migration. *Biology Letters* 8: 469-472

Park TJ, Reznick J, Peterson BL, Blass G, Omerbašić D, Bennett NC, Henning P, Kuich JL, Zasada C, Browe BM, Hamann W, Applegate DT, Radke MH, Kosten T, et al. (2017). Fructose-driven glycolysis supports anoxia resistance in the naked-mole rat. *Science* 356: 307-311

Regan MD, Gill IS, Richards JG (2017). Calorespirometry reveals that goldfish prioritize aerobic metabolism over metabolic rate depression in all but near-anoxic environments. *Journal of Experimental Biology* 220: 564-572.

Sato K, Naito Y, Kato A, Niizuma Y, Watanuki Y, Charrassin JB, Bost C-A, Handrich Y, Le Maho Y (2002). Buoyancy and maximal diving depth in penguins: do they control inhaling air volume? *Journal of Experimental Biology* 205: 1189-1197.

Schorr GS, Falcone E., Moretti DJ, Andrews RD (2014). First long-term behavioural records from Cuvier's beaked whales (*Ziphius cavirostris*) reveal record-breaking dives. *PLOS one* 9 doi:10.1371/journal.pone.0092633

West JB, Boyer DJ, Hackett PH, Maret KH, Milledge JS, Peters RM, Pizzo CJ, Samaja M, Sarnquist F., Shoene RB, Winslow RM (1983). Maximal exercise at extreme altitudes on Mount Everest. *Journal of Applied Physiology* 55: 688-698.

Butler, Brown, Stephenson & Speakman, *Animal Physiology*
Primary Research Articles

Widmer HR, Hoppeler H, Nevo E, Taylor CR, and Weibel ER (1997). Working underground: respiratory adaptations in the blind mole rat. *Proceedings of the National Academy of Science USA* 94: 2062-2067.

Williams CL, Sato K, Shiomi K, Ponganis PJ (2012). Muscle energy stores and stroke rates of emperor penguins: implications for muscle metabolism and dive performance. *Physiological Biochemistry and Zoology* 85: 120-133.

Williams TM, Davis RW, Fuiman LA, Francis J, LeBoeuf BJ, Horning M, Calambokidis J, Croll DA (2000). Sink or swim: strategies for cost-efficient diving by marine mammals. *Science* 288: 133-136.

Woakes AJ, Butler PJ (1983). Swimming and diving in tufted ducks, *Aythya fuligula*, with particular reference to heart rate and gas exchange. *Journal of Experimental Biology* 107: 311-329.

Wood SC, Johansen K (1972) Adaptation to hypoxia by increased HbO₂ affinity and decreased red cell ATP concentration. *Nature* 237: 278-279.

Wood SC, Johansen K (1973). Blood oxygen transport and acid-base balance in eels during hypoxia. *American Journal of Physiology* 225: 849-851

Section 15.4

Maginniss LA, Milsom WK (1994). Effects of hibernation on blood oxygen transport in the golden-mantled ground squirrel. *Respiration Physiology* 95: 195-208

Malan A, Ariens H, Waechter A (1973). Pulmonary respiration and acid-base state in hibernating marmots and hamsters. *Respiration Physiology* 17, 45-61.

Malan A, Rodeau JL, Daull F (1985). Intracellular pH in hibernation and respiratory acidosis in the European hamster. *Journal of Comparative Physiology B* 156: 251-258.

McArthur MD, Hanstock CC, Malan A, Wang, LCH, Allen PS (1990). Skeletal muscle pH dynamics during arousal from hibernation measured by ³¹P NMR spectroscopy. *Journal of Comparative Physiology B* 160: 339-347.

Rauch JC, Beatty DD (1975). Comparison of regional blood distribution in *Eptesicus fuscus* (big brown bat) during torpor (summer), hibernation (winter) and arousal. *Canadian Journal of Zoology* 53: 207-214.

Yatani A, Kim S-J, Dudej RK, Wang Q, Depre C, Irie K, Kranias EG, Vatner SF, Vatner DE (2004). Insights into cardioprotection obtained from study of cellular Ca²⁺ handling in

myocardium of true hibernating mammals. *American Journal of Physiology* 286: H2219-H2228.