MMPI-2-RF & MMPI-3 PRACTICE CASES

Practice Case: Jayden

Jayden completed the MMPI-2-RF-EX as part of the intake procedures at a university student clinic. He was referred for treatment following a violation of the campus housing alcohol policy involving underage drinking. Both the MMPI-2-RF and the MMPI-3 score reports were derived from this same test administration.

Jayden is a 21-year-old Black man. He graduated from high school and is in his third year at a large university. He lives in an apartment complex owned by the university and is roommates with a friend he has known since high school. He works 20 to 30 hours a week at a big-box retail store. Jayden's grades are somewhat above average, and he is making timely progress toward an undergraduate degree in Business Administration. Jayden has a small group of friends outside of his roommate. He has not been in a romantic relationship since high school.

Jayden is the youngest of three children. His older sisters are both teachers and are married. Jayden's parents have been married for 30 years. His father was permanently disabled following an industrial accident eight years ago. His mother works as a school bus driver. Jayden reports feeling supported by his family and has infrequent but meaningful contact with them.

Jayden began drinking in high school at parties. He explained this behavior increased in college in large part because he has trouble feeling comfortable meeting new people. Jayden and his roommate were hosting a party with the hopes of meeting some potential romantic partners when the party was broken up by campus security following repeated noise complaints. Because many of the people present at the party were underage, Jayden and his roommate were found in violation of campus policy and required to undergo alcohol counseling. Jayden reports some

symptoms of anxiety, especially social anxiety. He otherwise denies any experience of or prior history of treatment for mental health concerns.

Jayden appeared motivated to complete the testing and did so in a single session without breaks, questions, or any other behaviors of note.

Jayden's MMPI-2-RF Profile



Minnesota Multiphasic Personality Inventory-2 **Restructured Form®**

Score Report

MMPI-2-RF® Minnesota Multiphasic Personality Inventory-2-Restructured Form® Yossef S. Ben-Porath, PhD, & Auke Tellegen, PhD

ID Number:	Jayden
Age:	21
Gender:	Male
Marital Status:	Never Married
Years of Education:	Not reported
Date Assessed:	09/27/2018

Reproduced by permission of the University of Minnesota Press. All rights reserved. "MMPI-2-RF®" and "Minnesota Multiphasic Personality Inventory-2-Restructured Form®" are registered trademarks of the Regents of the University of Minnesota.

PsychCorp

Copyright © 2008, 2011, 2012, 2016 by the Regents of the University of Minnesota. All rights reserved. Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. Portions reproduced from the MMPI-2-RF test booklet. Copyright © 2008 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the *MMPI-2-RF Manual for Administration, Scoring, and Interpretation.* Copyright © 2008, 2011 by the Regents of the University of Minnesota. All rights reserved. Used by permission of the University of Minnesota Press.

MMPI-2-RF, the MMPI-2-RF logo, and Minnesota Multiphasic Personality Inventory-2-Restructured Form are registered trademarks of the University of Minnesota. Pearson, the PSI logo, and PsychCorp are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s).


TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[3.2/10/1.0.8]

PEARSON

ALWAYS LEARNING




MMPI-2-RF Validity Scales

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

	Variable Response Inconsistency True Response Inconsistency	Fs FBS-r	Infrequent Somatic Responses Symptom Validity	Uncommon Virtues Adjustment Validity
F-r	Infrequent Responses	RBS	Response Bias Scale	
Fp-r	Infrequent Psychopathology Responses		-	

MMPI-2-RF Higher-Order (H-O) and Restructured Clinical (RC) Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

EID Emotional/Internalizing Dysfunction

RCd Demoralization

THD Thought Dysfunction

BXD Behavioral/Externalizing Dysfunction

RC1 Somatic Complaints

RC2 Low Positive Emotions

RC3 Cynicism


RC4 Antisocial Behavior

RC6 Ideas of Persecution

RC7 Dysfunctional Negative Emotions

RC8 Aberrant Experiences

RC9 Hypomanic Activation




MMPI-2-RF Somatic/Cognitive and Internalizing Scales

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

MLS Malaise GIC Gastrointestinal Complaints HPC Head Pain Complaints NUC Neurological Complaints COG Cognitive Complaints

SUISuicidal/Death IdeationHLPHelplessness/HopelessnessSFDSelf-DoubtNFCInefficacySTWStress/Worry

AXY Anxiety ANP Anger Proneness BRF Behavior-Restricting Fears MSF Multiple Specific Fears



MMPI-2-RF Externalizing, Interpersonal, and Interest Scales

The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

JCP Juvenile Conduct Problems SUB Substance Abuse AGG Aggression

Activation

ACT

FML Family Problems IPP Interpersonal Passivity

SAV Social Avoidance

SHY


DSF Disaffiliativeness

AES Aesthetic-Literary Interests

MEC Mechanical-Physical Interests

Social Avoidance Shyness





The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

AGGR-r Aggressiveness-Revised PSYC-r Psychoticism-Revised DISC-r **Disconstraint-Revised** Negative Emotionality/Neuroticism-Revised NEGE-r

Introversion/Low Positive Emotionality-Revised INTR-r

MMPI-2-RF T SCORES (BY DOMAIN)

PROTOCOL VALIDITY

Content Non-Responsiveness		0	53	57 т				
		CNS	VRIN-r	TRIN-r				
Over-Reporting		42	59		58	61	59	
		F-r	Fp-r	<	Fs	FBS-r	RBS	
Under-Reporting		52	38					
Older-Reporting		L-r	K-r					
SUBSTANTIVE SCALES								
Somatic/Cognitive Dysfunction	1	70	57	46	78	65	64	
		RC1	MLS	GIC	HPC	NUC	COG	
	50		15	50	(5			
Emotional Dysfunction	59 	62 RCd	45 SUI	52 HLP	65 SFD	64 NFC		
	EID			IILI	510	nre		
		46	49					
		RC2	INTR-r					
		65	81	70	47	63	46	62
		RC7	STW	AXY	ANP	BRF	MSF	NEGE-r
Thought Dysfunction	53	66						
	THD	RC6						
		59						
		RC8						
		56						
		PSYC-r						
Behavioral Dysfunction	55	73	63	77				
Dena (Total Dystanction	BXD	RC4	JCP	SUB				
		51	45	48	47	59		
		RC9	AGG	ACT	AGGR-r	DISC-r		
Interpersonal Functioning		58	57	46	52	66	44	
interpersonal i unonoming		FML	RC3	IPP	SAV	SHY	DSF	
Interests		56	38					
		AES	MEC					

Note. This information is provided to facilitate interpretation following the recommended structure for MMPI-2-RF interpretation in Chapter 5 of the *MMPI-2-RF Manual for Administration, Scoring, and Interpretation*, which provides details in the text and an outline in Table 5-1.

NOTE: The final pages of this report display any items that were skipped or unscorable as well as any endorsed items that are part of a critical responses or critical items list. These sections include both the item number and content. The final page of the report includes the test taker's item level responses to every test item These pages are not displayed in this book in order to maintain test security; however, redacted sample reports are available on the Pearson Assessments' website.