Practice Case: Madison

Madison completed the MMPI-2-RF-EX as part of the intake procedures at a multidisciplinary medical center's mental health unit. Madison was referred for treatment by her dentist who noted evidence of enamel erosion consistent with frequent vomiting. Both the MMPI-2-RF and the MMPI-3 score reports were derived from the same test administration.

Madison is a 22-year-old White woman. She graduated from high school and completed a nursing program at her local community college. She is employed full-time as a Licensed Practical Nurse (LPN) at a skilled care facility for elderly adults. She reports that she finds her work fulfilling but stressful. Madison socializes regularly with a large number of acquaintances, but she has no friends with whom she is close. She is not currently in a romantic relationship and has not been involved in a serious relationship for close to two years.

Madison is the middle child. She has a younger sister who is in college and an older sister who is a mortician. Madison's parents are divorced. Her father is also a mortician and runs the family business along with her older sister. Her mother works as a personal financial asset consultant at a large bank. Her mother has bipolar disorder and experiences a manic episode about once every three or four years. Madison reports that she is not close with her family although she maintains superficial contact with all of them.

Madison reports that she feels she has little control in her life outside of her work. She reports a long history of dissatisfaction with her weight and body shape as well as a history of extreme dieting. She admitted to her dentist that she has been regularly vomiting over the past year to try to control her weight. Madison also reports that she struggles with anxiety and says that she becomes easily frustrated with others. Most of her romantic relationships and friendships have ended when she breaks things off following a disagreement.

Madison appeared attentive and focused during test administration. She worked quickly and efficiently without taking any breaks.

Madison's MMPI-2-RF Profile



Minnesota Multiphasic Personality Inventory-2 Restructured Form®

Score Report

MMPI-2-RF®

Minnesota Multiphasic Personality Inventory-2-Restructured Form® *Yossef S. Ben-Porath, PhD, & Auke Tellegen, PhD*

ID Number: Madison

Age: 22

Gender: Female

Marital Status: Never Married
Years of Education: Not reported
Date Assessed: 03/11/2019

Reproduced by permission of the University of Minnesota Press. All rights reserved. "MMPI-2-RF®" and "Minnesota Multiphasic Personality Inventory-2-Restructured Form®" are registered trademarks of the Regents of the University of Minnesota.



Copyright © 2008, 2011, 2012, 2016 by the Regents of the University of Minnesota. All rights reserved. Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. Portions reproduced from the MMPI-2-RF test booklet. Copyright © 2008 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the MMPI-2-RF Manual for Administration, Scoring, and Interpretation. Copyright © 2008, 2011 by the Regents of the University of Minnesota. All rights reserved. Used by permission of the University of Minnesota Press.


MMPI-2-RF, the MMPI-2-RF logo, and Minnesota Multiphasic Personality Inventory-2-Restructured Form are registered trademarks of the University of Minnesota. Pearson, the PSI logo, and PsychCorp are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s).

TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[3.2/10/1.0.8]

MMPI-2-RF Validity Scales




The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

VRIN-r Variable Response Inconsistency
TRIN-r True Response Inconsistency
F-r Infrequent Responses
Fp-r Infrequent Psychopathology Responses

Fs Infrequent Somatic Responses FBS-r Symptom Validity RBS Response Bias Scale L-r Uncommon Virtues K-r Adjustment Validity

MMPI-2-RF Higher-Order (H-O) and Restructured Clinical (RC) Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

EID Emotional/Internalizing Dysfunction

THD Thought Dysfunction

BXD Behavioral/Externalizing Dysfunction

RCd Demoralization

RC1 Somatic Complaints

RC2 Low Positive Emotions

RC3 Cynicism

RC4 Antisocial Behavior


RC6 Ideas of Persecution

RC7 Dysfunctional Negative Emotions

RC8 Aberrant Experiences

RC9 Hypomanic Activation


MMPI-2-RF Somatic/Cognitive and Internalizing Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

MLS	Malaise	SUI	Suicidal/Death Ideation	AXY	Anxiety
GIC	Gastrointestinal Complaints	HLP	Helplessness/Hopelessness	ANP	Anger Proneness
HPC	Head Pain Complaints	SFD	Self-Doubt	BRF	Behavior-Restricting Fears
NUC	Neurological Complaints	NFC	Inefficacy	MSF	Multiple Specific Fears
COG	Cognitive Complaints	STW	Stress/Worry		•

MMPI-2-RF Externalizing, Interpersonal, and Interest Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.


JCP Juvenile Conduct Problems SUB Substance Abuse AGG Aggression ACT Activation FML Family Problems
IPP Interpersonal Passivity
SAV Social Avoidance
SHY Shyness

Disaffiliativeness

DSF

AES Aesthetic-Literary Interests
MEC Mechanical-Physical Interests

MMPI-2-RF PSY-5 Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-2-RF T scores are non-gendered.

AGGR-r Aggressiveness-Revised PSYC-r Psychoticism-Revised DISC-r Disconstraint-Revised

NEGE-r Negative Emotionality/Neuroticism-Revised INTR-r Introversion/Low Positive Emotionality-Revised

MMPI-2-RF T SCORES (BY DOMAIN)

PROTOCOL VALIDITY

Conter	nt Non-Responsiveness		0 CNS	58 VRIN-r	57 T TRIN-r				
			CNS	V KIIN-I	I KIN-I				
Over-I	Reporting		56	59		42	58	76	
			F-r	Fp-r	-	Fs	FBS-r	RBS	
Under-	Reporting		<u>47</u>	35					
			L-r	K-r					
SUBSTAN	ΓIVE SCALES								
Somat	ic/Cognitive Dysfunction		61	46	64	65	41	80	
	Zonialo, Cogniti e Dystanotton		RC1	MLS	GIC	HPC	NUC	COG	
Emotio	onal Dysfunction	59	64	66	69	65	80		
Lillotte	mai Dysiunction	EID	RCd	SUI	HLP	SFD	NFC		
			42 RC2	32 INTR-r					
			RC2	INTK-I					
			68	73	59	59	56	48	66
		L	RC7	STW	AXY	ANP	BRF	MSF	NEGE-r
Thoug	ht Dysfunction	53	43						
_		THD	RC6						
			63						
			RC8						
			56						
		L	PSYC-r						
		_	_						
Behav	ioral Dysfunction	57	62	50	93				
		BXD	RC4	JCP	SUB				
			69	61	67	65	54		
			RC9	AGG	ACT	AGGR-r	DISC-r		
Interne	ersonal Functioning		74	61	46	36	57	44	
шогре			FML	RC3	IPP	SAV	SHY	DSF	
Interes	ts		45	38					
interes	w		AES	MEC					

Note. This information is provided to facilitate interpretation following the recommended structure for MMPI-2-RF interpretation in Chapter 5 of the *MMPI-2-RF Manual for Administration, Scoring, and Interpretation*, which provides details in the text and an outline in Table 5-1.

NOTE: The final pages of this report display any items that were skipped or unscorable as well as any endorsed items that are part of a critical responses or critical items list. These sections include both the item number and content. The final page of the report includes the test taker's item level responses to every test item These pages are not displayed in this book in order to maintain test security; however, redacted sample reports are available on the Pearson Assessments' website.