Practice Case: Madison

Madison completed the MMPI-2-RF-EX as part of the intake procedures at a multidisciplinary medical center's mental health unit. Madison was referred for treatment by her dentist who noted evidence of enamel erosion consistent with frequent vomiting. Both the MMPI-2-RF and the MMPI-3 score reports were derived from the same test administration.

Madison is a 22-year-old White woman. She graduated from high school and completed a nursing program at her local community college. She is employed full-time as a Licensed Practical Nurse (LPN) at a skilled care facility for elderly adults. She reports that she finds her work fulfilling but stressful. Madison socializes regularly with a large number of acquaintances, but she has no friends with whom she is close. She is not currently in a romantic relationship and has not been involved in a serious relationship for close to two years.

Madison is the middle child. She has a younger sister who is in college and an older sister who is a mortician. Madison's parents are divorced. Her father is also a mortician and runs the family business along with her older sister. Her mother works as a personal financial asset consultant at a large bank. Her mother has bipolar disorder and experiences a manic episode about once every three or four years. Madison reports that she is not close with her family although she maintains superficial contact with all of them.

Madison reports that she feels she has little control in her life outside of her work. She reports a long history of dissatisfaction with her weight and body shape as well as a history of extreme dieting. She admitted to her dentist that she has been regularly vomiting over the past year to try to control her weight. Madison also reports that she struggles with anxiety and says that she becomes easily frustrated with others. Most of her romantic relationships and friendships have ended when she breaks things off following a disagreement.

Madison appeared attentive and focused during test administration. She worked quickly and efficiently without taking any breaks.

Madison's MMPI-3 Profile



Score Report

MMPI®-3

Minnesota Multiphasic Personality Inventory®-3 Yossef S. Ben-Porath, PhD, & Auke Tellegen, PhD

ID Number: Madison

Age: 22

Gender: Female

Marital Status: Never Married
Years of Education: Not reported
Date Assessed: 03/11/2019

Reproduced by permission of the University of Minnesota Press. All rights reserved. "MMPI" and "Minnesota Multiphasic Personality Inventory" are registered trademarks of the Regents of the University of Minnesota.


Copyright © 2020 by the Regents of the University of Minnesota. All rights reserved. Distributed exclusively under license from the University of Minnesota by NCS Pearson, Inc. Portions reproduced from the MMPI-3 English Test Booklet. Copyright © 2020 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the MMPI-3 Manual for Administration, Scoring, and Interpretation. Copyright © 2020 by the Regents of the University of Minnesota. All rights reserved. Portions excerpted from the MMPI-3 Technical Manual. Copyright © 2020 by the Regents of the University of Minnesota. All rights reserved. Used by permission of the University of Minnesota Press.

Minnesota Multiphasic Personality Inventory and MMPI are registered trademarks of the Regents of the University of Minnesota. Pearson is a trademark, in the US and/or other countries, of Pearson Education, Inc., or its affiliates.

This report contains copyrighted material and trade secrets. Qualified licensees may excerpt portions of this output report, limited to the minimum text necessary to accurately describe their significant core conclusions, for incorporation into a written evaluation of the examinee, in accordance with their profession's citation standards, if any. No adaptations, translations, modifications, or special versions may be made of this report without prior written permission from the University of Minnesota Press.

[1.3/19/QG]

MMPI-3 Validity Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.


CRIN Combined Response Inconsistency VRIN Variable Response Inconsistency TRIN True Response Inconsistency F Infrequent Responses
Fp Infrequent Psychopathology Responses

L Uncommon VirtuesK Adjustment Validity

Fs Infrequent Somatic Responses

FBS Symptom Validity Scale RBS Response Bias Scale

MMPI-3 Higher-Order (H-O) and Restructured Clinical (RC) Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.

EID Emotional/Internalizing Dysfunction

THD Thought Dysfunction

BXD Behavioral/Externalizing Dysfunction

RCd Demoralization

RC1 Somatic Complaints

RC2 Low Positive Emotions

RC4 Antisocial Behavior


RC6 Ideas of Persecution

RC7 Dysfunctional Negative Emotions

RC8 Aberrant Experiences

RC9 Hypomanic Activation


MMPI-3 Somatic/Cognitive Dysfunction and Internalizing Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.

MLS	Malaise	SUI	Suicidal/Death Ideation	WRY	Worry
NUC	Neurological Complaints	HLP	Helplessness/Hopelessness	CMP	Compulsivity
EAT	Eating Concerns	SFD	Self-Doubt	ARX	Anxiety-Related Experiences
COG	Cognitive Complaints	NFC	Inefficacy	ANP	Anger Proneness
		STR	Stress	BRF	Behavior-Restricting Fears


MMPI-3 Externalizing and Interpersonal Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.

JCP	Family Problems Juvenile Conduct Problems Substance Abuse Impulsivity	AGG	Activation Aggression Cynicism	DOM DSF SAV	Self-Importance Dominance Disaffiliativeness Social Avoidance
				SHY	Shyness

MMPI-3 PSY-5 Scales



The highest and lowest T scores possible on each scale are indicated by a "---"; MMPI-3 T scores are non-gendered.

AGGR Aggressiveness PSYC Psychoticism DISC Disconstraint

NEGE Negative Emotionality/Neuroticism
INTR Introversion/Low Positive Emotionality

MMPI-3 T SCORES (BY DOMAIN)

PROTOCOL VALIDITY

Content Non-Responsiveness		1	51	43	73 T				
		CNS	CRIN	VRIN	TRIN				
Over-Reporting	Over-Reporting		58		47	53	69		
Over rieporting		60 F	Fp	-	Fs	FBS	RBS		
Under-Reporting		<u>40</u>	38 K						
		L	K						
SUBSTANTIVE SCALES									
Somatic/Cognitive Dysfunction		55	40	38	95	76			
2,014		RC1	MLS	NUC	EAT	COG	-		
Emotional Dysfunction	57	58	58	65	59	77			
	EID	RCd	SUI	HLP	SFD	NFC			
		51	40						
		RC2	INTR						
		68	59	65	69	59	58	56	60
		RC7	STR	WRY	CMP	ARX	ANP	BRF	NEGE
Thought Dysfunction	44	40							
modght bysidhellon	THD	RC6							
		55 RC8							
		52							
		PSYC							
Behavioral Dysfunction	63 BXD	58 RC4	75 FML	48 JCP	80 SUB				
	DVD								
		76	76	65	70	60	_		
		RC9	IMP	ACT	AGG	CYN			
		66							
		DISC							
Interpersonal Functioning		46	45*	57	52	37	61		

DOM

AGGR

DSF

SAV

SHY

SFI

Note. This information is provided to facilitate interpretation following the recommended structure for MMPI-3 interpretation in Chapter 5 of the MMPI-3 Manual for Administration, Scoring, and Interpretation, which provides details in the text and an outline in Table 5-1.

^{*}The test taker provided scorable responses to less than 90% of the items scored on this scale. See the relevant profile page for the specific percentage.

NOTE: The final pages of this report display any items that were skipped or unscorable as well as any endorsed items that are part of a critical responses or critical items list. These sections include both the item number and content. The final page of the report includes the test taker's item level responses to every test item These pages are not displayed in this book in order to maintain test security; however, redacted sample reports are available on the Pearson Assessments' website.