

Index

(T x.x) and (T) following page numbers refer to entries found in tables.

A

- α hydrogen 374
- abbreviations, list x
- absorbance 564
- absorption maximum 563
- acenaphthylene 424
- acetal 178
 - as a protecting group 222, 517
- acetaldehyde, *see* ethanal
- acetalization:
 - acid-catalysed 178
 - for protection 517
- acetamidine, pK_{BH^+} 130
- acetanilide 362
- acetate, *see* ethanoate
- acetic acid, *see* ethanoic acid
- acetoacetate, *see* 3-oxobutanoate
- acetoacetic ester:
 - by the Claisen condensation 389
 - synthesis of ketones 394
- acetoacetyl-CoA 554
- acetone, *see* propanone
- acetonitrile, pK_a 128
- 1-acetoxy-2-bromocyclohexane,
 - n.g.p. in *trans* isomer 267
- acetyl coenzyme A (acetyl-CoA) 306, 389
- acetyl nitrate (AcONO₂) as a nitrating agent 350
- acetylacetone, *see* pentane-2,4-dione
- N*-acetylation of aniline 362
- acetylene 24;
 - see also* ethyne
- acetylenic hydrogen, pK_a 124
- acetylium ion, resonance 97
- achiral, meaning of 225, 227
- acid 110
 - conjugate 111
 - Lewis 112
 - strong and weak 111
- acid anhydrides 188
 - mixed 200
 - reactions with alcohols and amines 200
- acid–base equilibrium 116
- acid–base reactions 110, 140
 - Brønsted 111
 - Brønsted, equilibria 113
 - in non-aqueous solvents 135
 - Lewis 112
 - solvent effects 133–6
- acids and bases, polyfunctional 131–3
- acid catalysis:
 - alcohol addition to carbonyl group 176
 - conjugate addition to enones 405
 - dehydration of 1,1-diols 175
 - dehydration of aldol 385
 - enolization 376
 - α -halogenation of aldehyde or ketone 380
 - hydration of carbonyl group 174, 190
 - hydration of styrene 321
 - hydrolysis of acetals 178, 179
 - hydrolysis of esters 192
 - hydrolysis of oximes 182
 - isotope exchange of carbonyl oxygen 176
 - reactions of alcohols and ethers 175, 290–3
- acid dissociation constant (definition) 114
- acid halide, *see* acyl halide
- acidity 114
 - and bond strength 120
 - of carboxylic acids 121
 - and electronegativity 120
 - factors which affect acidity 120–4
 - and hybridization 120
 - of oxy-acids of chlorine 121
 - of pyrrole and imidazole 432
 - and s character 120
 - see also* pK_a
- acidity constant, *see* acid dissociation constant
- acidity (pH) of aqueous solutions 117
- acid strength 114;
 - see also* pK_a
- acrylonitrile 408
 - anionic polymerization 409
 - electrolytic reduction in the preparation of adiponitrile 466
- activating and *ortho,para*-directing groups 352
- activating substituents in electrophilic aromatic substitution 350, 352
- activation energy, *see* enthalpy of activation
- active methylene compounds (pK_a values) 392
- acyclic alkane 48
- acyl azide 498
- acyl carrier protein 389
- acyl chloride:
 - from carboxylic acid 200
 - molecular model and EPM 198
 - reaction with ammonia and amines 199
 - reaction with carboxylate salts 200
 - reaction with water and alcohols 199
 - reactions 199
- acyl compounds, *see* carboxylic acid derivatives
- acyl group 188
- acyl halide 199
- acylium ion in mass spectra of carbonyl compounds 596
- acylnitrone 497–8
- acyloin 463–4
 - see also* α -hydroxy ketone
- acyloin condensation of ester 463–4
- adamantane derivative, stereoisomerism 249
- addition 139
 - of alcohol to a carbonyl group with acid- and base-catalysis 176
 - to aldehydes and ketones 165
 - of bromine to alkenes, mechanism 325

- addition (*continued*)
 of bromine to alkynes 327
 of carbenes to alkenes 328
 of halogens to alkenes 325–7
 of HCl to alkene 147
 of hydrogen halides to alkenes,
see hydrohalogenation
- 1,2-addition 165, 402
 to 1,3-dienes 330
 to enones 406
see also carbonyl addition,
 addition to aldehydes and
 ketones
- 1,4-addition 405
 to 1,3-dienes 330
 to enones 402, 404
see also conjugate addition
- addition–elimination mechanisms:
 of nucleophilic aromatic
 substitution 413
 of nucleophilic substitution of
 carboxylic acid derivatives 196
- addition reactions of alkenes and
 alkynes 315
- adduct, $\text{BF}_3\text{-NH}_3$, molecular model
 and EPM 113
- adenine (A) 535–6
 adenine diphosphate (ADP) 535–6
 adenine triphosphate (ATP) 535–6
 adenosine 536
 S-adenosylmethionine (SAM) 252,
 535–6;
see also SAM
- adhesives, fast-acting 410
- adiponitrile 466
- adrenal cortical hormones 556
- adrenaline 252, 368
- aerosol propellants 465
- aflatoxin B₁ 428
- agent orange 284–5
- aglycone 530
- alanine, molecular models 226
- albuterol, *see* salbutamol
- alcohol dehydrogenase 215
- alcohols 50
 acid-catalysed dehydration 292–3
 acid-catalysed reactions 289–93
 hydrogen bonding 62
 mass spectra 595
 names and physical properties
 51 (T3.3)
 oxidation 298–9
 pK_a values 602
 primary, secondary, and tertiary 51
 summary of reactions 606
 summary of syntheses 610
 synthesis 220–1
 as weak bases 130
- aldaric acid 532
- aldehydes 54, 165
 summary of syntheses 612
- aldehydes and ketones 165
 reduction 208
 reductive amination 212
 summary of reactions 605
see also carbonyl compounds
- Alder, K. 333
- Alder ene reaction, *see* ene reaction
- alditol 531
- aldol 382
 dehydration of 385
 meaning of 383
see also β -hydroxy aldehyde
- aldol addition, *see* aldol reaction
- aldol condensation 385
 acid-catalysed 386
 intramolecular 386
- aldol reaction 382–3
 biological 384
 crossed 386–7
 directed 395
 indicated by retrosynthesis 513
 reversibility 384
- aldolase 384
- aldonic acid 532
- aldose 529
- aldosterone 556
- aliphatic hydrocarbon 43
- alizarin xxvi
- alkaline, meaning of 190
- alkaline hydrolysis:
 of triglycerides 550
 of esters, mechanism 191
- alkaloids 433
- alkanediazonium ion 309, 310
- alkanes 43–8
 acyclic 43
 branched 46
 conformations 72–7
 linear, names and boiling points
 46 (T3.2)
 nomenclature 57
 open chain, *see* acyclic
 pK_a values 125
 summary of syntheses 608
 unbranched, *see* linear
- alkene 49
 HOMO 315
 nomenclature 57
 ring current 574
- alkene metathesis 507
- alkene stability, influence on
 regioselectivity in
 eliminations 280
- alkenes 314
 (*E*)- and (*Z*)-, from
 diastereoisomeric haloalkanes
 in E2 276
 ozonolysis for structure
 elucidation 477
 heats of hydrogenation 335
 preparation by the Wittig
 reaction 184
 relative stabilities 335
 summary of reactions 606
 summary of syntheses 608
- alkenoate ester, addition of
 butyllithium 408
- alkenone, *see* enone
- alkenyl radicals, cyclization 455–6
- alkoxide, leaving ability 290
- alkoxyl radical, intermediate in
 autoxidation 461
- alkyl cation, stability 263
- alkyl groups 47
 common names 57, 58 (T3.4)
 nomenclature 57
- alkyl halides 252
 competition between elimination
 and substitution 284, 285
 (T13.1)
see also haloalkanes
- alkyl radicals:
 relative stabilities as
 intermediates 449
 stability of 446–7
- 1,2-alkyl shift:
 in carbenium ions 491
 frontier orbital interactions 491
 in Hofmann and Curtius
 reactions 498
- alkyl substituent, as an electron-
 donating group 263
- alkylation:
 biological 252
 of 1,3-dicarbonyl compounds
 393–5
 of enamines, *C*- and *N*- 397
 of enolate ions 393–5

- of ketones 397
- of lithium enolates 395
- p*-alkylbenzenesulfonate salts (ABS) 347
- linear (LAS) 551
- alkylthio group:
 - dual electronic effects of 307
 - stabilization of carbanion 307
 - stabilization of carbenium ion 307
- alkyne, ring current 574
- alkynes 49, 314
 - electrophilic addition to 319–20
 - nomenclature 57
 - summary of reactions 607
 - summary of syntheses 609
- alkynyl-metal compounds 216
- allene:
 - bonding and molecular model 34
 - chiral example 245
 - molecular model and EPM 91
 - π MOs 91
- allotrope of carbon 425
- allyl anion 92, 125
 - resonance 93
- allyl anion analogue 94, 373
 - as a 1,3-dipole 475
- allyl aryl ether, Claisen rearrangement 484
- allyl cation 92
 - resonance 93
 - electrophilic addition to butadiene 330–1
- allyl radical 92
 - resonance 94, 450
- allyl vinyl ether, (Claisen) rearrangement 143, 483
- allylic bromination by NBS 451–2
- allylic hydrogen 374
- allylic position 450
- allylic systems 92–4
 - π MOs and nodal planes 93
 - 2p AOs 92
 - anion 374
 - radical 460
 - resonance description 93–4
- alternating axis of symmetry 227
- aluminium isopropoxide, as a reducing agent 214
- amantadine hydrochloride 308
- amide:
 - formation from ester 196
 - hydrolysis 201
 - molecular model and EPM 198
 - reduction to aldehyde 211
 - reduction to amine 210–1
- amide anion, as nucleofuge 309
- amide bond 539
 - planarity 548
- amides:
 - as weak bases 130
 - protonation site 131
- amine:
 - chirality 243
 - pyramidal inversion 72
- amines 53–4
 - as bases, pK_{BH^+} values 129, 308
 - as nucleophiles 308
 - classification 53
 - differentiation by reaction with nitrous acid 310
 - preparation by reductive amination 212
 - summary of reactions 606
 - summary of syntheses 611
- amines and amides, pK_{a} values 603
- amino acid 55
- α -amino acids 539–41 (T24.2)
 - chirality 226
 - configuration 239
 - L-, structure 539
- amino group 53
 - in arenes for control of reactivity and regioselectivity 367
- o*-aminobenzoic acid 417
- 1-aminocyclopropanecarboxylic acid 316
- 2-aminopyridine, diazotization 436
- ammonia:
 - as a base 111
 - bond angle 23
 - molecular structure, model, and EPM 14, 23, 113
 - liquid 135
 - VSEPR theory 23
- ammonio group as leaving group 309
- ammonium cyanate, conversion into urea xxviii
- ammonium ion, Lewis structure 16
 - nucleophilic attack 145
- ammonium ions, pK_{a} values 603
- amphetamine 368
- amphoteric, meaning of 133
- amphoteric solvent 133
- amygdalin 167
- α -amylase 534
- amylopectin 534
- amylose 534
- analytical chromatography 66
- anchimeric assistance 267
- angle strain 77
 - cyclopropane 77
- aniline 60, 359
 - N*-acetylation 362
 - high reactivity in electrophilic aromatic substitution 359
 - oxidation 362
 - pK_{BH^+} 130
 - resonance 130
- anilinium ion, low reactivity in electrophilic aromatic substitution 359
- anion, formation 6–7
- anionic conjugate base, solvation 135–136
- anionic nucleophiles, solubilization 260
- anionic polymerization 409
 - of acrylonitrile 409
 - monomers for 409
- annulenes 104
 - [10] annulene 575
 - [18] annulene 575
- anodic oxidation 466
- anomeric carbon 529
- anomeric effect 531
- anomers, α and β 529
- antarafacial 484
- anthocyanin 134
- anthracene 424
 - bromination 427
 - Diels–Alder reactions 427
 - oxidation 428
- anti*, illustration 74
- anti* addition of bromine to alkenes 326
- anti* elimination 276
- anti* form of butane 76, 77
- anti-Markovnikov addition 453
- anti-Markovnikov regioselectivity
 - in HBr addition to alkenes 319
 - in hydroboration-oxidation of alkenes 323
- antiaromatic 104
- antibiotics xxvii, 202
 - antitumour, with cyclic enediyne structure 320
- antibonding MO (π^*):
 - of C=O bond 166
 - of ethene 32

antibonding MO (σ^*) of H_2 27, 28
 antioxidant 461
 as food preservative 461
 antiparallel strands in DNA double helix 538
 antiperiplanar conformation for E2 mechanism 276
 aprotic solvents 259
 arachidonic acid 557
 arenediazohydroxides, acidity 363
 arenediazonium salts 363
 S_N1 reactions 417
 arenediazonium tetrafluoroborates 418
 arenes 50
 summary of reactions 607
 arenium ion 343;
 see also benzenium ion
 arginine, pK_a values 130
 argon, electronic configuration 5
 Arnt-Eistert synthesis 497
 aromatic compounds 50, 89, 101
 examples 102–3
 heterocyclic 423
 names 60
 polycyclic 423
 aromatic heterocyclic compounds (aromatic heterocycles) 423
 structures 429–30
 synthesis 439–40
 aromatic sextet 102
 aromatic stability and low reactivity of benzene 345
 aromatic substitution, *see*
 electrophilic *or* nucleophilic aromatic substitution
 aromatic transition structure 470
 aromaticity 99, 100–104
 and ring current 575
 arrow:
 double-headed, for resonance 95
 double-shafted, for retrosynthesis 220, 508
 double, for equilibrium 95
 reaction 95
 aryl group 50
 arylamines, summary of syntheses 611
 2-arylethylamines with psychological effects 368
 aryne 515
 regioselectivity in additions to 416
 see also benzyne
 L-ascorbic acid, *see* vitamin C

aspartame 69, 542
 aspirin xxvii, 207, 358, 360
 how it works 557
 asymmetric synthesis 521
 using a chiral auxiliary 522
 using a chiral catalyst 523
 atenolol 43
 atom:
 electronic configuration 4
 Lewis representation 6
 mass 12
 size 12
 structure 1
 atom connectivity 37
 atomic mass unit (amu) 2, 12
 atomic number (Z) 2
 atomic orbital (AO) 2, 25
 2p, spatial distribution 26
 energy 3
 occupancy 4
 s and p, shapes and representations 26
 s, p, d, and f 2
 shape 4
 atomic radius 12
 atomic weight, *see* relative atomic mass
 atorvastatin 554
 atropine 433
 atropisomer 244
 Aufbau principle 4
 automated peptide synthesis 545
 autoprotolysis constant (of water, K_w) 129
 autoxidation 460
 of cumene 461
 of ethers 460
 of linoleic acid 460
 of polyunsaturated acids 460
 axial (bond) of chair cyclohexane conformation 79–80
 axial chirality 244
 azeotropic distillation 192
 azobenzene 363
 azobisisobutyronitrile (AIBN) 445
 azulene 109, 424

B

back-biting during radical polymerization 460
 Baeyer–Villiger oxidation (reaction) 495

Bakelite 358
 baking powder 110
 Balz–Schiemann reaction 418
 banana-shaped bond, *see* bent bond
 Barton, D.H.R. 457
 Barton–McCombie reaction 453
 Barton reaction, 1,5-hydrogen transfer in 457
 base 110
 conjugate 111
 Lewis 112
 strong and weak 111
 base catalysis:
 alcohol addition to carbonyl group 176
 dehydration of 1,1-diol 175
 dehydration of aldol (E1cB) 385
 enolization 307
 hydration of carbonyl group 174, 190
 base pairing in nucleic acids 537–8
 base peak in mass spectrum 590
 base sequence 537
 base strength, definition 129
 base-induced α -halogenation of an aldehyde or ketone 381
 basicity 129
 and nucleophilicity 255
 meaning of 114
 of nitrogen heterocycles 430
 of organic compounds 129–31
 see also base strength
 Beckmann fragmentation 505
 Beckmann rearrangement 496
 Bender, M. 193
 bending vibration 71–2
 out-of-plane 565 (T25.3)
 Benedict's reagent 532
 bent bond 78
 benzaldehyde:
 conjugative stabilization 173
 mass spectrum 597
 hydration 173
 benzaldehyde cyanohydrin 167
 benzene 50, 98–100
 aromatic stability and low reactivity 345
 delocalization energy 99
 dissolving metal reduction 462
 electrophilic addition to, and its consequences 344
 energy levels of MOs 99
 hydrogenation energy 99–100
 molecular model 50

- π MOs 98–9
 resonance energy 99
 ring current 574
 stabilization energy 99–100
 structural representation 98
 structure 98, 100
 benzene-1,2-diol 360
 benzene-1,4-diol 360
 benzene-1,4-diol (hydroquinone) as
 a radical inhibitor 467
 benzenediazonium ion 363
 benzenedicarboxylic acids, 1,2- and
 1,4-, pK_a values 132
 benzenesulfonic acid 347
 benzenium ion 343, 500
 effect of substituents on
 stability 350–2
 electronic structure 345
 resonance forms 345
 benzenium ions, substituted, by
 electrophilic attack on
 monosubstituted
 benzenes 350–2
 benzenoid 424
 benzil 494
 benzoic acid rearrangement 494
 benzofuran 429
 electrophilic substitution 434
 benzopyrene 428
 benzoquinone, 1,2- and 1,4-, *see*
 o- and *p*-benzoquinone
 benzoquinone, *o*- and *p*- 360
 benzothiophene, electrophilic
 substitution 434
 benzoyloxy radical 445
 benzyl anion, molecular model,
 EPM, and HOMO 125
 resonance 125
 benzyl radical, resonance forms 450
 benzylic alcohols, easy
 oxidation 365
 benzylic bromination 451
 benzylic position 450
 benzyltrimethylammonium
 hydroxide 260
 benzyne 415
 electronic structure 416
 generation 417
 mechanisms for formation 415
 p-benzyne 320
 trapping by Diels–Alder reaction
 417
 see also aryne
 betaine 184
 bexarotene, multistep synthesis
 523–4
 BHA (antioxidant) 461
 B–H bond, as a nucleophilic centre
 146
 BHT (antioxidant) 371, 461
 bicyclic compound 86
 bicyclic product in Diels–Alder
 reaction 472
 bicyclo[2.2.1]heptane 86
 bicyclo[2.2.1]hept-1(2)-ene,
 instability 283
 bicyclo[4.3.0]nonane 86
 bicycloalkane, nomenclature 86
 bile salt 551
 structure 555
 bimolecular 144
 bimolecular elimination (E2) 275
 see also E2 elimination
 bimolecular reaction 252
 of alkyl halides 252
 orbital interactions 147
 rate law 159
 BINAP 244, 521
 bioethanol 47, 294
 biomass 47
 Birch reduction 462
 Birch reduction, mechanism 462
 bis(2-chloroethyl) sulfide, *see*
 mustard gas
 bisphenol A, uses and production
 from propanone 168
 bisulfite addition to aldehydes and
 ketones 180–1
 for isolation and purification of
 aldehydes and ketones 181
 boat conformation of
 cyclohexane 83
 boiling point (bp) 63–4
 and molecular weight 64 (T3.7)
 and effect of hydrogen bond 64
 Boltzmann distribution law 75
 bond:
 bending vibration 71–2
 equilibrium bond angle, α_e 71–2
 equilibrium bond length, r_e 71–2
 stretching vibration 71–2
 bond (dissociation) energy 445
 bond angles:
 of ammonia 23
 of ethene 24
 of methanal 24
 of water 23
 bond cleavage, reaction profile 151
 bond dissociation energy of
 R–H 447 (T20.1)
 bond dissociation enthalpies 617 (T)
 bond lengths 617 (T)
 of butadiene, 90
 of H₂ 27
 relationship with bond order 35
 bond moment 11
 bond order, relationship with C–C
 bond lengths 35
 bond polarity and resonance 97
 bond strength of HX, effect on
 acidity of HX 120
 bonding:
 in allene 34
 in butadiene 90
 in ethene 31–2
 in methane 30
 bonding (electron) pair and formal
 charge 14–15
 bonding (electron) pair 9;
 see also shared pair
 bonding MO (σ) of H₂ 27, 28
 bonding π MO of ethene 32
 borane (BH₃) 323
 EPM 14
 Borodin, A.P. 383
 borohydride BH₄⁻:
 bonding 209
 molecular orbitals 209
 boron, formal charge in
 borohydride 209
 boron trifluoride:
 as a Lewis acid 16
 Lewis structure 16
 molecular model and EPM 113
 Bouveault–Blanc reduction 463
 bradykinin 542
 branched alkane 46
 branching during radical
 polymerization 460
 breath test for alcohol 299
 Bredt's rule 283
 bridged bicyclic compound 86
 bridgehead (atom) 86
 broad-band proton decoupling 586
 bromination:
 of alkenes 158
 of benzene 343, 345
 see also addition of bromine to
 alkenes
 α -bromination:
 acid-catalysed mechanism 380
 base-induced, consecutive 381

- bromine:
- addition to alkenes (electrophilic mechanism) 158, 325
 - addition to alkenes (radical mechanism) 451
 - as an oxidant for aldoses 532
 - reaction with cyclohexene 158
 - reactions with benzene and cyclohexene compared 343
 - substituent effect on protonation of bromoalkene 320
- 2-bromo-1,1-dimethoxyethane, ¹H NMR spectrum 576
- 2-bromo-3-methylpentane, stereospecific eliminations from stereoisomers 277
- 2-bromo-2-methylpropane, molecular model 53; *see also t*-butyl bromide
- bromoalkanes, molecular models 253
- reaction with hydroxide 251
- bromomethane:
- EPM 253
 - S_N2 reaction mechanism 144
- bromonium ion:
- cyclic intermediate in bromination of alkene 158–9, 325
 - cyclic, ring-opening 325
 - resonance description 326
 - salt 159
- 1-bromopropane, mass spectrum 594
- N*-bromosuccinimide (NBS), allylic brominating reagent 451–2
- Brønsted, J.N. 111
- Brønsted acid and base, definitions 111
- Brønsted acid–base reactions 113
- Brown, H.C. 323
- brucine 433
- BTX 341
- buckminsterfullerene, *see* C₆₀ fullerene
- buckyball, *see* C₆₀ fullerene
- buffer ratio 118
- buffer solution 118
- bulky hydride donor 407
- buta-1,3-diene, *see* butadiene
- butadiene:
- bonding 90
 - bond lengths 90
 - electrophilic addition 330
 - EPM 90
 - nodal planes 90
- π MOs 90–1
- resonance 96
 - structure 90
 - UV spectrum 563
- butanal:
- IR spectrum 568
 - mass spectrum 597
- butane 47
- conformations 76–7
 - molecular models 47, 77
- butan-1-ol, mass spectrum 595
- butan-2-ol
- enantiomers, structures, and molecular models 227
 - IR spectrum 567
 - mass spectrum 595
- butanone:
- IR spectrum 568
 - mass spectrum 596
- but-2-ene:
- cis* and *trans*, molecular models 38
 - (*Z*)- and (*E*)-, stereospecific addition of Br₂ 326
- but-2-enoic acid, ¹H NMR spectrum 585
- butenedioic acids, (*E*)- and (*Z*)-, p*K*_a values 132
- butenes, isomeric, relative stabilities 335
- t*-butoxide ion, molecular model 256
- t*-butoxycarbonyl (Boc) 543
- butter yellow 363
- t*-butyl alcohol, melting point 65
- t*-butyl bromide 252
- solvolysis 273–4
- t*-butyl cation, isolation as a crystalline salt 159
- t*-butyl chloride, S_N1 mechanism of hydrolysis 153
- t*-butyl group, conformational preference in cyclohexane 84
- butyllithium, addition to alkenoate ester 408
- C**
- caffeine 433
- Cahn–Ingold–Prelog (CIP) sequence rules 38–9, 231
- calicheamicin 320
- camphor 165, 560
- cancer diagnosis 302
- Cannizzaro reaction (mechanism) 213–4
- Cannizzaro, S. 214
- canonical structure, *see* resonance contributor
- ϵ -caprolactam 468
- polymerization 205
- capsaicin 360
- carbamate in Hofmann rearrangement 498
- carbanion 125, 374
- stabilization by sulfur 307
- carbanion intermediate, in E1cB elimination mechanism 277
- carbene:
- addition to alkenes 327, 479–80
 - electrophilic or nucleophilic 328
 - insertion into C–H, O–H, and N–H single bonds 328
 - isomerization to alkene 497
 - 1,2-shift in 497
 - singlet, electronic structure 328
- carbenium ion 141
- alignment in bond formation with Cl[–] 149
 - conjugatively stabilized 264
 - in electrophilic additions to alkenes 315, 316
 - as an intermediate 153
 - intermediates, regioselective formation from unsymmetrical alkenes 317
 - intermediates, relative stabilities 317
 - partitioning in S_N1/E1 mechanism 274
 - 1,2-shift in 490–2
 - in S_N1 reaction 261
 - in S_N1/E1 mechanism 274
 - stability 263
- carbenoid 329
- carbocation 141
- carbocation intermediates in electrophilic substitution of benzene 343–4
- carbohydrates:
- configurations 239
 - definition 528
- carbon-14 (¹⁴C):
- ¹⁴C labelling, in formation of benzyne 415
 - natural abundance 3
 - radioisotope 3

- carbon acids 124–8
 pK_a values 603
- carbon atom 1, 10
 ground-state electronic configuration 4
- C–C bond formation 216
 summary of C–C bond forming reactions 615–6
 with catalytic organometallic complexes 507
- C=C double bond, participation by 500–1
- C–C s bond, participation by 501–2
- carbon dating, *see* radiocarbon dating
- carbon dioxide:
 as an electrophile in aromatic substitution 357
 EPM 25
 fixation 3
 molecular structure and model 24
 VSEPR theory 24
- C₆₀ fullerene 425
- C₇₀ fullerene 425
- carbon monoxide extrusion in a cheletropic reaction 480
- carbon nanotube 425
- carbon nucleophile 216, 393
- carbon-13 (¹³C) NMR spectra 586–9
 ethyl 3-oxobutanoate 588
 ethyl ethanoate 587
 4-methylpent-3-en-2-one 587
- ¹³C chemical shifts 586 (T25.5)
- carbonyl (C=O) bond, polarity 166
- carbonyl addition 406
see also 1,2-addition
- carbonyl bond:
 π MO 166
 resonance hybrid 166
- carbonyl compound 54
 reactivity 173
- carbonyl compound(s) as weak bases 131
- carbonyl compounds 165, 188
 ease of reduction 211
 hydration 171–6
 mass spectra 596
 reaction with Grignard reagents 217
see also aldehydes, ketones, and carboxylic acid derivatives
- carbonyl group 54, 164
- carbonyl hydrate, *see* 1,1-diol
- carbonyl rearrangement by 1,2-shifts 494
- carboxy group 55, 188
- carboxylic acid 55
 hydrogen-bonded dimer 64
- carboxylic acid derivatives 55, 188
 interconversions 203
 reactions 189
 reactivity 197–8
 reduction 210
 relative reactivities, summary 203
 summary of reactions 605
 summary of syntheses 614
- carboxylic acids 18
 acidities compared with alcohols 121
 common names 189
 pK_a values 602
 reactions 201
 reduction 210
 summary of reactions 605
 summary of syntheses 613
- carcerand 102
- carcinogenicity of polycyclic aromatic compounds 428
- β -carotene 89, 553
 colour 106
 preparation by the Wittig reaction 185
- Carothers, W.H. xxx
- carvone 248, 553
- catalysis in addition of weak nucleophile to enones 405;
see also acid- and base-catalysis
- catalytic cracking 47
- catalytic hydrogenation of enones 408
- catechol, *see* benzene-1,2-diol
- cathodic reduction of acrylonitrile 466
- cation, formation 6
- cation–anion interaction 61
- cationic polymerization 329
 monomers for 330
 of a vinyl ether 330
- cell membrane 552
- cellobiose 533
- cellulose 533, 534
- cephalin, *see* phosphatidylethanolamine
- chain propagation 448
- chain transfer in radical polymerizations 459
- chair conformation (form) of cyclohexane 79–83
- chair forms of saturated heterocyclic compounds 82
- characterization of organic reactions 156–61
- charge delocalization and stability of anion 121–2
- charge separation 96
- charge-controlled reaction 379
- chemical shift:
 definition 572
 range 573
- chemical warfare in Nature 167
- chemoselectivity 516
- Chichibabin reaction 436–7
- cheletropic reactions 479–480
 addition of methylene to alkenes 480
- chiral, meaning of 225
- chiral auxiliary 521, 522
- chiral catalyst 521
- chiral centre, *see* chirality centre
- chiral molecule 226
- chiral source 521
- chirality 225
 of conformationally mobile cycloalkanes 244
 of conformationally mobile molecules 244
- chirality axis 244
- chirality centre 227
- chitin 559
- chloral, *see* trichloroethanal
- chlorination:
 of benzene, mechanism 345
 of methane 447–8
 of methane, radical chain mechanism 448
- chlorination and bromination of butane, selectivity 449
- chlorine oxy-acids, acidity 121
- 1-chloro-2-hydroxycyclohexane, n.g.p. in *trans*-isomer 266–7
- chloroethanal, molecular model and EPM 173
- chloroethanoic acids, pK_a values 123
- chloroethene, resonance 97
- 2-chloroethyl vinyl ether, ¹H NMR spectrum 581
- chlorofluorocarbon (CFC) 465
- chloroform, pK_a 129

- chloromethane:
 dipole-dipole interactions and EPMs 62
 molecular model and EPM 216
- m*-chloroperbenzoic acid (MCPBA) 327
 as an oxidant 222
- chlorophyll 106
- chlorophyll a xxxi
- 2-chloropropane 53
 mass spectrum 594
 molecular model 53
- chlorosulfite ester, intermediate in conversion of ROH into RCl 297
- cholecalciferol, *see* vitamin D₃
- cholesterol xxxi, 555
 biosynthesis 555
- cholic acid 555
- choline 552
- chromate ester intermediates in oxidation of >CHOH to >C=O 299
- chromatography 66, 241, 562
- chromic acid oxidation of alcohols:
 mechanism 299
 oxidation numbers in 337
- chromium trioxide (CrO₃) for oxidation of primary and secondary alcohols 298
- chromophore 106
- chymotrypsin for peptide sequencing 547
- ciguatoxin xxxi
- cine*, definition 414
- cis-trans* isomerism (isomers) 37–8, 84, 230
 of cycloalkanes 84–5
 of oximes 496
- cis-trans* isomerization:
 of rhodopsin 107
 photochemical, of alkene 107
 photochemical, of cyclohept-2-enone 107
- cis-trans* isomers 230
- citric acid 110
- citronellal 165, 560
- Claisen, L. 389
- Claisen condensation 388–92
 a biological example 389
 crossed 391–2
 indicated by retrosynthesis 513
 intramolecular 391
 mechanism 390
 of thioesters 389
- Claisen rearrangement 483
 aromatic 484
- classes of organic compounds 44 (T3.1)
- classes of reactions 138–40
- classification:
 of amines 53
 of hydrocarbons 43
 of substituents in electrophilic aromatic substitution 352–3
- Clemmensen reduction 213
- climate change 46
- coal 46
- cocaine 433
- codon 538
- coenzyme A (CoA) 306, 535–6
- coenzymes Q 361
- colour:
 and conjugation of polyenes 89
 perception 106
- column chromatography 66
- combustion 445
- comparison of S_N1 and S_N2 mechanisms 268 (T12.1)
- competition of substituents in regioselectivity in disubstituted benzenes 354
- complementary strands of DNA 538
- computational chemistry 22
- concerted (reaction) step 143
- concerted disconnection 515
 indicating a Diels–Alder reaction 516
- concerted elimination, *see* E2 elimination
- concerted mechanism, contrast with stepwise mechanism 158
- concerted reactions 143, 276
 orbital implications 150
- concerted 1,2-shift in formation of carbenium ions 295–6, 493
- condensation reaction 181
- condensed formulas of organic compounds 35–6
- configuration, absolute and relative 238
- configurational isomers 38, 84, 230
- configurations of sugars and amino acids 238
- conformational analysis 84
- conformational isomer 72, 230;
see also conformer, rotational isomer
- conformations 72
 of alkanes 72–7
 of butane 76–7
 of ethane 72–5
- conformer 72;
see also conformational isomer, rotational isomer
- coniine xxvii, 53, 82
- conjugate acid 111
- conjugate acids of miscellaneous organic compounds, p*K*_a values 604
- conjugate addition 330, 402
 of alcohols to enones 405
 of amines to enones 404
 of hydrogen halides to enones 405
 to enones 404
see also 1,4-addition
- conjugate base 111
- conjugated diene 90
- conjugated polyenes 89
- conjugated system 89, 90
- conjugation 90
- conjugative effect upon acidity 123
- conjugative inhibition of hydration of benzaldehyde 173
- conjugative interaction 90
- conjugative stabilization:
 of benzaldehyde 173
 of carbenium ions 264
 of radicals 446
 conrotatory 482
- constitutional isomer 37, 48, 230
- convergent synthesis 519
 of prostaglandin E₂ (PGE₂) 521
- coordination of metal ion in pinacol reaction 463
- Cope rearrangement 483
- core electrons 5
- Corey, E.J. 508
- Corey lactone in PGE₂ synthesis 526
- cortisol 556
- cortisone 556
- coulombic interaction 61
- coupling constant 577;
see also spin-spin coupling constant
- covalent bond 9–10, 25
- covalent radius 12

- cracking 445
- Crafts, J.M. 347
- cross-coupling reactions, palladium-catalysed 507
- crossed aldol formation using enol silyl ethers 398
- crossed aldol reaction 386–7
- crown ethers 302
- as phase transfer catalysts 261
- 18-crown-6, structure and molecular model 302
- crude oil, fractions by distillation 46
- cryptand 302
- for rapid synthesis of fluorodeoxyglucose 303
- cryptate 302
- crystal lattice 8, 9
- crystal violet 106
- crystalline solid 63
- cumene, autoxidation 461
- cumene hydroperoxide, 1,2-shift in 495
- cumene process for the production of phenol and propanone 168
- curly arrows:
- different meanings 143, 470
- guidelines for writing 618
- used in resonance 93
- Curtius reaction (rearrangement) 498
- cyanide ion:
- addition to C=O bond 169
- conjugate addition to enones 404
- resonance 97
- cyanidin 361
- cyanoacrylate esters 409, 410
- cyanoalkyl radicals 445
- cyano-ethylation 408
- cyanohydrin:
- as kinetic product in addition of cyanide to an enone 406
- of propanone, molecular models 171
- cyanohydrin formation 169–71
- equilibrium (constant) 170
- equilibrium and reversibility 156
- rate law 169
- cyclic enediyne antitumour antibiotics 320
- cyclic hemiacetal 177, 529
- of glucose 177
- cyclic intermediates in neighbouring group participation 267, 499
- cyclic structures, nomenclature 57
- cyclization:
- of alkenyl radicals 455–6
- 6-*endo*- 456
- 5-*exo*- 456
- of hydroxy aldehydes and ketones 177
- [2+2] cycloaddition 478–9
- photo-induced 108
- see also photochemical cycloaddition
- [4+2] cycloaddition 332, 471–5
- definition 471
- molecular orbital interactions 471–2
- see also Diels–Alder reaction
- cycloadditions 470–80
- cycloalkanes 48, 77
- configurational isomers and *cis*–*trans* isomerism 84
- heats of combustion 85 (T4.1)
- strain (energy) 85–6
- cyclobutadiene 102
- cyclobutane 78–9
- nonplanar structure and molecular model 79
- ring-puckering vibration 78
- cyclohept-2-enone, photochemical *cis*–*trans* isomerization 107
- cycloheptatrienium ion 103
- cyclohex-3-enone, isomerization of 379
- cyclohexa-1,3,5-triene, hypothetical compound 100
- cyclohexane 48, 79–83
- chair conformation 79–83
- conformational energy profile 83
- half-chair conformations 82–3
- molecular model 48
- pseudo*-rotation 82
- twist-boat conformations 82–3
- cyclohexane-like transition structure 484
- cyclohexanone oxime, rearrangement to ϵ -caprolactam 496
- cycloocta-1,3,5,7-tetraene 104
- cyclopentadiene (cyclopenta-1,3-diene) 127
- molecular model and EPM 127
- pK_a 127
- cyclopentadienide ion 103
- molecular model and EPM 127
- cyclopentane 78–9
- envelope form 78–9
- molecular model 79
- cyclopropane 48, 77–8
- angle strain 77
- molecular model 48
- molecular structure and model 78
- ring strain 78
- cyclopropanes by addition of carbenes to alkenes 328
- cyclopropanone, intermediate in the Favorskii rearrangement 505
- cyclopropenium ion 102
- cyclopropylmethyl radical, β -fragmentation 458
- cycloreversion 471, 477
- [4+2] cycloreversion 480
- cyclotron 302
- cysteine 305
- cytidine 536
- cytosine (C) 535–6

D

- 2,4-D (2,4-dichlorophenoxyethanoic acid) 284
- D and L, as structural descriptors 238
- α -damascone 165
- DBN (1,5-diazabicyclo[4.3.0]non-5-ene), pK_{BH^+} 130
- DBU (1,8-diazabicyclo[5.4.0]undec-7-ene), pK_{BH^+} 130
- DDT (dichlorodiphenyltrichloroethane) 284
- deactivating and *meta*-directing groups 353
- deactivating and *ortho,para*-directing groups 352
- deactivating substituents in electrophilic aromatic substitution 350, 353
- deamination of amines 310
- decarboxylation:
- in Hofmann and Curtius rearrangements 498
- in Kolbe electrolysis 466
- of β -keto carboxylic acids 391, 481
- decay of radioisotope 3
- degenerate orbitals 2
- dehalogenation using tributyltin hydride 452–3

- dehydration 171
 of alcohols with acid-catalysis 292–3
 of aldol 385
- delocalization:
 of π and p electrons 90
 of charge, and stability of anion 121–2
- delocalization energy 90
 of benzene 99
- delocalized π electrons 50
- demercuration, reductive 322
- 2'-deoxyadenosine 536
- 2'-deoxycytidine 536
- deoxygenation of alcohols 453
- 2'-deoxyguanosine 536
- deoxyribonucleic acid 534;
see also DNA
- deoxyribonucleoside 535
- D-deoxyribose 535
- 2'-deoxythymidine 536
- deprotection 221
- deprotection:
 and protection 517–9
 to regenerate alcohols 518
 to regenerate amines 518
 to regenerate aldehydes and ketones 517
- detergent 551
 cationic 551
 non-ionic 551
- detoxification by glutathione 428
- α -deuterated ketone (aldehyde) 377
- deuterium, introduction into arenes by desulfonation 367
- deuterium exchange, acid- and base-catalysed 377–8
- dextrorotatory 239
- diamagnetic anisotropy 574
 in alkyne 574
- diamines as bases 133
- diamond, structure 79
- diastereoisomer 230, 233–6
- diastereoisomeric salt 241
- diastereotopic 582
- diastereotopic hydrogens, ^1H NMR signals 581
- 1,3-diaxial interaction 81
 in axial methylcyclohexane 81
 in the formation of cyclohexanone cyanohydrin 171
- diazo coupling 363
- diazoketone 497
- diazomethane 328
 resonance 97
 as a 1,3-dipole 476
- diazotization:
 of aniline 362–3
 followed by rearrangement 493
 of primary amines 309
- dibasic, *see* diprotic
- dibenzoyl peroxide (BPO) 445
- diborane 323
- 1,2-dibromopropane, ^1H NMR spectrum 581
- 1,5-dicarbonyl compound, retrosynthesis 514
- 1,3-dicarbonyl compounds:
 alkylation 393–5
 enolate ions 392–3
 $\text{p}K_{\text{a}}$ 392
- dicarboxylic acid 132
- dichlorocarbene:
 as an electrophile in electrophilic aromatic substitution 359
 by α -elimination reaction of CHCl_3 328
- dichloromethane, bond angles 25
- 2,4-dichlorophenoxyethanoic acid (2,4-D) 284–5
- dichromate (sodium) for oxidation of primary and secondary alcohols 298
- dicyclohexylcarbodiimide (DCC) 543
- Dieckmann condensation 391
- dielectric constant 67
- Diels, O. 333
- Diels–Alder reaction 332–4, 471–5
 of alkynes 334
 indicated by retrosynthesis 515–6
 kinetic versus thermodynamic control 473
 promotion by Lewis acid 475
 regioselectivity 474–5
 thermochemistry 333
 to trap benzyne intermediate 417
see also [4+2] cycloaddition
- diene, conjugated 90
 for Diels–Alder reactions 471
- dienone-phenol rearrangement 504
- dienophile 332, 471
- diethyl azodicarboxylate (DEAD) 298
- diethyl ether 52
 molecular model 52
- diethyl malonate 394
- diffusion-controlled reaction 381
- 1,2-difunctional compound, retrosynthesis 513
- digoxin xxvii
- dihalocarbene from CHX_3 with phase transfer catalysis 329
- dihedral angle 73
 and vicinal coupling constant 577
- dihydropyridines in the Hantzsch pyridine synthesis 440
- 2,3-dihydroxybutanedioic acid, *see* tartaric acid
- dihydroxylation of alkenes 477
- 2,3-dihydroxypropanal 233
 (*R*)-, Fischer projection and molecular model 233
see also glyceraldehyde
- α -diketone, base-induced rearrangement 494;
see also 1,2-diketone
- 1,2-diketone 463, 464
- 1,3-diketone, enol of 375
- dimethyl sulfoxide (DMSO) 135
- dimethylallyl diphosphate, *see* 3-methylbut-2-enyl diphosphate
- 4-dimethylaminopyridine (DMAP), $\text{p}K_{\text{BH}^+}$ 441
- 3,3-dimethylbutan-2-ol, dehydration with rearrangement 295
- 1,2-dimethylcyclopentene, stereochemistry in addition of HX 319
- 2,2-dimethylpropane 64
 mass spectrum 592
 molecular model 64
- 2,2-dimethylpropan-1-ol:
 ^1H NMR spectrum 573
 1,2-methyl shift in acid-catalysed reaction 295–6
 pure, ^1H NMR spectrum 584
- 2,4-dinitrofluorobenzene, *see* Sanger reagent
- dinitrogen (N_2) as a nucleofuge in arenediazonium ions 363, 417
- dinitrogen trioxide 310
- 1,1-diol 171
- 1,2-diol, pinacol rearrangement 491–2
- dioxin 285
 in the Seveso disaster 443

- dioxygen (O_2):
 diradical (triplet) structure 105
 photoexcited singlet state 105
- 1,3-dioxygenated compounds,
 retrosynthesis 513–4
- 1,5-dioxygenated compounds,
 retrosynthetic analysis 514–5
- dipeptide 539
- diphenylmethane, pK_a 126
- diphosphate as a nucleofuge 265
- 2,2'-diphosphino-1,1'-binaphthyl,
 molecular models 244
- 1,3-dipolar cycloaddition 475–6
 of ozone 476–7
- dipolar ion, *see* zwitterion
- dipolarophile 475
- dipole 10–11
- 1,3-dipole 475, 476
- dipole moment 11
 of pyridine 430
 of pyrrole 429
- dipole-dipole interactions 61, 62, 259
- dipole-induced dipole
 interactions 61, 62
- diprotic acid 131
- diradical 320, 444
- directed aldol reaction 395
- disaccharides 533
 systematic names 533
- disconnection:
 of 1,3-dioxygenated compounds 513
 of an ether 512
 at heteroatoms 512–3
 of a ketone 509, 510–11
 of a secondary alcohol 510
 of a sulfide 512
- disconnections of C–C bonds 221, 508
- dispersion force 61, 62, 448
- disproportionation of radicals 449
- disrotatory 481
- dissolution:
 of nonpolar compounds 65
 schematic representation 65, 66
- dissolving metal reduction:
 of benzene 462
 of ketone 463
- distillation 66
- disubstituted benzenes, electrophilic
 substitution 354–5
- disulfide 305
- disulfide bridge, and tertiary
 structure of proteins 305
- diterpene 553
- 1,3-dithiane:
 pK_a 307
 Umpolung 307
- dithioacetal 180, 304
 desulfurization 213
 in protection-deprotection 222
- divalent carbon (compound) 497;
see carbene
- DNA 534, 537
 replication 538
see also deoxyribonucleic acid
- DNA polymerase 538
- dopamine 368
- double bond in ethene 31
- double helix of DNA 538
- double resonance method 585
- doublet (NMR) 576
- doubly occupied MO (DOMO) 147;
see also occupied MO
- downfield (chemical shift) 573
- dynamic NMR method of kinetics 584
- dynamite 54
- E**
- E1 and E1cB mechanisms in
 elimination reaction map 279–80
- E1 elimination, regioselectivity 280
- E1 mechanism 274
- E1-like and E1cB-like E2
 mechanisms in elimination
 reaction map 279–80
- E1-like and E1cB-like TSs in E2
 mechanism 278
- E1cB mechanism 277
 for aldol dehydration 385
 in formation of benzyne 415
- E2 and S_N2 concurrent
 reactions 275
- E2 elimination:
 effect of nucleofuge on
 regioselectivity 282
 electronic effects on
 regioselectivity 282
 mechanism 275–7
 regioselectivity 281
- E2 mechanism:
 in elimination reaction map 279–80
- in formation of benzyne 415
 stereoelectronic description 276
- eclipsed conformation of
 ethane 74
- EDG, *see* electron-donating group
- Edman degradation 546
- effect of substituent Y on
 electrophilic substitution of
 PhY 353
- effective nuclear charge 8
- eicosanoids 557
- Einstein equation 12
- electrocyclic reactions 470,
 481–2
 orbital interactions 481–2
 stereochemistry 481
 thermal and photochemical 481
- electrode reactions 465–6
- electrofuge, definition 343
- electromagnetic radiation,
 interactions with molecules 104–5, 561, 562
- electromagnetic spectrum 562
- electron, mass 12
- electron acceptor 462
- electron affinity ($E.A.$) 7
- electron-attracting, *see* electron-
 withdrawing
- electron cloud representation of an
 s AO 25
- electron density:
 and atomic orbitals 26
 of a 2p AO 26
- electron-donating group (EDG)
 123, 263
- electron donor 462
- electronegativity 7, 8
 and resonance 96
 of C, and hybridization 120
 of X, effect on acidity of HX 120
- electron impact (EI) mass
 spectrometry 590
- electronically excited alkene 106
- electronic configuration:
 of atom 4–5
 ground-state 4–5
- electronic effect:
 on hydration of carbonyl
 compounds 172
 on regioselectivity in E2 282
- electronic structure 1
 of atoms 1
 of benzenium ion 345
see also electronic configuration

- electronic transition:
 $n \rightarrow \pi^*$ 563
 $\pi \rightarrow \pi^*$ 563
- electron pair:
 acceptor 112
 donor 112
- electron pull 192
 by carbonyl and protonated carbonyl 494
- electron push 190, 191
 by O⁻ 290
 by OH 492
- electron releasing, *see* electron donating
- electron transfer 336
- electron volt 589
- electron-withdrawing group (EWG) 122–4
 effect on carbon acidity 127–8
 effect on chemical shift 573
- electrophile 141
 in aromatic substitution reactions 345 (T16.1)
 LUMO 315
- electrophilic addition:
 to alkenes 315
 to benzene 344
 to benzene, reaction profile 344
 to butadiene 330
 to cyclohexene 344
- electrophilic addition-elimination 344
- electrophilic alkenes 404
 nucleophilic addition to 408
- electrophilic aromatic substitution 341
 biological 356
 effects of substituents 353
 main classes 345 (T16.1)
- electrophilic attack on a monosubstituted benzene 350–2
- electrophilicity:
 carboxylic acid derivatives compared with aldehyde and ketones 198–9
 of carbonyl group 197–8
 of carboxylic acid derivatives 198
- electrophilic reactions of benzene and cyclohexene compared 344
- electrophilic substitution:
 of benzene, reaction profile 344
 of disubstituted benzenes 354–5
 of pyridine 435–6
 regioselectivity 349–50
- electropositive 7
- electrospray ionization (ESI) mass spectrometry 599
- electrostatic interaction 61
- electrostatic potential map 11, 12, 26;
see also EPM
- electrostatic repulsion 22
- elementary reaction (step) 140
- elimination 139, 273
 and substitution from alkyl halides 284, 285 (T13.1)
- elimination–addition mechanism for nucleophilic aromatic substitution 414–5
- α -elimination of haloalkanes to generate carbenes 328, 497
- enamine 183
 chiral, as an intermediate in an asymmetric synthesis 523
 conjugate addition to enones 411
 as an enolate equivalent 397, 411
 mechanism of formation 183
- enantiomer 227, 230
- enantiomeric excess (*ee*) 241
- enantiomeric products from achiral reactants 245
- enantiomeric resolution, *see* resolution
- enantiomerism 227
- enantiomers, properties 241
- enantioselective hydrogenation 521
- enantioselective synthesis of methyl (*R*)-3-hydroxybutanoate 521
- enantioselectivity 246
- enantiotopic 582
- enantiotopic atoms, groups, and faces 582
- enantiotopic faces 521
- enantiotopicity 246
- encounter complex in S_N2 reaction 255
- encounter complex 144
- encounter-controlled reaction 381
- endergonic reaction 152
 equilibrium constant 155
- endo* and *exo* isomers, definitions 472
- endo-exo* selectivity 473
- endothermic reaction 152
- ene reaction 480–1
 regioselectivity 481
- enediol 463, 464
- energetics of reaction 278
- energy:
 of atomic orbitals 3
 of ethene π bond 32
 of hybrid orbitals 29
- energy barrier 150
 to (hindered) rotation 72, 75
- energy change in hydration of carbonyl compounds 172
- energy diagram for π MOs of ethene 32
- energy difference:
 between π and π^* MOs 33
 between σ and σ^* MOs 33
- energy gap between interacting orbitals 148
- energy profile:
 for conformations of butane 76
 of cyclohexane conformations 83
 for internal rotation of ethane 74
- energy transfer by intermolecular collisions 150
- enkephalin 542
- enol 374
 of 1,3-diketone 375
 intramolecular hydrogen bonding in 375
 as a nucleophilic alkene 380
 pK_a 374
- enolate:
 kinetic 396
 thermodynamic 396
- enolate equivalent 397
- enolate formation during a Grignard reaction 219
- enolate ion:
 EPM 374
 molecular orbitals 379
 of pentane-2,4-dione, molecular model and EPM 128
 resonance 96
- enolate ions 373–96
 alkylation of 393–5
 conjugate addition to enones 410
 of 1,3-dicarbonyl compounds 392–3
 as nucleophiles 382

- as nucleophilic alkenes 380
- enol equivalent, *see* enolate equivalent
- enol form 374, 375
- enolization:
 - acid-catalysed 376
 - base-catalysed 376–7
 - equilibrium constants 374
 - of β -keto ester and ^{13}C NMR signals 588
 - mechanism 376
 - rate constant for 377
 - rate-determining step in 377
 - reversibility 376, 377
- enol silyl ethers:
 - aldol formation from 398
 - alkylation of 398
 - preparation of 397–8
- enone 403
 - conjugate addition to 404–8
 - see also* α,β -unsaturated carbonyl compounds
- enophile 480
- enthalpy of activation 152;
 - see also* activation energy
- enthalpy of reaction 8
 - from bond dissociation enthalpies 450
- enthalpy profile 151
- entropy change in dissociation of
 - carboxylic acids 123
- entropy effect in intramolecular reaction 177
- envelope form of cyclopentane 78–9
- environmental problems of
 - polyhalogenated compounds 285
- ephedrine 248, 368, 433
- epigallocatechin gallate 361
- epinephrine, *see* adrenaline
- EPM 11, 12, 26
 - acyl chloride 198
 - allene 91
 - amide 198
 - benzyl anion 125
 - BF_3 113
 - $\text{BF}_3\text{-NH}_3$ 113
 - BH_3 14
 - bromomethane 253
 - butadiene 90
 - CH_4 23, 30
 - chloroethanal 173
 - chloromethane 216
 - cyclopentadiene 127
 - cyclopentadienide ion 127
 - enolate anion 374
 - enolate ion of pentane-2,4-dione 128
 - ester 198
 - ethanal 173
 - ethanoate ion 19
 - ethene 24, 31
 - ethyne 25, 34
 - F_2 12
 - HCl 11
 - H_2O 11, 24
 - H_3O^+ 15
 - methanal 24 166
 - methylolithium 216
 - NH_3 14, 23, 113
 - nitromethane 19
 - ozone 476
 - pentane-2,4-dione 128
 - phenoxide ion 122
 - propenal 403
 - protonated methanal 174
 - pyrrole 429
 - triphenylmethyl anion 126;
 - see also* electrostatic potential map
- epoxidation of alkenes 327
- epoxide 289
 - intermediate in metabolic process 428;
 - see also* oxirane
- epoxides:
 - ring opening 300–1
 - summary of syntheses 611
- equatorial (bond) of chair
 - cyclohexane conformation 79–80
- equilibrium constant 152
 - cyanohydrin formation 170 (T8.1)
 - definition 155
 - hydration of carbonyl compounds 172 (T8.2)
 - relationship with standard Gibbs energy of reaction 155
- erythromycin A 202
- erythrose 234
- essential amino acids 539, 540
- ester(s):
 - as weak bases 130–1
 - base-catalysed hydration 190
 - fruit-like odour 56
 - molecular model and EPM 198
 - protonation site 131
 - reaction with amine 195–6
 - reduction to alcohol 210
- ester exchange, catalysed and uncatalysed 195
- ester formation with inversion of alcohol configuration 298
- ester hydrolysis 190–4
 - acid-catalysed 192
 - alkaline 191
- esterification 199, 200, 201;
 - see also* ester formation
- estradiol 556
- ethanal 55
 - EPM 173
 - in the metabolism of ethanol 168
 - molecular model 55, 173
 - production and use 168
- ethanamine 53
 - molecular model 54
- ethane:
 - conformations 72–5
 - torsional barrier 78
- ethane-1,2-diol 51
 - industrial production and use 294
- ethanenitrile, *see* acetonitrile
- ethanoate ion:
 - bond lengths 19
 - EPM 19
 - Lewis structures 17
 - molecular model 19
 - resonance 19, 94
- ethanoic acid 55, 110
 - molecular model 55, 188
 - $\text{p}K_{\text{a}}$ 116
- ethanol 51
 - absolute, *see* ethanol, anhydrous
 - by fermentation 294
 - industrial production 294
 - molecular model 51
 - anhydrous 294
- ethanolamine 552
- ethene 314
 - bond angles 24
 - bonding 31–32
 - energy diagram for π MOs 32
 - EPM 24, 31
 - molecular model 31
 - molecular structure and model 24
 - π bond energy 32

- ethene (*continued*)
 as a plant hormone 316
 as a raw material 49
- Ethephon 316
- ether 50, 52
 autoxidation 460
see also diethyl ether
- ether cleavage, selectivity 291–2
- ethers:
 acid-catalysed reactions 289–92
 formation from alcohols 291
 summary of syntheses 611
 as weak bases 130
- ethoxide ion, molecular model 256
- ethoxyethene, mechanism of
 acid-catalysed hydration 322
- ethyl acetoacetate, *see* ethyl 3-oxobutanoate
- ethyl alcohol, *see* ethanol
- ethyl benzoate, ¹⁸O-labelled 194
- ethyl ethanoate:
¹³C NMR spectrum 587
¹H NMR spectrum 577
 p*K*_a 128
- ethylene glycol, *see* ethane-1,2-diol
- ethylene oxide (oxirane), production, uses, and hazards 300
- ethyne 24, 314
 bonding 33
 EPM 25, 34
 molecular model and structure 24, 34
 π MOs 33–4
 VSEPR theory 24
see also acetylene
- ethyl 3-oxobutanoate:
 alkylation 394
¹³C NMR spectrum 588
 p*K*_a 129
 product of Claisen condensation, 388–9
- eugenol 360
- EWG, *see* electron-withdrawing group
- exact masses, of common isotopes 598 (T25.7)
- excitation of electron 563
- excited state, electronically 104;
see also photoexcited state
- exergonic reaction 152
 equilibrium constant 155
- exothermic reaction 152
- external magnetic field 571
- extinction coefficient, *see* molar absorptivity
- extraction, by a solvent 66
- Eyring equation 153
- E,Z* nomenclature 38
- F**
- Faraday, M. 100
- α-farnesene 553
- farnesol 265, 560
- fats 55
- fats and oils 550
- fatty acid, biosynthesis 389
- fatty acids, saturated and unsaturated 550 (T24.3)
- Favorskii rearrangement 505
- Fehling's reagent 532
- fingerprint region of IR spectrum 565
- fingerprints, detection 410
- fire-extinguishing agent 465
- first-order rate constant 159
- first-order rate law of S_N1 reaction 261
- Fischer, E. xxix, 233, 239
- Fischer esterification 192, 201
- Fischer projections 233
- fish-hook arrow, *see* singly barbed curly arrow
- fixation of CO₂ 3
- flag-pole hydrogens in chair cyclohexane 83
- flavonol 106
- 9-fluorenylmethoxycarbonyl (Fmoc) 543
- fluorescence 105
- fluorine:
 electronegativity 8
 radioisotope ¹⁸F 303
- fluorine molecule (F₂), EPM 12
- fluoroalkane 65
- fluoroarenes, reactivity in nucleophilic substitution 413
- fluorocarbon, *see* fluoroalkane
- 2-fluoro-2-deoxy-D-glucose, *see* fluorodeoxyglucose
- fluorodeoxyglucose:
 labelled with ¹⁸F 302
 rapid synthesis using cryptand 303
- food preservative 461
- formal charge 14–15
 relationship with oxidation number 336
- formaldehyde, *see* methanal
- formic acid, *see* methanoic acid
- fossil fuel 46
- four-membered cyclic transition structure in alkene hydroboration 323
- Fourier transform (FT) method for NMR spectroscopy 572
- fragment ion 590
- fragmentation:
 of hydroperoxide 461
 of molecular ion (MS) 590–2
- β-fragmentation:
 of radicals 458
 of tertiary alkoxy radicals 458
- free energy, *see* Gibbs energy
- free radical, *see* radical
- free valence 47, 57
- freon, *see* CFC
- frequency 562
- Friedel, C. 347
- Friedel–Crafts acylation of benzene, mechanism 348–9
- Friedel–Crafts alkylation:
 limitations 364
 of benzene, mechanism 347
 using alcohols and alkenes 347
- frontier orbitals 148
- frontier orbital interactions:
 in [4+2] cycloaddition 471–2
 in 1,3-H shift 485
 in 1,5-H shift 485
 in 1,2-shift 491
see also HOMO–LUMO interactions
- D-fructose 529
- FT NMR spectrometer 572
- fullerene 425
- functional group:
 as prefixed substituent in nomenclature 58, 59 (T3.6)
 priority in nomenclature 58, 59 (T3.5)
- functional group interconversion (FGI) 506, 510–511
 between a ketone and a secondary alcohol 510
 retrosynthetic analysis using 514
- functional group protection 221
- functional groups 42–5, 44 (T3.1)

- characteristic IR absorptions
565 (T25.2)
- functionalized cyclohexane ring in
retrosynthesis 515–6
- fundamental classes of reactions 618
- furan 103, 429
acid-catalysed hydrolysis 435
Diels–Alder reaction 434
electrophilic substitution 432–4
- furanose 529
- Furukawa method for
cyclopropanation by a
carbenoid 329
- fused bicyclic compound 86
- G**
- D-galactose 529
- gas chromatography (GC) 67
- gas chromatography–mass
spectrometry (GC-MS) 599
- gas phase 63
- gas-liquid chromatography (GLC),
see gas chromatography
- gasoline 46
- gauche* (conformation) 76
- gem*-diol, *see* 1,1-diol
- geminal, definition 171
- genetic information 537
storage 538
- geraniol 265, 553
- Gibbs energy of activation,
relationship with rate
constant 153
- Gibbs energy reaction profile 152
- global warming, *see* climate change
- glucaric acid 532
- glucitol 531
- gluconic acid 532
- D-glucopyranose, α - and β - 529, 530
- glucose 529
cyclic hemiacetal 177
metabolism of 384
 β -D- 51
D-, anomers 529
D-, equilibration of open chain
and pyranose forms 530
see also glucopyranose
- glucoside 530
- glutathione 305, 306
as antioxidant 461
in detoxification 428
- glyceraldehyde 43, 233;
see also 2,3-dihydroxypropanal
- glycerol 51, 55
- glycine, acid–base properties 133
- glycoside:
 α - and β - 530
N- 530
- glycosidic bond 530
- Gomberg, M. 446
- grapefruit mercaptan 52
- graphene 425
- graphite 425
- greenhouse gas 46
- greenhouse effect 465
- Grignard, F.A.V. 217
- Grignard reaction 217–9
enolate formation 219
of ester, mechanism 217
with inverse addition 217
reduction during 219
side reactions 219
of tertiary amide, mechanism 218
- Grignard reagents 217
addition to enones 406–7
from haloarenes 366
hydride transfer from 219
reaction with carbon dioxide 218
reaction with carbonyl
compounds 217
reaction with oxirane (ethylene
oxide) 218–9
reaction with water 216
- ground-state electronic
configuration 4–5
of elements 5
- Grubbs complex 507
- guanidine (G) 535–6
arginine as a substituted
guanidine 130
 pK_{BH^+} 130
- guanosine 536
- guest–host interaction 303
- H**
- half-chair conformation 82–3
- half-life of decay of radioisotope 3
- haloalkanes 52–3, 273
mass spectra 593
reaction with nucleophile 251
summary of reactions 606
summary of syntheses 609
- see also* alkyl halides
- haloarenes, summary of syntheses
609
- halochromic compound 134
- haloform reaction 199, 382
- halogenation:
of alkanes, selectivity 448–50
of primary amides 498
of benzene 345–6
- α -halogenation 380
- halogen substituents, electronic
effects on electrophilic
aromatic substitution 352
- 2-halopentanes, effect of halogen on
elimination regioselectivity
282
- Hammond, G.S. 157
- Hammond postulate 157, 161, 317,
350, 352, 450
- Hantzsch pyridine synthesis 440
- heat of combustion 85
of cycloalkanes 85 (T4.1)
- heats of hydrogenation:
of alkenes 335 (T)
of benzene 99–100
- Heck reaction 507
- helium, electronic configuration 5
- helium molecule (He₂),
instability 27
- helix, right- and left-handed 228
- α -helix 547, 549
- hemiacetal 176
cyclic 177, 529
formation 176
- Henderson–Hasselbalch
equation 117
- heptane, IR spectrum 566
- hept-1-ene, IR spectrum 566
- hept-1-yne, IR spectrum 567
- heteroaromatic compounds 423
reactions 432–9
see also aromatic heterocyclic
compounds
- heteroatom 250
definition 145
- heterocyclic compounds 423
aromatic 423
- heterolysis 141
of *t*-butyl chloride 151
- hexahelicene, enantiomers 239
- hexanedinitrile, *see* adiponitrile
- hexa-1,3,5-triene, MOs 482
- hexose 529

- high-density polyethylene (HDPE) 460
- high performance liquid chromatography (HPLC) 67
- high-resolution mass spectrometry and determination of molecular formulas 598
- high-resolution NMR spectrometer 572
- highest occupied molecular orbital, *see* HOMO
- hindered rotation 72, 244; *see also* restricted rotation
- histamine 53
- history of organic chemistry xxvi
- ^1H NMR spectrum:
- 2-bromo-1,1-dimethoxyethane 576
 - but-2-enoic acid 585
 - 2-chloroethyl vinyl ether 581
 - 1,2-dibromopropane 581
 - 2,2-dimethylpropan-1-ol 573
 - 2,2-dimethylpropan-1-ol, pure 584
 - ethyl ethanoate 577
 - p*-methoxytoluene 579
 - 3-methylbutanone 580
- Hofmann, A.W. von 281
- Hofmann and Zaitsev regioselectivity 283
- Hofmann elimination 282, 309
- Hofmann rule 281
- Hofmann rearrangement 498
- HOMO (highest occupied molecular orbital) 148
- of alkene 315
- HOMO–LUMO interactions 148–9
- in approach of methylene to an alkene 480
 - between 1,3-dipole and dipolarophile 476
 - between nucleophile and carbonyl group 167
 - in [2+2] cycloadditions 479
 - in [4+2] cycloadditions 471–2
 - in HCl addition to an alkene 315
 - in $\text{S}_{\text{N}}2$ reaction 255
 - see also* frontier orbital interactions
- homolysis 140, 445
- of Br_2 151
- homotopic, meaning of 582
- Hooke's law 566
- Hückel, E.A.A.J. 101
- Hückel's ($4n+2$) rule 101–4
- Hund's rule 4
- Hunsdiecker reaction 383
- hybrid AO 28
- hybridization:
- of atomic orbitals 28–30
 - of C, effect on acidity of CH 120
 - of C, effect on electronegativity of C 120
 - of C, relationship with C–C and C–H bond lengths 35
- hydrate of carbonyl compound, *see* 1,1-diol
- hydration:
- of alkenes, acid-catalysed 321
 - of alkynes 324
 - of benzaldehyde, conjugative inhibition 173
 - of carbonyl compounds 171–6, 190
 - of carbonyl compounds, equilibrium constants 172 (T8.2)
 - of carbonyl compounds, mechanism 173–4
- hydration/dehydration, alkene-alcohol equilibrium 321
- hydrazine:
- as a reducing agent 212
 - reaction with aldehydes and ketones 181–2
- hydrazone 182
- hydride reduction:
- of enones 407
 - of carbonyl groups 208
- 1,2-hydride (1,2-H) shift 294, 490, 491
- in pinacol rearrangement 492
- hydride transfer 146, 214
- from carbon 213–4
 - from Grignard reagent 219
- hydriodic acid for ether cleavage 292
- hydroboration 323
- of alkynes 325
- hydroboration-oxidation:
- of alkene to give an alcohol 323
 - 1,2-shift in 496
 - of terminal alkyne to give an aldehyde 325
- hydrobromination of alkene, regioselectivity of radical mechanism 454
- hydrocarbon 43
- classification 43
 - saturated and unsaturated 43
- hydrochloric acid 111
- hydrochlorination of 2-methylpropene, reaction profile 317
- hydrochlorofluorocarbon (HCFC) 465
- hydrofluorocarbon (HFC) 465
- hydroformylation of ethene and propene 294
- hydrogen abstraction 447
- reaction profile 450
- hydrogen bond 61, 62–3
- of alcohol 62
 - effect on boiling point 64
 - intramolecular, in enol of 1,3-diketone 375
 - in nucleic acid base pairing 537
- hydrogen bonding and protein secondary structure 548
- hydrogen chloride:
- dipole 11
 - electrophilic addition to an alkene 147
 - molecular model and EPM 11
 - formation 9
 - reaction with water 111, 115
- hydrogen cyanide, reaction with water 111
- hydrogen fluoride:
- acid strength in water 291
 - anomalous acidity 120
- hydrogen halides:
- reactions with alcohols and ethers 291–2
 - pK_{a} values 120
- hydrogen molecule:
- bond length 27
 - molecular orbitals 27
- [1,3] and [1,5] hydrogen shifts, frontier orbital interactions 485
- hydrogen sulfide, pK_{a} 120
- 1,5-hydrogen transfer:
- in Barton reaction 457
 - of radicals 456–7
- hydrogen-bonded dimer of carboxylic acid 64
- hydrogen-bonding solvation 259
- hydrogenation of alkenes and alkynes 334
- hydrogenolysis 213
- hydrohalic acids 291
- hydrohalogenation of alkenes, mechanism 316

- hydronium ion, *see* oxonium ion
 hydroperoxides:
 fragmentation 461
 formation by autoxidation 460
 hydroperoxy compounds, pK_a values 602
 hydroquinone, *see* benzene-1,4-diol
 hydroxide:
 leaving ability 290
 as a poor nucleofuge 175, 179
 hydroxide ion, Lewis structure 14–15
 β -hydroxy aldehydes, products of aldol reaction 382
 hydroxy aldehydes and ketones, cyclization 177
 hydroxy group 50
 conversion to a better nucleofuge 296
 hydroxy ketone, by selective reduction of a keto ester 211
 β -hydroxy ketone, retrosynthesis 514
 α -hydroxy ketone 463–4;
 acid- and base-catalysed rearrangement 494
 see also acyloin
 hydroxycarbenium ions in mass spectra of alcohols 595
 hydroxylamine, reaction with aldehydes and ketones 181–2
 hydroxymethylation of carbonyl compounds 388
 2-hydroxypropanoic acid, *see* lactic acid
 2-hydroxypyridine, tautomerism 437
 hyperconjugation:
 and anomeric effect 531
 in ethane 75
 in a radical 447
 in stabilization of a carbanion 307
 in stabilization of a carbenium ion 264
 hypophosphorous acid as a reducing agent 417
- I**
- ichthyothereol 314
 imidazole 429
 acidity 432
 basicity 431
 imine, rhodopsin 107
 imines 181, 212
 as biochemical intermediates 184
 mechanism of formation 181
 iminium ion 181
 intermediate in a biological aldol-type reaction 384
 intermediate in reduction of an amide 210–11
 in Mannich reaction 388
 indigo xxvi
 indole 429
 electrophilic substitution 434
 inductive effect 263
 upon acidity 122
 transmission 123
 infrared, *see* IR
 Ingold, C.K. 253
 initiation of radical reactions 447
 inner group of 1,3-diene 473
 inorganic compounds, pK_a values 602
 in-phase, explanation 26
 in-phase interaction 27
 insertion of carbene, into C–H, O–H, and N–H single bonds 328
 insulin 543
 integration of NMR signals 575
 intermediate 140
 compared with transition structure 153
 detection 158
 lifetime 153
 intermediate(s) and stepwise mechanisms 158
 intermolecular collisions and energy transfer 150
 intermolecular interactions 61–3
 internal rotation 72
 intramolecular aldol condensation 386
 intramolecular hydrogen bond 132
 intramolecular interaction 62
 intramolecular nucleophilic displacement 266
 intramolecular reaction, entropy aspect 177
 intramolecular reactions of radicals 455–8
 intramolecular S_N2 reaction 499
 inverse electron demand in Diels-Alder reaction 471
 inversion of configuration in S_N2 mechanism 254
 investigation of reaction mechanisms 156–61
 iodination:
 of benzene 345–6
 of tyrosine 356
 iodoform 382
 ion, formation 6–7
 ion pair 9, 262
 ion-exchange chromatography 67
 ion-dipole interaction 61
 ionic bond 8–9
 ionic product (of water), *see* autoprotolysis constant
 ionic radius 12
 ionic reaction, *see* polar reaction
 ionization energy (*I.E.*) 7
 ionization potential, *see* ionization energy
 α -ionone 43
 β -ionone 55
 ionophore 303
ipso, definition 414
 IR absorptions, characteristic of functional groups 565 (T25.2)
 IR spectroscopy 564–568
 IR spectrum 562
 butanal 568
 butan-2-ol 567
 butanone 568
 heptane 566
 hept-1-ene 566
 hept-1-yne 567
 isocyanates in Hofmann and Curtius rearrangements 498
 isoelectric point (*pI*) 541
 isoelectronic, explanation 18, 94, 126
 isomeric hierarchy 230
 isomerism 37
 isomerization 293
 of carbene to alkene 497
 of unsaturated carbonyl compounds 379
 see also rearrangement
 isopentenyl diphosphate 554
 isoprene unit 553
 biosynthesis 554
 isoprenoid 265
 isopropyl group, multiplicity of the methyne NMR signal 580
 isoquinoline 429
 nitration 439
 isosurface 11, 12, 26
 isotope 2
 carbon ^{14}C 3

isotope exchange:
 of carbonyl oxygen 175
 of oxygen during ester hydrolysis 193
 isotope labelling:
 in Claisen rearrangement 484
 in formation of benzyne 415
 isotope labelling, in formation of benzyne 415
 isotopic peaks in mass spectrometry 593
 isotopic scrambling 175
 in formation of benzyne 415
see also isotope exchange
 isovalue 11, 12
 IUPAC nomenclature of organic compounds 56

J

(*Z*)-jasmone 165
 Jones oxidation 298

K

K_a , *see* acid dissociation constant
 Karplus equation 577
 K_{BH^+} , definition 129
 kedarcidin 320
 Kekulé, A. xxix, 100
 Kekulé's dream 100
 Kekulé structure of benzene 98, 342
 ketene, from ketocarbene 497
 α -ketocarbene, isomerization to ketene 497
 keto ester, selective reduction 211
 β -keto ester 389, 390
 enolization 588
 keto tautomer (form) 374, 375, 404
 keto-enol tautomerism:
 determination of equilibrium constants 377
 equilibrium constants 375 (T17.1)
 ketone 54, 165
 acidity 374
 dissolving metal reduction 463
 ketones:
 as weak bases 130
 summary of syntheses 613
 ketonization 376
 rate constant 377

ketose 529
 ketyl 463
 Kevlar 205
 Kiliani–Fischer synthesis 559
 kinetic and thermodynamic control:
 in addition to enones 406
 in Diels–Alder reactions 473
 in electrophilic addition of HBr to butadiene 331
 in sulfonation of naphthalene 426
 kinetic control:
 definition 332
 in electrophilic aromatic substitution 349
 kinetic energy 75
 kinetic enolate 396
 kinetic isotope effect 160
 in formation of benzyne 415
 kinetically stable 155
 knocking (pre-ignition) 47
 Kolbe, H. xxviii
 Kolbe electrolysis 466
 Kolbe–Schmitt reaction 358

L

lactam 202
 β -lactam antibiotics 202
 lactase 533
 lactic acid 240
 lactone 202
 lactose 533
 Lambert–Beer law 564
 lanosterol 555
 leaving ability 197, 290
 of alkoxides and hydroxide 290
 of Y^- and acidity of HY 256
see also nucleofuge
 lecithin, *see* phosphatidylcholine
 leukotriene 557
 levelling effect 134
 levorotatory 29
 Lewis, G.N. 6
 Lewis acid 16, 141
 effect on Diels–Alder reactions 475
 Lewis acid and base, definitions 112
 Lewis acid catalyst:
 in bromination of benzene 343
 in halogenation of benzene 345
 Lewis acid–base interactions 259

Lewis base 141
 Lewis representation of atoms 6
 Lewis structures:
 guide for drawing 14–15
 of molecules 12–20
 Liebig, J. von xxix
 lignin 361
 limonene 553
 linamarin 167
 Lindlar catalyst 334
 line-angle drawings of organic structures 35–6
 line-shape analysis (NMR) 584
 linear shape and VSEPR model 24
 linear synthesis 519
 of prostaglandin E_2 (PGE₂) 520
 linoleic acid 550
 autoxidation 460
 lipid bilayer 552
 lipids 550–7
 Lipitor 554
 liquefied petroleum gas (LPG) 46
 liquid 63
 liquid chromatography (LC) 66
 lithium aluminium hydride 210
 lithium dialkylcuprate 407
 lithium diisopropylamide (LDA) 395
 lithium enolates:
 alkylation 395
 generation 395
 lobes of p orbitals 26
 London, F. 61
 London dispersion force, *see* dispersion force
 lone pair 10
 of water 23
see also nonbonding pair,
 unshared electron pair
 low-density polyethylene (LDPE) 460
 lowest unoccupied molecular orbital, *see* LUMO
 Lucas reagent 291
 LUMO (lowest unoccupied molecular orbital) 93, 148
 of C=O bond (group) 166
 of electrophile 315
 lycopene 89, 553

M

macrolide antibiotics 202
 magnetic field (MS):

- deflection of ions by 590
- magnetic field (NMR):
 - effective 572
 - external 572
 - local 572
- magnetic moment, nuclear 571
- magnetogyric ratio 571
- malonic ester synthesis of
 - carboxylic acids 394–5
- malonyl coenzyme A 389
- maltase 534
- maltose 533
- manicone 401
- Mannich reaction 388
- D-mannose 529
 - for synthesis of fluorodeoxy-glucose 303
- Markovnikov, V.V. 318
- Markovnikov regioselectivity of
 - oxymercuration-demercuration 322
- Markovnikov rule 318
- mass:
 - atom 12
 - electron 12
 - neutron 12
 - proton 12
- mass defect 12
- mass number (*A*) 2
- mass spectra:
 - of alcohols 595
 - of carbonyl compounds 596
 - of haloalkanes 593
- mass spectrometer 589
 - schematic representation 590
- mass spectrometry (MS) 562, 589
- mass spectrum:
 - benzaldehyde, 597
 - 1-bromopropane 594
 - butanal 597
 - butan-1-ol, 595
 - butan-2-ol, 595
 - butanone 596
 - 2-chloropropane 594
 - 2,2-dimethylpropane 592
 - 2-methylbutane 591
 - pentane 590–1
 - toluene 592–3
- mass-to-charge ratio (*m/z*) 590
- matrix-assisted laser desorption-ionization (MALDI) 599
- mauve xxx
- McLafferty rearrangement 596–7
- MCPBA, *see* *m*-chloroperbenzoic acid
- mechanism (of a reaction) 138
 - proposal 156–8
- medical adhesives 410
- medium effect 68
- medium ring keto ester, synthesis 458
- Meerwein–Ponndorf–Verley–Oppenauer reaction 214
- Meisenheimer complex 413
- melatonin 368
- melting point (mp) 63, 65
 - of *t*-butyl alcohol 65
- memantine hydrochloride 308
- menthol 553
- mercaptan, *see* thiol
- mercapto group 52
- mercury, toxicity 323
- mercury poisoning 323
- Merrifield method 544
- mescaline 368
- meso compound 235
- meso isomer, *see* meso compound
- meta*- (*m*-), as a prefix 60
- metal bond radius 12
- metal exchange, effects of ether solvents 216
- metal hydrides:
 - reduction of carbonyl compounds 208–11
 - addition to enones 407
- metal ion, coordination during pinacol reaction 463
- metal ions, complexation by crown ethers and cryptands 302
- metal-carbene complex 507
- metal-halogen exchange 216
- methamphetamine 368
- methanal:
 - bond angles 24
 - Lewis structure 16
 - molecular model and EPM 24, 166
 - molecular structure 24
 - photoexcited states 105
 - production and use 168
 - resonance 97
- methane:
 - VSEPR theory 23
 - bonding 30
 - chlorination 447–8
 - EPM and molecular models 11, 23, 30
 - molecular structure 23
 - MOs 30
- 1,6-methano[10]annulene 104
- methanoic acid, resonance 96
- methanol 51
 - industrial production and toxicity 294
 - Lewis structure 16
 - molecular model 51
 - as a weak base 131
- methoxy group, electronic effects on electrophilic aromatic substitution 350–1
- methoxybenzenium ions, resonance forms 350–1
- methoxybenzoic acids, pK_a values 124
- methoxymethyl cation, resonance 96
- p*-methoxytoluene, 1H NMR spectrum 579
- methyl 3-oxobutanoate, enantiotopic faces and prochirality 522
- methyl alcohol, *see* methanol
- methyl anion:
 - Lewis structure 16–17
 - pyramidal structure 93
- 2-methylbutane 64
 - mass spectrum 591
 - molecular model 64
- 3-methylbutanone, 1H NMR spectrum 580
- 3-methylbut-2-enyl
 - diphosphate 265
- methyl *t*-butyl ether (MTBE) 47
- methylcyclohexane 80–1
 - anti* and *gauche* interactions 81
 - axial form, molecular model 80, 81
 - 1,3-diaxial interactions 81
 - equatorial form, molecular model 80, 81
- methylcyclopentadienes, thermal isomerization 485
- methylene 327
 - cycloaddition to alkenes 479–80
 - see also* carbene
- methyl ethanoate, molecular model 190
- methyl orange 363
- methyl lithium, molecular model and EPM 216

- N*-methylmorpholine *N*-oxide (NMO) 478
- 4-methylpent-3-en-2-one, ^{13}C NMR spectrum 587
- 2-methylpropane 47
molecular model 47
- 2-methylpropan-2-ol 51
industrial production 294
see also t-butyl alcohol
- 2-methylpropene, mechanism of hydrochlorination 316
- methylpyridines, reactions at the methyl group 438–9
- methyl salicylate 207, 360
- 1,2-methyl shift:
in acid-catalysed reaction of alcohols 295–6
in carbenium ion 491
concerted with formation of carbenium ion 295–6
- 2-methylundecanal 55
- methyl yellow 363
- mevalonic acid 554
- micelles 551
- Michael, A. 410
- Michael addition, indicated by retrosynthesis 515
- Michael reaction (addition) 410
- microwave spectroscopy 562
- migratory aptitude 491, 495
- minoxidil 444
- mirror plane 226
- Mitsunobu reaction 298
- mixed aldol-ester condensation 392
- Mizoroki–Heck reaction, *see* Heck reaction
- MO description of a polar (elementary) reaction 147–50
- MO energy diagram, for planar cyclic π systems 101
- mobile phase in chromatography 66
- molar absorption coefficient, *see* molar absorptivity
- molar absorptivity (ϵ) 564
- molar reaction profile of a multistep reaction 153–4
- molecular congestion 171
- molecular energy profile 151
for a one-step reaction 150
- molecular formula:
and MS 589
determination by high resolution MS 598
- molecular ion 590
- molecular models 11
- molecular orbital (MO) 25, 27
- molecular orbital energy level diagram, generic 563
- molecular orbitals:
of ethene 479
of hexa-1,3,5-triene 482
of hydrogen molecule 27
of methane 30
of penta-1,3-dienyl radical 485
see also π MOs
- molecular recognition 303
- molecular structure:
ammonia 23
benzene 98
butadiene 90
carbon dioxide 24
cyclopropane 78
ethanoate ion 19
ethene 24
ethyne 24
methanal 24
methane 23
naphthalene 424
nitromethane 19
water 24
- molecular vibration:
bond bending 71–2
bond stretching 71–2
- molecular vibrations, stretching and bending 564
- molecular weight by MS 589
- molozonide 476
- mono-alkylbenzenes, synthesis 365
- monomers:
for anionic polymerization 409
for cationic polymerization 330
for radical polymerization 459
- monosaccharide, definition 528
- monosaccharides 529–30
multiple protection 519
reduction and oxidation 531–2
- monoterpene 553
- More O'Ferrall, R.A. 279
- Morse curve 151
- multiple protection of monosaccharides 519
- multiplet (NMR) 576
- multiplicity of spin–spin splitting patterns 576
- multistep reaction 153
molar reaction profile 153–4
- see also* stepwise reaction
- multistep synthesis of bexarotene 523–4
- muscalure 49, 314
- muscone 165
- mustard gas 252
- mutarotation 530
- myrcene 314, 553
- ## N
- NAD⁺ 215, 535–6
- NADH 215
- naked anion 260
- nanotechnology 425
- nanotube 425
- naphthalene 424
bromination 426
electrophilic substitution 426
resonance 424
resonance energy 424
structure 424
sulfonation 426
- naphthalenium ion 426
- naphthalen-2-ol, acidity of photoexcited states 105
- 2-naphthol, *see* naphthalen-2-ol
- naproxen, enantiomeric resolution 241–2
- natural abundances of isotopes 2, 593 (T25.6)
- natural gas 47
- natural rubber 553
- neighbouring group participation (n.g.p.) 266–8
of *trans*-1-acetoxy-2-bromocyclohexane 267
of *trans*-1-chloro-2-hydroxycyclohexane 266
rearrangement involving 489–502
in $\text{S}_{\text{N}}1$ reaction 267
in solvolysis 267, 499
see also participation
- neopentyl alcohol,
see 2,2-dimethylpropan-1-ol
- neopentyl tosylate, rearrangement of 493
- neutron 1
mass 12
- Newman projection 73
of E2 mechanism 276

- nicotinamide adenine dinucleotide, *see* NAD⁺
- nicotine 53, 433
- ninhydrin 187, 560
- nitration:
- of benzene, mechanism 346
 - of pyridine *N*-oxide 438
 - of quinoline and isoquinoline 439
- nitrene, rearrangement involving 497–8
- nitric oxide (NO) 54, 444
- nitrile oxides as 1,3-dipoles 476
- nitriles, summary of syntheses 612
- nitrite ester, intermediate in Barton reaction 457
- nitro compounds 54
- nitro group, electronic effects on electrophilic aromatic substitution 351–2
- nitroalkane 54
- nitroarene 54
- nitrobenzenium ions, resonance forms 351–2
- nitrogen bases 129–30
- nitrogen heterocycles, basicity 430
- nitrogen molecule as a nucleofuge in arenediazonium ions 363, 417
- nitroglycerin 54
- nitromethane:
- bond lengths 19
 - EPM, molecular structure, and model 19
 - Lewis structures 17–18
 - p*K*_a 127–8
 - resonance 19, 94
- nitrones as 1,3-dipoles 476
- nitronium ion 346
- nitronium tetrafluoroborate as a nitrating reagent 346
- nitrophenols, p*K*_a values 123–4
- N*-nitrosamines 309
- nitrosonium ion 310
- nitrous acid, reaction with alkylamines 309
- NMR 562, 571
- physical basis 571
 - see also* ¹H and ¹³C NMR
- NMR spectroscopy 571
- noble gas element 5
- nodal plane 26
- of antibonding MO of H₂ 27
- nodal planes:
- of allyl system 93
 - of benzene 98
 - of butadiene 90
- node, *see* nodal plane
- non-benzenoid 424
- non-polar reaction 142
- nonactin 303
- nonbonded interactions 61
- nonbonding pair 10;
- see also* unshared electron pair, lone pair
- nonplanar form of cyclobutane 78–9
- 7-norbornenyl tosylate, participation by C=C double bond 501
- exo*-2-norbornyl brosylate, solvolysis 501–2
- noradrenaline (norepinephrine) 252, 368
- nπ* transition 105
- nuciferal 526
- nuclear binding energy 12
- nuclear magnetic resonance (NMR) 572
- nuclear Overhauser effect (NOE) 585
- effect on ¹³C NMR signal intensity 589
- nuclear Overhauser enhancement (NOE), *see* nuclear Overhauser effect
- nuclear reaction 3
- nucleic acid 534–5, 537
- base pairing 537–8
 - generic structural representation 535
- nucleofugality, *see* leaving ability
- nucleofuge 141, 196, 251, 256, 290
- definition 343
 - effect on regioselectivity in E2 282
 - see also* leaving group
- nucleofuges (biological), phosphate and diphosphate 265
- nucleon 12
- nucleophile 141
- as a single electron donor 464
- nucleophiles:
- in acidic solution 290
 - potent and poor 196
 - in S_N1 and S_N2 mechanisms 268
 - for S_N2 reactions 255
- nucleophilic addition 402
- to electrophilic alkenes 408
- nucleophilic alkenes 397
- nucleophilic aromatic substitution:
- by addition–elimination 412–13
 - by elimination–addition 414–15
- nucleophilic attack:
- at C=O group 167
 - site of 145
- nucleophilic centre 146
- nucleophilic substitution 250
- aromatic 403
 - by addition–elimination 189
 - of *t*-butyl bromide 261
 - of carboxylic acid derivatives, generalized mechanism 196
 - by conjugate addition–elimination 412
 - of pyridine derivatives 436–7
 - radical chain mechanism 464
 - rate law 251
 - by the S_N1 mechanism 260–6
 - by the S_N2 mechanism 252–60
 - by the S_{RN}1 mechanism 464
- nucleophilicity 255
- and basicity 255
 - and polarizability 256
 - and steric hindrance 256
- nucleoside 535 (T24.1)
- nucleotide 534–5
- nucleus 1
- size 12
- nylon 6 205
- nylon 66 205

O

- octane rating (number) 47
- octet 6
- octet rule 6
- oil (petroleum) 46
- oils 55
- oleic acid 36
- oligopeptide 539
- oligosaccharide, definition 528
- optical activity 237
- optical purity 241
- optical rotation 239
- orbital alignment 149
- orbital interactions:
- in bimolecular (elementary) reactions 147
 - bond strength 148
 - in concerted E2 elimination 276

- orbital overlap:
 in bond formation between
 Cl⁻ and carbenium ion 149
 and orientation (alignment) 149
 in reaction of enolate 379
- orbital symmetry 148, 149
 in cycloaddition reactions 471
- organic compounds, names 56
- organic nomenclature 56–61
- organic reactions,
 characterization 156–61
- organic resources 46
- organic structures, depiction 35–7
- organic synthesis:
 efficiency 519–21
 planning 220, 506–7
- organocatalysis 523
- organolithium compound 216
- organolithium reagent, addition to
 enones 407
- organomagnesium compound 216;
see also Grignard reagent
- organometallic complexes for
 catalytic C–C bond
 formation 507
- organometallic compound 208, 215
- organometallic reagent 216
- orientation 349;
see also regioselectivity
- ortho-* (*o-*) as a prefix 60
- ortho*, *meta*, and *para*, terms used in
 Diels–Alder reactions 474–5
- ortho,para*-directing groups 352
- osmium tetroxide 477
- outer group of 1,3-diene 473
- out-of-phase, explanation 26
- out-of-phase interaction 27
- oxazolidinone derivative,
 enantiomerically pure 522
- oxidation:
 of alcohols 298–9
 of alkylborane, rearrangement
 during 324
 of alkyl groups of alkylarenes 365
 of aniline 362
 definitions 336
 of monosaccharides 532
 of primary alcohols to
 aldehydes 300
- oxidation and reduction in organic
 chemistry 336–7
- oxidation number (ON),
 definition 336
- oxidation–reduction by electron
 transfer 462
- oxidizing agent, definitions 336
- oxime 182
 acid-catalysed isomerization 496
 acid-catalysed hydrolysis 182
cis-trans isomers 496
- oxirane, *see* epoxide
- oxonium ion 114
 EPM 15
 Lewis structure 14–15
 p*K*_a 115
 site of nucleophilic attack 145
 solvation 135–6
- oxy-acids of chlorine, acidity 121
- oxygen (molecule) *see* dioxygen
- oxymercuration 322
 of alkynes 324
- oxymercuration-demercuration of
 alkene to give an alcohol 322
- oxymercuration-demercuration of
 terminal alkyne to give a
 methyl ketone 324
- oxytocin 542–3
- ozone:
 as a 1,3-dipole 476
 EPM 476
- ozone layer, depletion 465
- ozonide 476
- ozonolysis of alkenes 476–7
 for elucidation of alkene
 structures 477
- P**
- π bond 31
 as a nucleophilic centre 146
- π MO 31
- π MOs 32
 of allene 91
 of allylic system 93
 of benzene 98–9
 of benzene, energy levels 99
 of butadiene 90–1
 of C=O bond 166
 of enolate 379
 of ethene 31–2
 of ethyne 33–4
- π nucleophile 146
- Paal–Knorr synthesis of pyrroles,
 furans, and thiophenes 440
- paper chromatography 67
- para-* (*p-*) as a prefix 60
- paracetamol 69
- paracyclophane 575
- paraffin 43
- paraformaldehyde 168
- partial (electrical) charge 10
- partial inversion of configuration in
 S_N1 reaction 262
- participation:
 by aryl groups 500
 by C=C double bonds 500–1
 by C–C s bonds 501–2
 by groups with lone pairs 498–9
see also neighbouring group
 participation
- partitioning of carbenium ions
 between alternative product-
 forming steps 317
- Pasteur, L. xxix, 242
- Pauli exclusion principle 4
- Pauling, L. 8, 19, 28
- PCB (polychlorinated biphenyl) 285
- PCC, *see* pyridinium
 chlorochromate
- penicillin xxviii, 202
- penta-1,3-diene, 1,5-H shift in 485
- penta-1,4-diene, p*K*_a 127
- penta-2,3-diene, enantiomers,
 structures, and molecular
 models 245
- penta-1,3-dienyl radical, MOs 485
- pentane 64
 mass spectrum 590–1
 molecular model 64
- pentane-2,4-dione:
 molecular model and EPM 128
 p*K*_a 128
- pentose 529
- peptide 539
- peptide (protein) sequence,
 determination 546–7
- peptide bond, *see* amide bond
- peptide sequenator (sequencer) 547
- peptide synthesizer 544
- peptides:
 structure 542–3
 synthesis 543–5
- peracid, *see* peroxy acid
- perchloric acid, acidity 121
- peri* position 424
- pericyclic reactions 143, 469–86
 in vitamin D formation 486
- periodic table of elements ii

- Perkin, W.H. xxx
- permethylation of alkylamines 309
- perms 305
- peroxide 445
- peroxy acids 327
use in Baeyer-Villiger reaction 495
- PET 203:
recycling 204
see also poly(ethylene terephthalate), positron emission tomography
- petrol, *see* gasoline
- petroleum industry 46
- pH, definition 117
- pH indicator 134
- phase change 63
- phase-transfer catalysis 260
by crown ethers 303
in dihalocyclopropanation of an alkene 329
of S_N2 reaction 260, 261
- phenanthrene 424
bromination 427
oxidation 428
- phenol 50, 60, 355
acidity and delocalization 122
mechanism of bromination 357
reactivity in electrophilic substitution 355–8
toxicity 357
- phenol-formaldehyde resin 358
mechanism of formation 358
- phenolphthalein 134
- phenols:
in nature 360
 pK_a values 602
summary of syntheses 610
- phenoxide ion:
molecular model and EPM 122
reactivity in electrophilic substitution 357
- phenyl isothiocyanate 546
- 9-phenylfluorene, pK_a 127
- phenylhydantoin 547
- 1,2-phenyl shift 495
involving participation by phenyl group 500
- β -phenyl-substituted alkyl tosylate, solvolysis 500
- pheromone 49, 314
- phosphate as a nucleofuge 265
- phosphatidic acid 551–2
- phosphatidylcholine 552
- phosphatidylethanolamine 552
- phosphines, chirality 243
- phosphoacylglycerol 551–2
- phosphoglyceride, *see* phosphoacylglycerol
- phospholipids 551–2
- phosphonium ylide 183
- phosphorescence 105
- phosphorus halides for conversion of alcohols to alkyl halides 297
- phosphorus tribromide for conversion of alcohols to alkyl bromides 297
- photochemical *cis-trans* isomerization 107
- photochemical [2+2] cycloaddition (photo-cycloaddition) 108, 479
- photochemical reaction 106–8, 150
- photochemically allowed reaction 479
- photochemistry 105
- photo-dissociation 446
- photoexcitation 104–8
processes following 105
- photoexcited states, properties 106
- photolysis 446
- photosynthesis 3
- phthalic acid, *see* benzene-1,2-dicarboxylic acid
- physical constants, symbols and values 617
- physical properties of compounds 61
- π (π) bond, *see* π bond
- π (π) MO, *see* π MO
- pinacol reaction 463
- pinacol rearrangement 491–2
- α -pinene 560
- piperidine 53
molecular model 54
- piperidinium ion, acidity 121
- pK_a , definition 114
values in DMSO 135 (T6.1)
- pK_a , summary of values:
alcohols 602
amines and amides 603
ammonium ions 603
carbon acids 603
carboxylic acids 602
conjugate acids of miscellaneous organic compounds 604
hydroperoxy compounds 602
inorganic compounds 602
phenols 602
sulfonic acids 602
thiols and thioacids 602
- pK_a scale 116
- pK_b 129
- pK_{BH^+} , definition 129
- planar cyclic π systems, MO energy diagrams 101
- plane of symmetry, *see* mirror plane
- plane-polarized light 237
- plant hormone 316
- plastic recycling 204
- β -pleated sheet 547, 548
- polar (elementary) reaction, MO description 147–50
- polar aprotic solvent for S_N2 reactions 260
- polar aprotic solvents 135, 259
- polar bond 10
- polar reaction 142
- polarimeter 238–40
- polarizability 62
- polarizability and nucleophilicity 256
- poly(ethylene terephthalate) (PET) 203–4
- poly(methyl methacrylate) 409
- polyacrylonitrile 409
- polyamide 205
- polycondensation 203
- polycyclic aromatic compounds 423–8
benzenoid and non-benzenoid 424
- polycyclic aromatic hydrocarbons 424, 426
reactions 426–8
see also polycyclic aromatic compounds
- polyene, conjugated 89
- polyester 203
- polyhalogenated compounds 284
- polymer 203
- polymerization:
anionic 409
of ϵ -caprolactam 205
cationic 329
radical 459
- polyol 51
- polypeptide 539
- polysaccharide, definition 528
- polysaccharides 534

- polyunsaturated fatty acid,
 autoxidation 460
- porphine 424
- positron 302
- positron emission tomography
 (PET) 302
- potential energy 151
- potential energy diagram, three-
 dimensional 279
- potential energy surface in
 elimination reactions 279
- $\pi\pi^*$ transition 104
- pre-equilibrium protonation of
 carbonyl oxygen 174
- prefixed substituents 58
- prefixes for multiplicities and
 fractions 618
- preparative chromatography 66
- primary alcohol 51
- primary alcohols, oxidation to
 aldehydes 300
- primary alkyl halide 53
- primary alkyl-substituted benzenes,
 synthesis from alkyl aryl
 ketones 364
- primary amine 53
- primary amines, reaction with
 aldehydes and ketones 181
- primary carbon and hydrogen 48
- primary structure of protein 547
- principal group 58
- principal quantum number 2
- principle of microscopic
 reversibility 175
- priority of functional groups in
 nomenclature 58, 59 (T3.5)
- priority of groups for CIP sequence
 rules 38–9
- pro-R* and *pro-S* designation of
 enantiotopic atoms (or
 groups) 582
- procaine 525
- prochiral substrate 521
- prochirality, meaning of 246
- product analysis in S_N2 and $E2$
 concurrent reactions 275
- product studies 156–8
- product-determining step 274
- product-forming step, *see* product-
 determining step
- progesterone 556
- L-proline as a chiral catalyst 522–3
- propadiene, *see* allene
- propane 49
 molecular model 49
- propane-1,2,3-triol, *see* glycerol
- propan-1-ol, industrial production
 294
- propan-2-ol:
 industrial production 294
 structure and molecular model
 228
- propanone 55
 molecular model 55, 171
 pK_a 128, 376
 pK_a of enol form 376
 production and use 168
- propenal, EPM 403
- propene 49
 acidity 374
 molecular model 49
 pK_a 125
- propenenitrile, *see* acrylonitrile
- propofol 371
- propranolol 525
- propyne 49
 electrophilic addition of HBr
 319–20
 molecular model 49
- prostacyclin 557
- prostaglandin 557
- prostaglandin E_2 (PGE_2):
 total (convergent) synthesis by
 Noyori 521
 total (linear) synthesis by Corey
 520
- protecting group 517, 543
- protection:
 of alcohols 518
 of aldehydes and ketones 517
 of amines 518
 of carbonyl groups 221
 and deprotection 222, 517–9
- protection-deprotection, strategy in
 synthesis 180
- protein 205, 539
 structure 547
- protic compound, explanation 210
- protic solvents 68, 259
- proton, mass 12
- proton acid, *see* Brønsted acid
- proton chemical shift (δ) 572
 approximate values 574
- proton counting by NMR
 integration 575
- proton exchange:
 detected in NMR spectrum by
 D_2O 584
 leading to disappearance of
 coupling 584
- proton NMR spectra 571
- proton transfer 111
- proton transfer equilibria 113
- protonated alcohol, reactions 290
- protonated aniline, *see* anilinium ion
- protonated carbonyl group as an
 electrophilic site 145
- protonated ether, reactions 290
- protonated ketone 174
- protonated methanal, EPM 174
- pseudo*-rotation:
 of cyclohexane 82
 of cyclopentane 79
- purine 429, 535–6
- purple benzene 303
- pyramidal inversion of amine 72
- pyranose 529
- pyrene 424
- pyridine 429
 as a nitrogen nucleophile 435
 basicity 431
 dipole moment 430
 electrophilic substitution 435–6
 low reactivity in electrophilic
 substitution 435
 molecular model and EPM 430
 nucleophilic substitution 436–7
 orbitals 430
 synthesis from 1,5-diketones
 440
- pyridine *N*-oxide:
 formation and reactions 437–8
 nitration 438
- 2-pyridinediazonium ion 437
- pyridinium chlorochromate (PCC)
 for oxidation of primary
 alcohols to aldehydes 299
- pyridinium ion, acidity 121
- 2-pyridone, tautomerism 437
- pyridoxal (phosphate) 184
- pyrilium ion 429
- pyrimidine 429, 535–6
- 2-pyrone 429
- pyrophosphate, *see* diphosphate
- pyrrole 103
 acidity 432
 electrophilic substitution 432–4
 molecular model, dipole moment,
 and EPM 429

orbitals 430
 protonation 431
 resonance 429
 pyrrolium ion 103
 pyrroloquinoline quinone (PQQ)
 361, 424

Q

quantization 2
 quaternary carbon 48
 ^{13}C signal intensity 589
 quaternary structure of proteins 549
 quinhydrone as an electrochemical
 standard 361
 quinine xxvii
 quinoline 429
 nitration 439
 quinones by oxidation of phenols
 and anilines 360

R

racemate 240
 racemic 240
 racemic compound 241
 racemic conglomerate 241
 racemic mixture, *see* racemate
 racemic product in $\text{S}_{\text{N}}1$
 reaction 262
 racemization of a chiral ketone 378
 radical 13, 141
 meanings of 445
 radical addition of HBr to
 alkenes 453–4
 radical addition to alkenes using
 tributyltin hydride 455
 radical anion 462
 intermediate in $\text{S}_{\text{RN}}1$
 mechanism 464
 radical cation 590
 radical chain mechanism 447
 for chlorination of methane 448
 of addition of HBr to alkene 454
 of dehalogenation by tributyltin
 hydride 453
 of polymerization 459
 radical clock 458
 radical coupling 463
 radical initiator 445
 radical intermediates, stability 454

radical polymerization 445, 459
 radical reaction 142
 radical substitution 448
 radicals:
 conjugative stabilization 446
 β -fragmentation 458
 1,5-hydrogen transfer 456–7
 intramolecular reactions 455–8
 structure 446
 radiocarbon dating 3
 radiofrequency (rf) 571
 radioisotope 3
 radioisotope, decay 3
 radioisotope ^{18}F 303
 Raney nickel, in hydrogenolysis 213
 ranitidine 69
 rate and rate constant 159
 rate constant:
 effect of reaction conditions 160
 effect of substrate structure 160
 relationship with Gibbs energy of
 activation 153
 rate law:
 of a bimolecular reaction 159
 as an indicator of mechanism 159
 and mechanism 159
 of a unimolecular reaction 159
 rate-determining ionization, effect
 of structure 160
 rate-determining step 154
 in enolization 377
 of a substitution reaction 252
 of $\text{S}_{\text{N}}1$ reaction 261
 rate-limiting step, *see* rate-
 determining step
Re and *Si* designation of
 enantiotopic faces 582
 reaction conditions, effect on rate
 constant (reactivity) 160
 reaction coordinate 150
 reaction energetics 150
 reaction map 278–80
 reaction mechanism, *see* mechanism
 reaction mechanisms, investigation
 of 156–61
 reaction profile 138, 150
 for addition of HBr to
 butadiene 332
 for bond cleavage 151
 for heterolysis of *t*-butyl
 chloride 151
 for homolysis of Br_2 151
 for hydrogen abstraction 450

for hydrochlorination of
 2-methylpropene 317
 for reaction of benzene with an
 electrophile 344
see also energy profile
 reaction profiles of multi-step
 reactions 153
 reactions, summary:
 for alcohols 606
 for aldehydes and ketones 605
 for alkenes 606
 for alkynes 607
 for amines 606
 for arenes 607
 for carboxylic acids 605
 for C–C bond formation 615–6
 for haloalkanes 606
 reactivity:
 of alkyne compared with alkene
 in electrophilic addition 319
 of halogens, in electrophilic
 addition to alkenes 326
 of pyrrole, furan, and
 thiophene 434
 of substituted benzenes in
 electrophilic substitution
 349–50
 rear-side nucleophilic attack 253
 rearrangement 140
 of alkyl groups in Friedel–Crafts
 alkylation 364
 of allyl vinyl ether 143
 of carbenium ions 293, 295
 of carbenium ions in $\text{S}_{\text{N}}1$
 reactions 263
 in the oxidation of
 alkylborane 324
 involving participation 499
 involving participation by C–C
 s bond 501
 involving participation by C=C
 double bond 501
 rebamipide 526
 recrystallization 66
 redox reaction, *see* reduction-
 oxidation
 reducing sugar 532
 reduction:
 of aldehydes and ketones 208
 of amide to aldehyde 211
 of amide to amine 210–11
 of carbonyl groups of aryl alkyl
 ketones 365

- reduction: (*continued*)
of carboxylic acid derivatives 210
of carboxylic acids 210
of $>C=O$ to $>CH_2$ 212–13
of enones, regioselective 407
of esters to alcohols 210
during a Grignard reaction 219
of monosaccharides 531
- reduction and reducing agents,
definitions 336
- reduction-oxidation:
involving quinones-
hydroquinones 360
reversibility in quinone-
hydroquinone systems 361
- reductive amination of aldehydes
and ketones 212
- reforming (process) 46
- refrigerants 465
- regioselective reduction of
enones 407
- regioselectivity 516, 517
anti-Markovnikov 454
in addition to aryne 416
in bromination of anthracene and
phenanthrene 427
in Diels-Alder reactions 474–5
in E1 eliminations 280
in E2 eliminations 281
in electrophilic addition to
unsymmetrical alkenes 317–8
in electrophilic substitution of
substituted benzenes 349
in ene reactions 481
in hydroboration-oxidation 323
Markovnikov 453–4
of enolization 396
of radical hydrobromination of
unsymmetrical alkene 454
see also orientation 349
- Reimer-Tiemann reaction 358
- relative atomic mass (A_r) 2
- relative rate constants for
bromoalkane substitution
reactions 251
- relative stabilities:
of alkenes 335
of carbenium ion
intermediates 317
- relaxation of spin-excited
nuclei 585
- relaxation time:
of excited ^{13}C nuclei 589
of excited nuclei 584
- replication of DNA 538
- repulsive interactions between
bonding electron pairs 75
- reserpine 433
- resolution 241
- resonance 93, 95–7
introduction 18–19
- resonance contributor 19, 93, 95
protocol for writing 95–6
see also resonance form
- resonance effect, *see* conjugative
effect
- resonance energy of benzene 99
- resonance form, *see* resonance
contributor
- resonance forms:
relative contributions 95–7
relative stabilities 96
- resonance hybrid 19, 93, 95, 96
- resonance stabilization in E2
transition structures 283
- resonance structure, *see* resonance
contributor
- restricted rotation 72;
see also hindered rotation
- resveratrol 361
- retention of configuration:
by neighbouring group
participation 266
in solvolysis 500, 501
- retinal 107
- retinol, *see* vitamin A
- retro-aldol reaction 384
- retro-cycloaddition 471;
see also cycloreversion
- retro-ene reaction 481
- retrosynthesis 508
of a 1,2-difunctional
compound, 513
of bexarotene 524
see also retrosynthetic analysis
- retrosynthetic analysis 220, 221
of a 1,3-dioxygenated
compound 514
of a 1,5-dioxygenated
compound 515
of an ether 512
of a sulfide 512
of a β -thio ketone 512
using functional group
interconversion 514–6
see also retrosynthesis
- reversibility:
of sulfonation 347
of hydration of a carbonyl
group 175
- reversible and irreversible
reactions 155
- rhodopsin 107
- rhodopsin, effect of methanal
on 294
- ribonucleic acid 534;
see also RNA
- ribonucleoside 535
- D-ribose 529, 535
- ring closure, electrocyclic 481
- ring current 574
and aromaticity 575
in alkene 574
in benzene 574
of triple bond 574
- ring flip 80
of chair cyclohexane 81
of chair methylcyclohexane 80
see also ring inversion
- ring inversion 80, 82
of chair cyclohexane
conformations 82–3
see also ring flip
- ring opening of epoxides:
acid-catalysed 300–1
base-catalysed 301
- ring strain of cyclopropane 78
- ring-puckering vibration of
cyclobutane 78
- RMgX, *see* Grignard reagent
- RNA 534, 537, 538;
see also ribonucleic acid
- Robinson, R. 411
- Robinson annulation 411
- Rogaine 444
- roof effect in spin-spin splitting
patterns 578–9
- rotational barrier 75
- rotational isomer 72;
see also conformer,
conformational isomer
- R,S* configuration of chirality
centre 231
- rubidium sodium (+)-tartrate,
absolute configuration, 238

S

- σ bond 2
as a nucleophilic centre 146
see also sigma (σ) bond

- σ MO 28;
see also sigma (σ) MO
 saccharide 528
 salbutamol 368, 525
 salicin xxvii, 360, 530
 salicylaldehyde 358
 salicylic acid, anion formation by
 electrophilic substitution 358
 SAM (*S*-adenosylmethionine) 252,
 535–6
 Sandmeyer reaction 418
 Sanger, F. 546
 Sanger reagent 546
 saponification 191–2;
 see also alkaline hydrolysis of
 esters
 saturated hydrocarbon 43
 saw-horse structures 73
s character:
 of C hybridization, effect on
 acidity of CH 120
 of hybrid AO, relationship with
 C–C and C–H bond lengths 35
 of sp, sp², and sp³ hybrid AOs 29
 Schiff's base, *see* imine
s-cis and *s-trans* conformers of
 conjugated diene 333
 second-order rate constant 159
 second-order rate law in E2
 eliminations 275
 second-order reaction 251
 secondary alcohol 51
 secondary alkyl halide 53
 secondary amine 53
 reaction with aldehydes and
 ketones 183
 secondary carbon and hydrogen 48
 secondary orbital interactions
 473, 474
 secondary structure of protein 547
 selective reduction of keto ester 211
 selectivity:
 in chemical reactions 516–7
 in chlorination and bromination
 of butane 449
 in ether cleavage 291–2
 in photo-halogenation of
 alkanes 448–50
 β -selinene 560
 semi-pinacol rearrangement 492
 sequence rules, Cahn-Ingold-Prelog
 38–9
 serotonin 368
 sesquiterpene 553
 sex hormones 556
 shared (electron) pair 9;
 see also bonding pair
 Sharpless asymmetric
 epoxidation 521–2
 shell 2
 inner 5
 outermost, *see* valence shell
 shielding of nucleus by electron
 density 573
 shielding effect 572
 1,2-shift:
 from C to N 496
 from C to O 495
 in carbenium ions 490–2
 of hydrogen and alkyl groups 293
 suprafacial 491
 sigma (σ) bond:
 definition 28
 symmetry 28
 sigma (σ) MO:
 definition 28
 symmetry 28
 sigmatropic rearrangement
 470, 482–6
 [1,5] sigmatropic rearrangement
 484–5
 stereochemistry 485
 see also [1,5] hydrogen shift
 [1,7] sigmatropic rearrangement 486
 [3,3] sigmatropic rearrangement
 483–4
 MO interactions 483
 stereochemistry 483
 sildenafil 444
 silylphenyliodonium cation 417
 Simmons–Smith reaction for
 cyclopropanation by a
 carbenoid 329
 single electron transfer (SET) 461–6
 singlet (NMR) 576
 singlet carbene 328
 singlet state 104
 singly barbed curly arrow 141
 singly occupied MO (SOMO) 93, 147
 site selectivity 517
 six-membered cyclic transition
 structure 470
 size of atoms 12
 S_N1 and S_N2 mechanisms:
 comparison 268 (T12.1)
 competition 268
 S_N1 mechanism:
 in biological reactions, 265
 in substitution reaction of
 arenediazonium ions, 417
 acid-catalysed ring opening of
 epoxides, 300–1
 of hydrolysis of *t*-butyl
 chloride, 153
 S_N1 reaction 261
 stereochemistry 262
 two-step mechanism 261
 S_N2 mechanism 253
 of bromomethane 144
 HOMO-LUMO interactions 255
 of enolate alkylation 393
 stereochemistry 254
 stereoelectronic description 255
 steric hindrance 253
 base-catalysed ring opening of
 epoxide, 301
 S_N2 reaction 253
 effect of solvent polarity 258
 phase-transfer catalysis 260, 261
 rapid, using cryptand 303
 S_N2 reactivity of haloalkanes 253
 S_Ni mechanism for conversion of
 ROH into RCl 297
 soap 191–2, 550, 551
 sodium amide (sodamide) 111
 sodium bicarbonate, *see* sodium
 hydrogencarbonate
 sodium bisulfite, *see* sodium
 hydrogensulfite
 sodium borohydride 208
 sodium chloride, formation 8, 9
 sodium cyanoborohydride
 (NaBH₃CN) 212
 sodium hydride as a base 208
 sodium hydrogencarbonate 110
 sodium hydrogensulfite 180
 solid-phase peptide synthesis 544
 solid-state synthesis of a
 tripeptide 545
 solubility:
 of covalent compounds 65–6
 of ionic compounds 67–8
 solute 65
 solute–solute interactions 257
 solvated electron 462
 solvation 68
 of anion 68, 259
 of anionic conjugate base 135–6
 of cation 68, 259
 of nucleophiles in S_N2
 reactions 256
 of oxonium ion 135–6

- solvation cage 68
 solvation change in dissociation of
 carboxylic acids 123
 solvation shell 68
 solvent 65
 solvent effects:
 on acid–base reactions 133–6
 on rate constants (reactivity) 161
 on reactions in solution 257–60
 on solvolysis of *t*-butyl
 chloride 161
 solvent polarity:
 effect on rate constant 258
 effect on S_N2 reactions 258
 solvents, polar, nonpolar, protic,
 and aprotic 259
 solvolysis:
 of *t*-butyl chloride 161
 explanation 269
 with neighbouring group
 participation 499
 solvolytic reaction, *see* solvolysis
 sorbitol, *see* glucitol
 sp hybrid (AO) 29
 sp hybrid AOs in ethyne 33
 sp-hybridized carbon 29
 sp² hybrid (AO) 29
 sp²-hybridized carbon 29
 sp³ hybrid (AO) 29, 30
 specific rotation 239
 spectroscopy 561
 spectrum, electromagnetic 105, 563
 sphingolipid 552
 sphingomyelin 552
 sphingosine 552
 spin 2
 spin decoupling 584–5
 spin inversion 105
 spin-excited nuclei, relaxation 585
 spin-flip, nuclear 572
 spin-spin coupling 576
 geminal 577
 vicinal 577
 spin-spin coupling constants
 578 (T25.4)
 spin-spin coupling patterns 577
 spin-spin splitting 576–8
 spin–lattice relaxation 585
 spin, nuclear, α and β 571
 spiro compound 86
 spiro compound, chiral 245
 spiro[3.3]heptane, 2,6-dimethyl,
 enantiomers, structures, and
 molecular models 245
 spiro[4.3]octane 86
 spontaneous resolution 241
 squalene 555
 $S_{RN}1$ mechanism 464
 photoinduced 465
 stability:
 of alkenes in elimination
 reactions 280
 of alkyl radicals 446
 stabilization energy of benzene
 99–100
 stabilization energy 90
 stacking interactions in
 graphite 425
 staggered conformation of ethane 73
 staggered conformation (form) 73
 standard Gibbs energy of reaction,
 relationship with equilibrium
 constant 155
 standard state 155
 starch 533, 534
 states of matter 63
 statins 554
 stationary phase in
 chromatography 66
 steam reforming (process) 294
 stearic acid 550
 stepwise mechanism, contrast with
 concerted mechanism 158
 stepwise mechanism for
 hydrochlorination 316
 stepwise mechanism,
 intermediate(s) in 158
 stepwise reaction 140
 stereocentre, *see* stereogenic centre
 stereochemistry:
 of addition of HX to alkenes 319
 of Diels–Alder reactions 471–4
 of electrocyclic reactions 481
 and neighbouring group
 participation 500
 of [1,5] sigmatropic
 rearrangements 485
 of [3,3] sigmatropic
 rearrangements 483
 of S_N1 and S_N2 mechanisms
 compared 269
 of S_N1 mechanism 262
 of S_N2 mechanism 254
 stereoelectronic description:
 of E2 mechanism 276
 of S_N2 mechanism 255
 stereoelectronic requirements and
 choice of synthetic route 517
 stereogenic axis 227
 stereogenic centre 227;
 see also chirality centre
 stereogenic element 227
 stereoisomers 37, 84, 227, 230
 properties of 237
 stereoselective reaction 246
 stereoselectivity 246, 516, 517
 in Diels–Alder reactions 472
 of HX addition to alkene 319
 stereospecific (reaction) 246, 254
 stereospecificity 246, 470
 in Diels–Alder reactions 333,
 471–2
 of Diels–Alder reactions of
 alkynes 334
 of E2 elimination 276–7
 of electrocyclic reactions 480
 of epoxidation of alkenes 327
 of halogen addition to
 diastereoisomeric alkenes 326
 of [1,5] sigmatropic
 rearrangements 485
 steric acceleration of S_N1 reaction
 264
 steric effect:
 on cyanohydrin formation 170
 on hydration of carbonyl
 compounds 172
 steric hindrance 63
 in E2 mechanism 281
 and nucleophilicity 256
 at *ortho* position in electrophilic
 substitution 355
 in S_N2 reactions 253
 see also steric repulsion, steric
 strain
 steric repulsion 62;
 see also steric strain, steric
 hindrance
 steric strain 76, 170
 at *peri* positions 424
 relief in carbenium ion
 formation 264
 see also steric repulsion
 steroid, structure of framework 79
 steroid skeleton 555
 steroidal tosylate, participation by
 C=C double bond 501
 steroids 554–6
 synthesis by Robinson
 annulation 411
 strain in boat form of
 cyclohexane 83

- strain (energy) in cycloalkanes 85–6
 stratosphere, ozone in 465
 streptomycin xxviii
 stretching vibration 71–2, 151
 strong acid 111, 116
 strong base 111
 structural isomers, *see*
 constitutional isomers
 structure of radicals 446
 strychnine 433
 styrene, acid-catalysed hydration
 (mechanism) 321
 sublimation 63
 substituent effects:
 upon acidity 122–4
 in Diels–Alder reaction 333, 473
 upon electrophilic aromatic
 substitution, classification
 352–3
 upon stability of benzenium ion
 350–2
 substituted benzenes:
 reactivity in further electrophilic
 substitution 349–50
 regioselectivity in electrophilic
 substitution 349–50
 structures 342
 synthesis 364–8
 substitution 139
 and elimination from alkyl
 halides 284, 285 (T13.1)
 substrate structure, effect on rate
 constant (reactivity) 160
 sucrose 533
 sugar 528
 sulfide 50
 as a nucleophile 305
 sulfonate, leaving ability 256
 sulfonate esters, alkyl 296
 sulfonation:
 of arenes for control of reactivity
 and regioselectivity 367
 of benzene, mechanism 346–7
 of naphthalene 426
 reversibility 347
 sulfones 308
 sulfonic acids, pK_a values 602
 sulfonium ions as alkylating agents
 305
 sulfoxide 308
 as a chirality centre 308
 chiral 243
 sulfur compared with oxygen 304
 sulfur trioxide 346
 sulfuric acid, pK_a values 131
 sunset yellow 363
 super glue 410
 superposability, meaning of 225
 suprafacial 483, 484
 surfactants 550
 Suzuki–Miyaura coupling 507
 Swern oxidation 300
 symmetry, constraints in orbital
 interactions 148
 symmetry-allowed reaction 471
 symmetry-forbidden reaction 478
 symmetry of HOMOs and
 stereochemistry of
 electrocyclization 481
 symmetry plane, *see* mirror plane
syn, illustration 74
syn addition:
 in hydrogenation of alkenes and
 alkynes 334
 in alkene hydroboration 323
 of singlet carbene to alkenes 328
 concerted, in Diels–Alder
 reactions 333, 471
syn and *anti* additions to alkenes 319
syn and *anti* nomenclature for
 zigzag representations of
 carbon chains 522
syn form of butane 76, 77
 syngas, *see* synthesis gas
 synthesis:
 a secondary alcohol 510
 peptides 543–5
 substituted benzenes, 364–8
 synthesis gas 294
 synthesis of substituted benzenes:
 control of reactivity 366
 control of regioselectivity 366
 synthesis, summaries
 alcohols 610
 aldehydes 612
 alkanes 608
 alkenes 608
 alkynes 609
 amines 611
 arylamines 611
 carboxylic acid derivatives 614
 carboxylic acids 613
 epoxides 611
 ethers 611
 haloalkanes 609
 haloarenes 609
 ketones 613
 nitriles 612
 phenols 610
 synthetic equivalent 509
 synthons 508
 and corresponding reagents
 509 (T23.1)
 of opposite polarities 511
- T**
- 2,4,5-T (2,4,5-trichloropheno-
 xyethanoic acid) 284–5
 Tamiflu 248
 target molecule 507
 Targretin, *see* bexarotene
 tartaric acid 110
 molecular model 236
 properties of stereoisomers
 237 (T11.1)
 resolution 242
 tautomer 374
 tautomeric isomer 374;
 see also tautomer
 tautomerism:
 keto-enol 375
 of 2-pyridone and
 2-hydroxypyridine 437
 Teflon 65
 terephthalic acid, *see* benzene-1,4-
 dicarboxylic acid
 termination of radical reactions 448
 C- and N-terminus of peptide 542
 terpenes 265, 314, 553
 terpenoid 553
 tertiary alcohol 51
 tertiary alcohols, acid-catalysed S_N1
 reactions, second-order rate
 law 291
 tertiary alkoxy radicals,
 β -fragmentation 458
 tertiary alkyl halide 53
 tertiary amine 53
 tertiary carbon and hydrogen 48
 tertiary structure of proteins 549
 testosterone 556
 tetrabutylammonium azide 260
 tetrabutylammonium
 hydrogensulfate 260
 tetraethyl-lead 47
 tetrahedral angle 23
 tetrahedral intermediate 190, 196
 anionic 191, 196
 cationic 192
 evidence for 193

- tetrahedral intermediate (*continued*)
 in reactions of primary amines
 with aldehydes and ketones 181
 molecular model 190
 neutral 191, 192
- tetrahedral shape, VSEPR model 22
- tetrahydropyranyl (THP) group as a
 protecting group for alcohols
 518
- tetramethylsilane (TMS) 572
- tetrodotoxin 82
- theobromine 433
- thermal reaction 150
- thermochemistry of Diels–Alder
 reaction 333
- thermodynamic control 406
 definition 332
- thermodynamic cycle 376
- thermodynamic enolate 396
- thermodynamically favourable
 reaction 155
- thermodynamically unstable
 compound 155
- thiamine 424
- thiazole 429
- thin layer chromatography (TLC) 67
- thio-acetalization 517
- thioacetal, *see* dithioacetal
- thioesters 304
- thioether, *see* sulfide
- thiol addition to aldehydes and
 ketones 180
- thiolates:
 as nucleofuges 304, 305
 as nucleophiles 304
- thiols 50, 52, 304, 305
 biological 305
 radical addition to alkenes 455
- thiols and thioacids, pK_a values 602
- thionyl chloride 200
 reaction with alcohols to give
 alkyl chlorides 296–7
- thiophene 103, 429
 electrophilic substitution 432–4
- three-centre four- π -electron
 system 94
- three-centre two- π -electron system 94
- three-membered cyclic two-electron
 transition structure 491
- threonine 43
- threose, molecular models 234
- thromboxane 557
- thymine (T) 535–6
- thyroxine, biosynthesis 356
- time of flight mass spectrometry 590
- titration curve 118
- TNT, *see* trinitrotoluene
- α -tocopherol (vitamin E) 361, 556
- Tollens' reagent 532
- toluene 50
 mass spectrum 592–3
 molecular model 50
 pK_a 125
p-toluenesulfonates, alkyl 296
- topicity, explanation 246, 582
- Toray process 468
- torsion angle, *see* dihedral angle
- torsional barrier, *see* rotational
 barrier
- torsional energy, *see* torsional strain
- torsional strain 75
 in boat form of cyclohexane 83
- tosylates, *see p*-toluenesulfonates
- transesterification, *see* ester exchange
- transition state (TS) 152
- transition state and transition
 structure 152
- transition structure (TS) 144, 150
 and intermediate 157
 compared with intermediate 153
 in an S_N2 mechanism 144
 polarity 258
 stabilization by solvent 257
 graded, in E2 mechanism 277–8
- translational kinetic energy 151
- transmittance 565
- trehalose 559
- tri(*t*-butyl)methyl chloride, steric
 strain 264
- triacylglycerol 550
- tributyltin hydride for
 dehalogenation of alkyl halides
 by a radical mechanism 452
- trichloroethanal hydrate 172
- 2,4,5-trichlorophenoxyethanoic acid
 (2,4,5-T) 284–5
- triglyceride 550
- trigonal planar carbon 31
- trigonal planar shape and VSEPR
 model 24
- trimethylsulfonium ion as an
 electrophile 258
- trimolecular collisions, infrequency
 of 144
- trinitrotoluene (TNT) 54
- trioxane 168
- tripeptide 539
- triphenylmethane, pK_a 126
- triphenylmethyl anion 126
 EPM 126
 propeller-shaped structure 126
- triphenylmethyl radical 446
- triphenylphosphine as a
 nucleophile in reactions with
 alkyl halides 183
- triple bond in ethyne 33
- triplet (NMR) 576
- triplet code 538
- triplet state 105
- tritycene, structure and pK_a 126
- tritycyl anion, molecular
 model 127
p orbitals 126–7
- triterpene 553
- Triton B, *see*
 benzyltrimethylammonium
 hydroxide
- trityl, *see* triphenylmethyl
- tropylium ion in mass spectrum of
 toluene 592
- trypsin for peptide sequencing 547
- tryptophan 424
- twist-boat conformation of
 cyclohexane 82–3
- Tyrian purple xxvi
- tyrosine, iodination 356

U

- ubiquinone, *see* coenzymes Q
- ultraviolet, *see* UV
- Umpolung via 1,3-dithianes 307
- unbranched alkane 46;
see also linear alkane
- unimolecular 144
- unimolecular elimination (E1) 274;
see also E1 elimination
- unimolecular nucleophilic
 substitution, *see* S_N1
 reaction 261
- unimolecular reaction, rate law 159
- unit conversions 617
- unoccupied MO (UMO) 147
- α,β -unsaturated carbonyl
 compounds 379, 385, 402–8;
see also enone
- β,γ -unsaturated carbonyl
 compounds 379

unsaturated hydrocarbon 43
 unshared electron pair 10
 and formal charge 14–15
 see also nonbonding pair, lone pair
 upfield (chemical shift) 573
 uracil (U) 535–6
 urea from ammonium cyanate xxviii
 urethanes, preparation by Curtius
 reaction 498
 uridine 536
 urushiol 360
 UV spectrum, buta-1,3-diene 563
 UV-vis absorption bands 564 (T25.1)
 UV-vis spectroscopy 563–4
 UV-vis spectrum 562

V

valence electrons 5
 and formal charge 14–15
 valence shell 5
 valence shell electron pair repulsion
 (VSEPR) 23
 valine, three-dimensional structure
 and molecular model 37
 van der Waals, J.D. 61
 van der Waals force 61–2
 van der Waals radius 12
 van der Waals repulsion, *see* steric
 repulsion
 van der Waals strain, *see* steric strain
 van der Waals surface 11, 62
 vanillin 69, 165, 360
 vapour-phase chromatography, *see*
 gas chromatography
 vasopressin 542–3
 Viagra 444
 vibrations, molecular, stretching
 and bending 564
 Vilsmeier reaction 372
 vinegar 55, 110
 vinyl ether, cationic polymerization,
 330
 vinyl ether, ethyl, *see* ethoxyethene

vinyl monomers for radical
 polymerization 459
 vinylic cation 319
 vinylic group, multiplicity of
 ¹H NMR signal 580
 vinylic S_N1 reaction 412
 visible (vis) radiation 561–2
 vision, chemistry of 107
 vitalism xxviii
 vitamin:
 A 107, 553
 B₁₂ xxxi
 B₆ 184
 C 202, 248, 532–3
 C, as antioxidant 461
 D 556
 D, formation 486
 E 556
 E, as antioxidant 461
 E, *see also* α-tocopherol
 K 556
 K₁ 361

vitamins, lipophilic 556
 VSEPR model 23
 ammonia 23
 carbon dioxide 24
 ethene 24
 ethyne 24
 methanal 24
 methane 23
 water 23

W

Wacker process, for the production
 of ethanal and propanone 168
 Wagner-Meerwein rearrangement
 491
 water:
 bond angle 23
 dipole 11
 formation 9
 as a good nucleofuge 175, 180
 Lewis structure 14–15

 molecular model and EPM 11, 24
 molecular structure 24
 pK_a 115
 VSEPR theory 23
 water supplies, contamination by
 chloroform 382
 wave function 25
 definition 26
 wavelength 562
 wavenumber 565
 wax 550
 weak acid 111, 116
 weak base 111, 130
 wedge bonds 23
 whole-number *m/z* ratio 590
 Williamson synthesis of ethers 256
 Wittig, G. 183
 Wittig reaction 183–4
 disadvantages 185
 Wöhler, F. xxviii
 Wolff–Kishner reduction 212–13
 Wolff rearrangement 497
 wood 361
 Woodward, R.B. xxxi
 W-shaped conformation and
 four-bond coupling constant
 578

X, Y, Z

X-ray crystallography 562
 xenobiotic compounds 306
 xylitol 531
 Zaitsev, A.M. 280
 Zaitsev regioselectivity in
 dehydration of alcohols 292
 Zaitsev rule 280
 Ziegler–Natta catalyst 460
 zigzag representation of linear
 carbon chains 227
 zinc as a reducing agent 213
 zingiberene 314, 560
 zwitterion 133
 zwitterion form of amino acids 541