

Literature Cited

Numbers in brackets refer to the chapter(s) where that reference is cited.

A

- Aber, J. D. 1992. Nitrogen cycling and nitrogen saturation in temperate forest ecosystems. *Trends in Ecology & Evolution* 7: 220–223. [5]
- Aber, J. D., W. McDowell, K. Nadelhoffer, A. Magill, et al. 1998. Nitrogen saturation in temperate forest ecosystems: hypotheses revisited. *Bioscience* 48: 921–934. [5]
- Abraham, K. F. and R. L. Jefferies. 1997. High goose populations: causes, impacts and implications. In *Arctic Ecosystems in Peril: Report of the Arctic Goose Habitat Working Group*, B. J. Batt (ed.), pp. 7–72. U.S. Fish and Wildlife Service: Washington, DC. [11]
- Abramoff, R., X. Xu, M. Hartman, S. O'Brien, et al. 2018. The millennial model: in search of measurable pools and transformations for modeling soil carbon in the new century. *Biogeochemistry* 137: 51–71. [5]
- Adler, L. S., R. Karban and S. Y. Strauss. 2001. Direct and indirect effects of alkaloids on plant fitness via herbivory and pollination. *Ecology* 82: 2032–2044. [11]
- Adler, P. B. and W. K. Lauenroth. 2003. The power of time: spatiotemporal scaling of species diversity. *Ecological Letters* 6: 749–756. [12]
- Adler, P. B., E. P. White, W. K. Lauenroth, D. M. Kaufman, et al. 2005. Evidence for a general species-time-area relationship. *Ecology* 86: 2032–2039. [12]
- Adler, P. B., J. HilleRisLambers and J. M. Levine. 2007. A niche for neutrality. *Ecological Letters* 10: 95–104. [10]
- Adler, P. B., E. W. Seabloom, E. T. Borer, H. Hillebrand, et al. 2011. Productivity is a poor predictor of plant species richness. *Science* 333: 1750–1753. [19]
- Adler, P. B., D. Smull, K. H. Beard, R. T. Choi, et al. 2018. Competition and coexistence in plant communities: intraspecific competition is stronger than interspecific competition. *Ecological Letters* 21: 1319–1329. [10]
- Aerts, R. 1995. The advantages of being evergreen. *Trends in Ecology & Evolution* 10: 402–407. [5]

- Aerts, R. 1999. Interspecific competition in natural plant communities: mechanisms, trade-offs and plant-soil feedbacks. *Journal of Experimental Botany* 50: 29–37. [5, 10]
- Aerts, R. and F. Berendse. 1988. The effect of increased nutrient availability on vegetation dynamics in wet heathlands. *Vegetatio* 76: 63–69. [5]
- Aerts, R. and F. S. Chapin. 1999. The mineral nutrition of wild plants revisited: a re-evaluation of processes and patterns. In *Advances in Ecological Research*, A. H. Fitter and D. G. Raffaelli (eds.), pp. 1–67. Academic Press: Cambridge, MA. [4]
- Aerts, R., F. Berendse, H. de Caluwe and M. Schmitz. 1990. Competition in heathland along an experimental gradient of nutrient availability. *Oikos* 57: 310–318. [5]
- Agrawal, A. A. 2000. Benefits and costs of induced plant defense for *Lepidium virginianum* (Brassicaceae). *Ecology* 81: 1804–1813. [11]
- Ågren, G. I. 2004. The C:N:P stoichiometry of autotrophs – theory and observations. *Ecological Letters* 7: 185–191. [4]
- Ainsworth, E. A. and A. Rogers. 2007. The response of photosynthesis and stomatal conductance to rising [CO₂]: mechanisms and environmental interactions. *Plant, Cell & Environment* 30: 258–270. [3]
- Akçakaya, H. R., V. C. Radeloff, D. J. Mladenoff and H. S. He. 2004. Integrating landscape and metapopulation modeling approaches: viability of the sharp-tailed grouse in a dynamic landscape. *Conservation Biology* 18: 526–537. [15]
- Alessa, L. and F. S. Chapin. 2008. Anthropogenic biomes: a key contribution to earth-system science. *Trends in Ecology & Evolution* 23: 529–531. [19]
- Alexander, H. M., P. H. Thrall, J. Antonovics, A. M. Jarosz, et al. 1996. Population dynamics and genetics of plant disease: a case study of anther-smut disease. *Ecology* 77: 990–996. [11]
- Alexander, H. M., N. A. Slade and W. D. Kettle. 1997. Application of mark-recapture models to estimation of the population size of plants. *Ecology* 78: 1230–1237. [8]
- Allan, H. H. 1961. *Flora of New Zealand*. Government Printer: Wellington, NZ. [14]
- Allen, T. F. H., G. Mitman and T. W. Hoekstra. 1993. Synthesis mid-century: J. T. Curtis and the continuum concept. In *John T. Curtis Fifty Years of Wisconsin Plant Ecology*, J. S. Fralish et al. (eds.), pp. 123–143. Wisconsin Academy of Sciences, Arts & Letters: Madison, WI. [1]
- Alofs, K. M., A. V. González and N. L. Fowler. 2014. Local native plant diversity responds to habitat loss and fragmentation over different time spans and spatial scales. *Plant Ecology* 215: 1139–1151. [15]
- Amundson, R. 2005. History of soil science: Hans Jenny. In *Encyclopedia of Soils in the Environment*, D. Hillel (ed.), pp. 293–300. Elsevier: Oxford. [4]
- Anderson, A., G. Clark, S. Haberle, T. Higham, et al. 2018. New evidence of megafaunal bone damage indicates late colonization of Madagascar. *PLOS ONE* 13: e0204368. [17]
- Anderson, B. J., H. R. Akçakaya, M. B. Araújo, D. A. Fordham, et al. 2009. Dynamics of range margins for metapopulations under climate change. *Proceedings of the Royal Society of London* 276B: 1415–1420. [15]
- Anderson, K. J. 2007. Temporal patterns in rates of community change during succession. *American Naturalist* 169: 780–793. [13]

- Andrewartha, H. G. 1957. The use of conceptual models in population ecology. *Cold Spring Harbor Symposia on Quantitative Biology* 22: 219–236. [11]
- Andrewartha, H. G. and L. C. Birch. 1954. *The Distribution and Abundance of Animals*. University of Chicago Press: Chicago, IL. [11]
- Antonovics, J. 1968. Evolution in closely adjacent plant populations. V. Evolution of self-fertility. *Heredity* 23: 219–238. [9]
- Antonovics, J. and A. D. Bradshaw. 1970. Evolution in closely adjacent plant populations. VIII. Clinal patterns at a mine boundary. *Heredity* 25: 349–362. [9]
- Armstrong, R. A. and R. McGehee. 1980. Competitive exclusion. *American Naturalist* 115: 151–170. [10]
- Arrhenius, O. 1921. Species and area. *Journal of Ecology* 9: 95–99. [12]
- Arris, L. L. and P. S. Eagleson. 1989. Evidence of a physiological basis for the boreal-deciduous forest ecotone in North America. *Vegetatio* 82: 55–58. [18]
- Ashman, T.-L. 2009. Sniffing out patterns of sexual dimorphism in floral scent. *Functional Ecology* 23: 852–862. [6]
- Ashman, T.-L., T. M. Knight, J. A. Steets, P. Amarasekare, et al. 2004. Pollen limitation of plant reproduction: ecological and evolutionary causes and consequences. *Ecology* 85: 2408–2421. [6]
- Asner, G. P., T. K. Rudel, T. M. Aide, R. Defries, et al. 2009. A contemporary assessment of change in humid tropical forests. *Conservation Biology* 23: 1386–1395. [19]
- Asner, G. P., R. E. Martin, D. E. Knapp, R. Tupayachi, et al. 2017. Airborne laser-guided imaging spectroscopy to map forest trait diversity and guide conservation. *Science* 355: 385–389. [15]
- Auge, G. A., L. K. Blair, A. Kareliya and K. Donohue. 2017a. The autonomous flowering-time pathway pleiotropically regulates seed germination in *Arabidopsis thaliana*. *Annals of Botany* 121: 183–191. [7]
- Auge, G. A., L. K. Blair, H. Neville and K. Donohue. 2017b. Maternal vernalization and vernalization-pathway genes influence progeny seed germination. *New Phytology* 216: 388–400. [7]
- Auge, G. A., S. Penfield and K. Donohue. 2019. Pleiotropy in developmental regulation by flowering-pathway genes: is it an evolutionary constraint? *New Phytology* 224: 55–70. [7]
- Augspurger, C. K. 1984. Seedling survival of tropical tree species - interactions of dispersal distance, light-gaps, and pathogens. *Ecology* 65: 1705–1712. [11]
- Augspurger, C. K. 1988. Impact of pathogens on natural plant populations. In *Plant Population Ecology*, A. J. Davy et al. (eds.), pp. 413–433. Blackwell: Oxford. [11]
- Augspurger, C. K. and S. E. Franson. 1987. Wind dispersal of artificial fruits varying in mass, area, and morphology. *Ecology* 68: 27–42. [6]
- Augspurger, C. K. and C. F. Salk. 2017. Constraints of cold and shade on the phenology of spring ephemeral herb species. *Journal of Ecology* 105: 246–254. [7]

- Augustine, D. J. and D. A. Frank. 2001. Effects of migratory grazers on spatial heterogeneity of soil nitrogen properties in a grassland ecosystem. *Ecology* 82: 3149–3162. [11]
- Austerlitz, F., C. W. Dick, C. Dutech, E. K. Klein, et al. 2004. Using genetic markers to estimate the pollen dispersal curve. *Molecular Ecology* 13: 937–954. [6]
- Austin, M. P. 1977. Use of ordination and other multivariate descriptive methods to study succession. *Vegetatio* 35: 165–175. [12]
- Austin, M. P. 2013. Inconsistencies between theory and methodology: a recurrent problem in ordination studies. *Journal of Vegetation Science* 24: 251–268. [12]
- Austin, M. P. and L. Belbin. 1982. A new approach to the species classification problem in floristic analysis. *Australian Journal of Zoology* 7: 75–89. [12]
- Averett, J. M., R. A. Klips, L. E. Nave, S. D. Frey, et al. 2004. Effects of soil carbon amendment on nitrogen availability and plant growth in an experimental tallgrass prairie restoration. *Restoration Ecology* 12: 568–574. [13]

B

- Badri, D. V., G. Zolla, M. G. Bakker, D. K. Manter, et al. 2013. Potential impact of soil microbiomes on the leaf metabolome and on herbivore feeding behavior. *New Phytology* 198: 264–273. [4]
- Baer, S. G., T. Adams, D. A. Scott, J. M. Blair, et al. 2020. Soil heterogeneity increases plant diversity after 20 years of manipulation during grassland restoration. *Ecological Applications* 30: e02014. [19]
- Bailey, J. P., L. E. Child and M. Wade. 1995. Assessment of the genetic variation and spread of British populations of *Fallopia japonica* and its hybrid *Fallopia × bohémica*. In *Plant Invasions*, P. Pysek et al. (eds.), pp. 141–150. SPB Academic Publishing: Amsterdam. [14]
- Bailey-Serres, J. and L. A. C. J. Voisenek. 2008. Flooding stress: acclimations and genetic diversity. *Annual Review of Plant Biology* 59: 313–339. [3]
- Bais, H. P., R. Vepachedu, S. Gilroy, R. M. Callaway, et al. 2003. Allelopathy and exotic plant invasion: from molecules and genes to species interactions. *Science* 301: 1377–1380. [10]
- Baker, H. G. 1972. Seed mass in relation to environmental conditions in California. *Ecology* 53: 997–1010. [7]
- Baker, H. G. and G. L. Stebbins (eds.). 1965. *The Genetics of Colonizing Species*. Academic Press: New York. [14]
- Baldwin, I. T. 1988. The alkaloidal responses of wild tobacco to real and simulated herbivory. *Oecologia* 77: 378–381. [11]
- Baldwin, I. T. 1991. Damage-induced alkaloids in wild tobacco. In *Phytochemical Induction by Herbivores*, D. W. Tallamy and M. J. Raupp (eds.), pp. 47–69. John Wiley: New York. [11]
- Balzer, H., P. W. Braun and W. Kohler. 1998. Cellular automata models for vegetation dynamics. *Ecological Modelling* 107: 113–125. [10]
- Banovetz, S. J. and S. M. Scheiner. 1994. Effects of seed size on the seed ecology of *Coreopsis lanceolata*. *American Midland Naturalist* 131: 65–74. [9]

- Barber, C. P., M. A. Cochrane, C. M. Souza and W. F. Laurance. 2014. Roads, deforestation, and the mitigating effect of protected areas in the Amazon. *Biological Conservation* 177: 203–209. [19]
- Barberis, I. M. and E. V. J. Tanner. 2005. Gaps and root trenching increase tree seedling growth in Panamanian semi-evergreen forest. *Ecology* 86: 667–674. [10]
- Barbour, M. G., J. H. Burke, and W. D. Pitts. 1987. *Terrestrial Plant Ecology*, 2nd ed. Benjamin/Cummings Publishing Company: Menlo Park, CA. [4]
- Baresch, A., C. Crifò and C. K. Boyce. 2019. Competition for epidermal space in the evolution of leaves with high physiological rates. *New Phytology* 221: 628–639. [3]
- Barnola, J. M., D. Raynaud, C. Lorius and N. I. Barkov. 1999. Historical CO₂ record from the Vostok ice core. *Trends Online*. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy. [17]
- Barrett, S. C. H. 2019. ‘A most complex marriage arrangement’: recent advances on heterostyly and unresolved questions. *New Phytology* 224: 1051–1067. [6]
- Barrett, S. C. H. and L. D. Harder. 1996. Ecology and evolution of plant mating. *Trends in Ecology & Evolution* 11: 73–79. [6]
- Barrett, S. C. H., C. G. E. Eckert and B. C. Husband. 1993. Evolutionary processes in aquatic plant populations. *Aquatic Botany* 44: 105–145. [8]
- Barthlott, W., W. Lauer and A. Placke. 1996. Global distribution of species diversity in vascular plants: towards a world map of phytodiversity. *Erdkunde* 50: 317–327. [19]
- Barthlott, W., J. Mutke, M. D. Rafiqpoor, G. Kier, et al. 2005. Global centres of vascular plant diversity. *Nova Acta Leopoldina* 92: 61–83. [19]
- Bartholemew, B. 1970. Bare zones between California shrub and grassland communities: the role of animals. *Science* 170: 1210–1212. [10]
- Bartlett, J. G., D. M. Mageean and R. J. O’Conner. 2000. Residential expansion as a continental threat to U.S. coastal ecosystems. *Population and Environment* 21: 429–468. [19]
- Bartomeus, I., J. S. Ascher, J. Gibbs, B. N. Danforth, et al. 2013. Historical changes in northeastern US bee pollinators related to shared ecological traits. *Proceedings of the National Academy of Sciences USA* 110: 4656–4660. [6]
- Bassham, J.A. 2003. Mapping the carbon reduction cycle: a personal retrospective. *Photosynthesis Research* 76: 35–52. [2]
- Bassham, J. A. and M. Calvin. 1957. *The Path of Carbon in Photosynthesis*. Prentice-Hall: Englewood Cliffs, NJ. [2]
- Bastin, J.-F., E. Clark, T. Elliott, S. Hart, et al. 2019. Understanding climate change from a global analysis of city analogues. *PLOS ONE* 14: e0217592. [16]
- Bateman, R. M., P. R. Crane, W. A. DiMichele, P. R. Kenrick, et al. 1998. Early ecology of land plants: phylogeny, physiology, and ecology of the primary terrestrial radiation. *Annual Review of Ecology and Systematics* 29: 263–292. [17]

- Bazzaz, F. A. 1997. Allocation of resources in plants: state of the science and critical questions. In *Plant Resources Allocation*, F. A. Bazzaz and J. Grace (eds.), pp. 1–38. Academic Press: London. [4]
- Beaury, E. M., E. J. Fusco, M. R. Jackson, B. B. Laginhas, et al. 2020. Incorporating climate change into invasive species management: insights from managers. *Biological Invasions* 22: 233–252. [14]
- Beck, H. E., N. E. Zimmermann, T. R. McVicar, N. Vergopolan, et al. 2018. Present and future Köppen-Geiger climate classification maps at 1-km resolution. *Scientific Data* 5: 180214. [16]
- Bellemare, J., G. Motzkin and D. R. Foster. 2002. Legacies of the agricultural past in the forested present: an assessment of historical land-use effects on rich mesic forests. *Journal of Biogeography* 29: 1401–1420. [13]
- Bélisle, M. 2005. Measuring landscape connectivity: the challenge of behavioral landscape ecology. *Ecology* 86: 1988–1995. [15]
- Bell, C. D., D. E. Soltis and P. S. Soltis. 2010. The age and diversification of the angiosperms re-revisited. *American Journal of Botany* 97: 1296–1303. [17]
- Belsky, A. J. 1986. Does herbivory benefit plants? A review of the evidence. *American Naturalist* 127: 870–892. [11]
- Belsky, A. J., W. P. Carson, C. L. Jensen and G. A. Fox. 1993. Overcompensation by plants: herbivore optimization or red herring? *Evolutionary Ecology* 7: 109–121. [11]
- Benítez-Malvido, J. and A. Lemus-Albor. 2005. The seedling community of tropical rain forest edges and its interaction with herbivores and pathogens. *Biotropica* 37: 301–313. [15]
- Benson, A. A. 2002a. Following the path of carbon in photosynthesis: a personal story. *Discoveries in Photosynthesis* 73: 795–813. [2]
- Benson, A. A. 2002b. Paving the path. *Annual Review of Plant Biology* 53: 1–25. [2]
- Benson, A. A. 2010. Last days in the old radiation laboratory (ORL), Berkeley, California, 1954. *Photosynthesis Research* 105: 209–212. [2]
- Berendse, F., N. Van Breemen, H. Rydin, A. Buttler, et al. 2001. Raised atmospheric CO₂ levels and increased N deposition cause shifts in plant species composition and production in *Sphagnum* bogs. *Global Change Biology* 7: 591–598. [5]
- Berner, R. A., J. M. VandenBrooks and P. D. Ward. 2007. Oxygen and evolution. *Science* 316: 557–558. [17]
- Bertness, M. D. and R. Callaway. 1994. Positive interactions in communities. *Trends in Ecology and Evolution* 9: 191–193. [10]
- Beschta, R. L. and W. J. Ripple. 2013. Are wolves saving Yellowstone’s aspen? A landscape-level test of a behaviorally mediated trophic cascade: comment. *Ecology* 94: 1420–1425. [11]
- Bever, J. D. 2002. Negative feedback within a mutualism: host-specific growth of mycorrhizal fungi reduces plant benefit. *Proceedings of the Royal Society of London* 269B: 2595–2601. [11]
- Bever, J. D. 2003. Soil community feedback and the coexistence of competitors: conceptual frameworks and empirical tests. *New Phytology* 157: 465–473. [11]
- Bever, J. D., P. A. Schultz, R. M. Miller, L. Gades, et al. 2003. Inoculation with prairie mycorrhizal fungi may improve restoration of native prairie plant diversity. *Ecological Restoration* 21: 311–312. [11]

- Bewley, J. D. and M. Black. 1985. *Seeds Physiology of Development and Germination*. Plenum: New York. [7]
- Beyschlag, W. and J. Eckstein. 2001. Towards a causal analysis of stomatal patchiness: the role of stomatal size variability and hydrological heterogeneity. *Acta Oecologica* 22: 161–173. [2]
- Bierregaard, R. O., Jr., T. E. Lovejoy, V. Kapos, A. A. dos Santos, et al. 1992. The biological dynamics of tropical forest fragments. *Bioscience* 42: 859–866. [15]
- Bierzuchudek, P. 1982. The demography of Jack-in-the-pulpit, a forest perennial that changes sex. *Ecological Monographs* 53: 335–351. [8]
- Bigger, D. S. and M. A. Marvier. 1998. How different would a world without herbivory be? A search for generality in ecology. *Integrative Biology* 1: 60–67. [11]
- Billings, W. D. and H. A. Mooney. 1968. The ecology of arctic and alpine plants. *Biological Reviews* 43: 481–529. [2, 18]
- Biondini, M. E., A. A. Steuter and C. E. Grygiel. 1989. Seasonal fire effects on the diversity patterns, spatial distribution and community structure of forbs in the Northern Mixed Prairie, USA. *Vegetatio* 85: 21–31. [13]
- Birch, L. C. 1957. The role of weather in determining the distribution and abundance of animals. *Cold Spring Harbor Symposia on Quantitative Biology* 22: 203–218. [11]
- Black, C. C. and C. B. Osmond. 2003. Crassulacean acid metabolism photosynthesis: 'working the night shift'. *Photosynthesis Research* 76: 329. [2]
- Blair, A. C. and L. M. Wolfe. 2004. The evolution of an invasive plant: an experimental study with *Silene latifolia*. *Ecology* 85: 3035–3042. [14]
- Blair, A. C., B. D. Hanson, G. R. Brunk, R. A. Marrs, et al. 2005. New techniques and findings in the study of a candidate allelochemical implicated in invasion success. *Ecological Letters* 8: 1039–1047. [10]
- Bleeker, W. 2003. Hybridization and *Rorippa austriaca* (Brassicaceae) invasion in Germany. *Molecular Ecology* 12: 1831–1841. [14]
- Bleeker, W. and A. Matthies. 2005. Hybrid zones between invasive *Rorippa austriaca* and native *R. sylvestris* (Brassicaceae) in Germany: ploidy levels and patterns of fitness in the field. *Heredity* 94: 664–670. [14]
- Bloom, A. J., F. S. Chapin and H. A. Mooney. 1985. Resource limitation in plants-an economic analogy. *Annual Reviews of Ecological Systems* 16: 363–392. [10]
- Blossey, B., L. C. Skinner and J. Taylor. 2001. Impact and management of purple loosestrife (*Lythrum salicaria*) in North America. *Biodiversity and Conservation* 10: 1787–1807. [11]
- Blumenthal, D. 2005. Interrelated causes of plant invasion. *Science* 310: 243–244. [14]
- Boege, K. and R. J. Marquis. 2005. Facing herbivory as you grow up: the ontogeny of resistance in plants. *Trends in Ecology & Evolution* 20: 441–448. [11]
- Bolnick, D. I., P. Amarasekare, M. S. Araújo, R. Bürger, et al. 2011. Why intraspecific trait variation matters in community ecology. *Trends in Ecology and Evolution* 26: 183–192. [10]

- Bond, W. J. and G. F. Midgley. 2012. Carbon dioxide and the uneasy interactions of trees and savannah grasses. *Philosophical Transactions of the Royal Society* 367B: 601–612. [16]
- Booth, M. G. 2004. Mycorrhizal networks mediate overstorey-understorey competition in a temperate forest. *Ecological Letters* 7: 538–546. [10]
- Booth, R. E. and P. J. Grime. 2003. Effects of genetic impoverishment on plant community diversity. *Journal of Ecology* 91: 721–730. [12]
- Borchert, R., S. S. Renner, Z. Calle, D. Navarrete, et al. 2005. Photoperiodic induction of synchronous flowering near the equator. *Nature* 433: 627–629. [2]
- Bormann, F. H. and G. E. Likens. 1979. *Pattern and Process in a Forested Ecosystem*. Springer-Verlag: New York. [13]
- Bowers, M. A. and C. F. Sacchi. 1991. Fungal mediation of a plant herbivore interaction in an early successional plant community. *Ecology* 72: 1032–1037. [11]
- Box, G. E. P., J. S. Hunter and W. G. Hunter. 2005. *Statistics for Experimenters*. John Wiley & Sons: New York. [8]
- Boyce, M. S. 1984. Restitution of *r*- and *K*-selection as a model of density-dependent natural selection. *Annual Review of Ecology and Systematics* 15: 427–447. [7]
- Boyden, S., D. Binkley and R. Senock. 2005. Competition and facilitation between *Eucalyptus* and nitrogen-fixing *Falcataria* in relation to soil fertility. *Ecology* 86: 992–1001. [10]
- Bradshaw, A. D. 1965. Evolutionary significance of phenotypic plasticity in plants. *Advances in Genetics* 13: 115–155. [9]
- Bradshaw, H. D. and D. W. Schemske. 2003. Allele substitution at a flower colour locus produces a pollinator shift in monkeyflowers. *Nature* 426: 176–178. [6]
- Bradshaw, H. D., S. M. Wilbert, K. G. Otto and D. W. Schemske. 1995. Genetic mapping of floral traits associated with reproductive isolation in monkeyflowers (*Mimulus*). *Nature* 376: 762–765. [6]
- Bradshaw, H. D., K. G. Otto, B. E. Frewen, J. K. McKay, et al. 1998. Quantitative trait loci affecting differences in floral morphology between two species of monkeyflower (*Mimulus*). *Genetics* 149: 367–382. [6]
- Brady, N. C. and R. R. Weil. 2008. *The Nature and Properties of Soils*, 14th ed. Prentice Hall: Upper Saddle River, NJ. [4]
- Bramwell, D. and J. Caujapé-Castells. 2011. *The Biology of Island Floras*. Cambridge University Press: Cambridge. [19]
- Braun, E. L. 1950. *Deciduous Forests of Eastern North America*. Blakiston: Philadelphia, PA. [18]
- Braun-Blanquet, J. 1932. *Plant Sociology: The Study of Plant Communities*. McGraw-Hill: New York. [15]
- Bräutigam, A. and U. Gowik. 2016. Photorespiration connects C₃ and C₄ photosynthesis. *J. Exp. Bot.* 67: 2953–2962. [2]
- Bray, J. R. 1955. The savanna vegetation of Wisconsin and an application of the concepts order and complexity to the field of ecology. Ph.D dissertation, University of Wisconsin: Madison, WI. [12]

- Bray, J. R. and J. T. Curtis. 1957. An ordination of the upland forest communities of southern Wisconsin. *Ecological Monographs* 27: 325–349. [12]
- Brearley, F. Q. 2012. Ectomycorrhizal associations of the Dipterocarpaceae. *Biotropica* 44: 637–648. [11]
- Breck, S. W. and S. H. Jenkins. 1997. Use of an ecotone to test the effects of soil and desert rodents on the distribution of Indian ricegrass. *Ecography* 20: 253–263. [11]
- Briske, D. D. 2017. Rangeland systems: foundation for a conceptual framework. In *Rangeland Systems: Processes, Management and Challenges*, D. D. Briske (ed.), pp. 1–21. Springer: Cham, Switzerland. [13]
- Briske, D. D., S. D. Fuhlendorf and F. E. Smeins. 2003. Vegetation dynamics on rangelands: a critique of the current paradigms. *Journal of Applied Ecology* 40: 601–614. [13]
- Broecker, W. S. 1991. The great ocean conveyor. *Oceanography* 4: 79–89. [16]
- Brokaw, N. V. L. 1985. Treefalls, regrowth, and community structure in tropical forests. In *The Ecology of Natural Disturbance and Patch Dynamics*, S. T. A. Pickett and P. S. White (eds.), pp. 53–69. Academic Press: Orlando, FL. [13]
- Brokaw, N. and R. T. Busing. 2000. Niche versus chance and tree diversity in forest gaps. *Trends in Ecology & Evolution* 15: 183–188. [14]
- Bronstein, J. L. 2009. The evolution of facilitation and mutualism. *Journal of Ecology* 97: 1160–1170. [10]
- Brown, B. A. and M. T. Clegg. 1984. Influence of flower color polymorphism on genetic transmission in a natural population of the common morning glory, *Ipomoea purpurea*. *Evolution* 38: 796–803. [9]
- Brown, J. H. 1984. On the relationship between abundance and distribution of species. *American Naturalist* 124: 255–279. [12, 14, 15]
- Brown, J. H. 1988. Species diversity. In *Analytical Biogeography*, A. Myers and R. S. Giller (eds.), pp. 57–89. Chapman and Hall: London. [19]
- Brown, J. H. 1995. *Macroecology*. University of Chicago Press: Chicago, IL. [12, 14]
- Brown, J. H. 1999. Macroecology: progress and prospect. *Oikos* 87: 3–14. [12]
- Brown, J. H. and A. Kodric-Brown. 1977. Turnover rates in insular biogeography: effect of immigration on extinction. *Ecology* 58: 445–449. [15]
- Brown, J. H. and J. C. Munger. 1985. Experimental manipulation of a desert rodent community - food addition and species removal. *Ecology* 66: 1545–1563. [11]
- Brown, J. H., T. J. Valone and C. G. Curtin. 1997. Reorganization of an arid ecosystem in response to recent climate change. *Proceedings of the National Academy of Sciences USA* 94: 9729–9733. [11]
- Brown, J. S. and D. L. Venable. 1991. Life history evolution of seed-bank annuals in response to seed predation. *Evolutionary Ecology* 5: 12–29. [7]
- Brown, K. and F. Ekoko. 2001. Forest encounters: synergy among agents of forest change in Southern Cameroon. *Society and Natural Resources* 14: 269–290. [19]

- Brown, K. A. and J. Gurevitch. 2004. Long-term impacts of logging on forest diversity in Madagascar. *Proceedings of the National Academy of Sciences USA* 101: 6045–6049. [13, 18]
- Brown, N. D. and S. Jennings. 1998. Gap-size niche differentiation by tropical rainforest trees: a testable hypothesis or a broken-down bandwagon? In *Dynamics of Tropical Communities*, D. M. Newbery and N. D. Brown (eds.), pp. 79–94. Blackwell Science: Oxford. [14]
- Brown, R. W. and F. W. Davis. 1991. Historical mortality of valley oak (*Quercus lobata*, Née) in the Santa Ynez Valley, Santa Barbara County, 1938–1989. In *Proceedings of the symposium on oak woodlands and hardwood rangeland management; October 31–November 2, 1990; Davis, California*. Gen. Tech. Rep. PSW-GTR-126, R. B. Standiford (ed.). pp. 202–207. Pacific Southwest Research Station, Forest Service, US Department of Agriculture: Berkeley, CA. [6]
- Brown, T. C., J. C. Bergstrom and J. B. Loomis. 2007. Defining, valuing, and providing ecosystem goods and services. *Natural Resources Journal* 47: 329–376. [19]
- Brown, V. K. and A. C. Gange. 1992. Secondary plant succession - how is it modified by insect herbivory? *Vegetatio* 101: 3–13. [11]
- Brugam, R. B., E. C. Grimm and N. M. Eyster-Smith. 2017. Holocene environmental changes in Lily Lake, Minnesota inferred from fossil diatom and pollen assemblages. *Quaternary Research* 30: 53–66. [17]
- Bruna, E. M., I. J. Fiske and M. D. Trager. 2009. Habitat fragmentation and plant populations: is what we know demographically irrelevant? *Journal of Vegetation Science* 20: 569–576. [8]
- Bruna, E. M. and M. K. Oli. 2005. Demographic effects of habitat fragmentation on a tropical herb: life-table response experiments. *Ecology* 86: 1816–1824. [8, 15]
- Brunbjerg, A. K., R. Ejrnæs and J.-C. Svenning. 2012. Species sorting dominates plant metacommunity structure in coastal dunes. *Acta Oecologica* 39: 33–42. [15]
- Bucci, S. J., G. Goldstein, F. C. Meinzer, A. C. Franco, et al. 2005. Mechanisms contributing to seasonal homeostasis of minimum leaf water potential and predawn disequilibrium between soil and plant water potential in Neotropical savanna trees. *Trees* 19: 296–304. [3]
- Buckley, Y. M., H. L. Hinz, D. Matthies and M. Rees. 2001. Interactions between density-dependent processes, population dynamics and control of an invasive plant species, *Tripleurospermum perforatum* (scentless chamomile). *Ecological Letters* 4: 551–558. [8]
- Buckley, Y. M., D. T. Brieese and M. Rees. 2003. Demography and management of the invasive plant species *Hypericum perforatum*. II. Construction and use of an individual-based model to predict population dynamics and the effects of management strategies. *Journal of Applied Ecology* 40: 494–507. [8]
- Buckley, Y. M., E. E. Crone, A. M. Csergő, J. Ehrlén, et al. 2019. Plantpopnet protocol V1.03 2017. <https://doi.org/10.6084/m9.figshare.7982477.v9>. [8]
- Buckman, H. O. and N. C. Brady. 1969. *The Nature and Properties of Soils*. Macmillan: New York. [4]

- Burghardt, K. T., D. W. Tallamy and W. G. Shriver. 2009. Impact of native plants on bird and butterfly biodiversity in suburban landscapes. *Conservation Biology* 23: 219–224. [14]
- Burgman, M. A. 1989. The habitat volumes of scarce and ubiquitous plants: a test of the model of environmental control. *American Naturalist* 113: 228–239. [14]
- Burgman, M. A., D. B. Lindenmayer and J. Elith. 2005. Managing landscapes for conservation under uncertainty. *Ecology* 86: 2007–2017. [15]
- Burley, N. and M. F. Willson. 1983. *Mate Choice in Plants*. Princeton University Press: Princeton, NJ. [6]
- Burney, D. A., G. S. Robinson and L. P. Burney. 2003. *Sporormiella* and the late Holocene extinctions in Madagascar. *Proceedings of the National Academy of Sciences USA* 100: 10800–10805. [17]
- Burnham, C. R. 1988. The restoration of the American chestnut: Mendelian genetics may solve a problem that has resisted other approaches. *American Scientist* 76: 478–487. [11]
- Busch, J. W. and L. F. Delph. 2011. The relative importance of reproductive assurance and automatic selection as hypotheses for the evolution of self-fertilization. *Annals of Botany* 109: 553–562. [6]
- Busing, R. T. and P. S. White. 1997. Species diversity and small-scale disturbance in an old-growth temperate forest: a consideration of gap partitioning concepts. *Oikos* 78: 562–568. [14]
- Butterfield, B. J., R. S. Anderson, C. A. Holmgren and J. L. Betancourt. 2019. Extinction debt and delayed colonization have had comparable but unique effects on plant community–climate lags since the Last Glacial Maximum. *Global Ecology and Biogeography* 28: 1067–1077. [19]

C

- Cadenasso, M. L. and S. T. A. Pickett. 2001. Effects of edge structure on the flux of species into forest interiors. *Conservation Biology* 15: 91–97. [15]
- Cadotte, M. W., T. J. Davies, J. Regetz, S. W. Kembel, et al. 2010. Phylogenetic diversity metrics for ecological communities: integrating species richness, abundance and evolutionary history. *Ecological Letters* 13: 96–105. [12]
- Cain, S. A. 1934. Studies of virgin hardwood forest: II, A comparison of quadrat sizes in a quantitative phytosociological study of Nash's Woods, Posey County, Indiana. *American Midland Naturalist* 15: 529–566. [12]
- Caldwell, M. M. 1968. Solar ultraviolet radiation as an ecological factor for alpine plants. *Ecological Monographs* 38: 243–268. [2]
- Callaway, R. M. and E. T. Aschehoug. 2000. Invasive plants versus their new and old neighbors: a mechanism for exotic invasion. *Science* 290: 521–523. [10]
- Cameira, M. D. R. and M. Mota. 2017. Nitrogen related diffuse pollution from horticulture production—mitigation practices and assessment strategies. *Horticulturae* 3: 25. [5]
- Campbell, G. S. 1977. *An Introduction to Environmental Biophysics*. Springer Verlag: New York. [3]
- Campbell, I. D., K. McDonald, M. D. Flannigan and J. Kringayark. 1999. Long-distance transport of pollen into the Arctic. *Nature* 399: 29–30. [6]

- Canham, C. D. and O. L. Loucks. 1984. Catastrophic windthrow in the presettlement forest of Wisconsin. *Ecology* 65: 803–809. [13]
- Cardinale, B. J., J. E. Duffy, A. Gonzalez, D. U. Hooper, et al. 2012. Biodiversity loss and its impact on humanity. *Nature* 486: 59–67. [19]
- Case, A. L., E. P. Lacey and R. G. Hopkins. 1996. Parental effects in *Plantago lanceolata* L. II. manipulation of grandparental temperature and parental flowering time. *Heredity* 76: 287–295. [9]
- Caswell, H. 1988. Approaching size and age in matrix population models. In *Size-Structured Populations*, B. Ebenman and L. Persson (eds.), pp. 85–105. Springer: Berlin, Germany. [8]
- Caswell, H. 2001. *Matrix Population Models*. Oxford University Press/Sinauer: Sunderland, MA. [8]
- Caswell, H. 2007. Sensitivity analysis of transient population dynamics. *Ecological Letters* 10: 1–15. [8]
- Caswell, H., C. de Vries, N. Hartemink, G. Roth, et al. 2018. Age \times stage-classified demographic analysis: a comprehensive approach. *Ecological Monographs* 88: 560–584. [8]
- Catford, J. A., R. Jansson and C. Nilsson. 2009. Reducing redundancy in invasion ecology by integrating hypotheses into a single theoretical framework. *Diversity and Distributions* 15: 22–40. [14]
- Cavieres, L. A., A. Penalosa, C. Papic and M. Tambutti. 1998. Nurse effect of *Laretia acaulis* (Umbelliferae) in the High Andes of Central Chile. *Revista Chilena de Historia Natural* 71: 337–347. [10]
- Cavigelli, M. A. and G. P. Robertson. 2000. The functional significance of denitrifier community composition in a terrestrial ecosystem. *Ecology* 81: 1402–1414. [5]
- Cayuela Delgado, L., D. J. Golicher, J. Salas Rey and J. M. Rey Benayas. 2006. Classification of a complex landscape using Dempster-Shafer theory of evidence. *International Journal of Remote Sensing* 27: 1951–1971. [15]
- Cederholm, C. J., M. D. Kunze, T. Murota and A. Sibatani. 1999. Pacific salmon carcasses: essential contributions of nutrients and energy for aquatic and terrestrial ecosystems. *Fisheries* 24: 6–15. [5]
- Cermák, J., J. Jeník, J. Kucera and V. Zidék. 1984. Xylem water-flow in a crack willow tree (*Salix fragilis* L) in relation to diurnal changes of environment. *Oecologia* 64: 145–151. [3]
- Chahine, M. T. 1992. The hydrologic cycle and its influence on climate. *Nature* 359: 373–380. [5]
- Chapin, F. S., III. 1980. The mineral nutrition of wild plants. *Annual Review of Ecological Systems* 11: 233–260. [10]
- Chapin, F. S., A. J. Bloom, C. B. Field and R. H. Waring. 1987. Plant responses to multiple environmental factors. *Bioscience* 37: 49–57. [4]
- Chapin, F. S., L. R. Walker, C. L. Fastie and L. C. Sharman. 1994. Mechanisms of primary succession following deglaciation at Glacier Bay, Alaska. *Ecological Monographs* 64: 149–175. [13]
- Chapin, F. S., III, P. A. Matson and H. A. Mooney. 2002. *Principles of Terrestrial Ecosystem Ecology*. Springer Verlag: New York. [5]
- Chapin, F. S., G. M. Woodwell, J. T. Randerson, E. B. Rastetter, et al. 2006. Reconciling carbon-cycle concepts, terminology, and methods. *Ecosystems* 9: 1041–1050. [5]

- Charlesworth, D. 2006. Evolution of plant breeding systems. *Current Biology* 16: R726–R735. [6]
- Charnov, E. L. 1982. *The Theory of Sex Allocation*. Princeton University Press: Princeton, NJ. [6]
- Charnov, E. L. and W. M. Schaffer. 1973. Life history consequences of natural selection: Cole's result revisited. *American Naturalist* 107: 791–793. [7]
- Chase, J. M. and M. A. Leibold. 2003. *Ecological Niches: Linking Classical and Contemporary Approaches*. University of Chicago Press: Chicago, IL. [9]
- Chase, J. M. and J. A. Myers. 2011. Disentangling the importance of ecological niches from stochastic processes across scales. *Philosophical Transactions of the Royal Society* 366B: 2351–2363. [19]
- Chazdon, R. L. 1985. Leaf display, canopy structure, and light interception of two understory palm species. *American Journal of Botany* 72: 1493–1502. [2]
- Chazdon, R. L. and R. W. Pearcy. 1991. The importance of sunflecks for forest understory plants. *Bioscience* 41: 760–766. [2]
- Che-Castaldo, J., C. Che-Castaldo and M. C. Neel. 2018. Predictability of demographic rates based on phylogeny and biological similarity. *Conservation Biology* 32: 1290–1300. [8]
- Cheng, W., D. C. Coleman and J. E. Box. 1990. Root dynamics, production and distribution in agroecosystems on the Georgia Piedmont using minirhizotrons. *Journal of Applied Ecology* 27: 592–604. [5]
- Chesson, P. 2000. Mechanisms of maintenance of species diversity. *Annual Review of Ecological Systems* 31: 343–366. [10]
- Chesson, P. 2018. Updates on mechanisms of maintenance of species diversity. *Journal of Ecology* 106: 1773–1794. [10]
- Chesson, P. L. and R. R. Warner. 1981. Environmental variability promotes coexistence in lottery competitive systems. *American Naturalist* 117: 923–943. [10]
- Chesson, P. and N. Huntly. 1989. Short-term instabilities and long-term community dynamics. *Trends in Ecology and Evolution* 4: 293–298. [10]
- Chesson, P., R. L. E. Gebauer, S. Schwinning, N. Huntly, et al. 2004. Resource pulses, species interactions, and diversity maintenance in arid and semi-arid environments. *Oecologia* 141: 236–253. [10]
- Chiarucci, A., G. Bacaro, D. Rocchini, C. Ricotta, et al. 2009. Spatially constrained rarefaction: incorporating the autocorrelated structure of biological communities in sample-based rarefaction. *Community Ecology* 10: 209–214. [12]
- Christensen, N. L. and R. K. Peet. 1981. Secondary forest succession on the North Carolina Piedmont. In *Forest Succession Concepts and Applications*, D. C. West et al. (eds.), pp. 230–245. Springer-Verlag: New York. [13]
- Christin, P.-A., G. Besnard, E. Samaritani, M. R. Duvall, et al. 2008. Oligocene CO₂ decline promoted C₄ photosynthesis in grasses. *Current Biology* 18: 37–43. [2]
- Christin, P.-A. and C. P. Osborne. 2014. The evolutionary ecology of C₄ plants. *New Phytology* 204: 765–781. [2]
- Chu, C. and P. B. Adler. 2014. When should plant population models include age structure? *Journal of Ecology* 102: 531–543. [8]

- Clark, J. S. 1998. Why trees migrate so fast: Confronting theory with dispersal biology and the paleo record. *American Naturalist* 152: 204–224. [17]
- Clark, J. S. 2010. Individuals and the variation needed for high species diversity in forest trees. *Science* 327: 1129–1132. [10]
- Clark, J. S., E. Macklin and L. Wood. 1998. Stages and spatial scales of recruitment limitation in southern Appalachian forests. *Ecological Monographs* 68: 213–235. [6]
- Clark, J. S. and J. S. McLachlan. 2003. Stability of forest biodiversity. *Nature* 423: 635–638. [10]
- Clark, J. S., M. Silman, R. Kern, E. Macklin, et al. 1999a. Seed dispersal near and far: generalized patterns across temperate and tropical forests. *Ecology* 80: 1475–1494. [6]
- Clark, J. S., M. Silman, R. Kern, E. Macklin, et al. 1999b. Seed dispersal near and far: patterns across temperate and tropical forests. *Ecology* 80: 1475–1494. [6]
- Clark, J. S., D. Bell, C. Chu, B. Courbaud, et al. 2010. High-dimensional coexistence based on individual variation: a synthesis of evidence. *Ecological Monographs* 80: 569–608. [10]
- Clark, J. S., D. M. Bell, M. H. Hersh, M. C. Kwit, et al. 2011. Individual-scale variation, species-scale differences: inference needed to understand diversity. *Ecological Letters* 14: 1273–1287. [10]
- Clausen, J. D., D. Keck and W. M. Hiesey. 1940. Experimental studies on the nature of species. I. effects of varied environments on western North American plants. Carnegie Institute of Washington: Washington, DC. [9]
- Clausen, J. D., D. Keck and W. M. Hiesey. 1948. Experimental studies on the nature of species. III. environmental responses of climatic races of *Achillea*. Carnegie Institute of Washington: Washington, DC. [9]
- Clauss, M. J. and D. L. Venable. 2000. Seed germination in desert annuals: an empirical test of adaptive bet-hedging. *American Naturalist* 155: 168–186. [7]
- Clay, K. 1990. Fungal endophytes of grasses. *Annual Review of Ecology and Systematics* 21: 275–297. [11]
- Clay, K. and J. Holah. 1999. Fungal endophyte symbiosis and plant diversity in successional fields. *Science* 285: 1742–1744. [11]
- Clements, F. E. 1916. *Plant Succession*. Carnegie Institute of Washington: Washington, DC. [12, 13, 18]
- Clements, F. E. 1937. Nature and structure of the climax. *Journal of Ecology* 24: 252–284. [12]
- Cline, A. C. and S. H. Spurr. 1942. The virgin upland forest of central New England. A study of old growth stands in the Pisgah mountain section of southwestern New Hampshire. *Harvard Forest Bulletin* 21. [13]
- Cochran, M. E. and S. Ellner. 1992. Simple methods for calculating age-based life history parameters for stage-structured populations. *Ecological Monographs* 62: 345–364. [8]
- Cody, M. 1966. A general theory of clutch size. *Evolution* 20: 174–184. [7]
- Cody, M. L. and H. A. Mooney. 1978. Convergence versus nonconvergence in Mediterranean-climate ecosystems. *Annual Review of Ecology and Systematics* 9: 265–321. [18]

- Colautti, R. I., A. Ricciardi, I. A. Grigorovich and H. J. MacIsaac. 2004. Is invasion success explained by the enemy release hypothesis? *Ecological Letters* 7: 721–733. [14]
- Cole, K. L. 1985. Past rates of change, species richness, and a model of vegetational inertia in the Grand Canyon, Arizona. *American Naturalist* 125: 289–303. [17]
- Cole, K. L. 1990. Reconstruction of past desert vegetation along the Colorado River using packrat middens. *Palaeogeography Palaeoclimatology Palaeoecology* 76: 349–366. [17]
- Cole, K. L. and S. T. Arundel. 2005. Carbon isotopes from fossil packrat pellets and elevational movements of Utah agave plants reveal the Younger Dryas cold period in Grand Canyon, Arizona. *Geology* 33: 713–716. [17]
- Cole, L. C. 1954. The population consequences of life-history phenomena. *Quarterly Review of Biology* 29: 103–137. [7]
- Coleman, B. D. 1981. On random placement and species-area relations. *Mathematical Biosciences* 54: 191–215. [19]
- Coleman, B. D., M. A. Mares, M. R. Willig and Y.-H. Hsieh. 1982. Randomness, area, and species richness. *Ecology* 63: 1121–1133. [19]
- Coley, P. D. and J. A. Barone. 1996. Herbivory and plant defenses in tropical forests. *Annual Review of Ecology and Systematics* 27: 305–335. [11]
- Collins, C. D., C. Banks-Leite, L. A. Brudvig, B. L. Foster, et al. 2017. Fragmentation affects plant community composition over time. *Ecography* 40: 119–130. [15]
- Collins, S. L. and G. E. Uno. 1983. The effect of early spring burning on vegetation in buffalo wallows. *Bulletin of the Torrey Botanical Club* 110: 474–481. [11]
- Collins, S. L. and S. M. Glenn. 1990. A hierarchical analysis of species' abundance patterns in grassland vegetation. *American Naturalist* 135: 633–648. [15]
- Collins, S. L. and S. M. Glenn. 1991. Importance of spatial and temporal dynamics in species regional abundance and distribution. *Ecology* 72: 654–664. [15]
- Colwell, R. K. and G. C. Hurtt. 1994. Nonbiological gradients in species richness and a spurious Rapoport effect. *American Naturalist* 144: 570–595. [19]
- Colwell, R. K., C. Rahbek and N. J. Gotelli. 2004. The mid-domain effect and species richness patterns: what have we learned so far? *American Naturalist* 163: E1–E23. [19]
- Condit, R., N. Pitman, E. G. Leigh, Jr., J. R. M. Chave, et al. 2002. Beta-diversity in tropical forest trees. *Science* 295: 666–669. [19]
- Conlisk, E., A. D. Syphard, J. Franklin, L. Flint, et al. 2013. Uncertainty in assessing the impacts of global change with coupled dynamic species distribution and population models. *Global Change Biology* 19: 858–869. [15]
- Connell, J. H. 1971. On the role of natural enemies in preventing competitive exclusion in some marine animals and in rain forest tree. In *Dynamics of Numbers in Populations*, P. J. Boer and G. R. Graadwell (eds.), pp. 298–312. PUDOC: Wageningen, the Netherlands. [11]

- Connell, J. H. 1978. Diversity in tropical rain forests and coral reefs. *Science* 199: 1302–1310. [11, 14]
- Connell, J. H. and E. Orias. 1964. The ecological regulation of species diversity. *American Naturalist* 98: 399–414. [19]
- Connell, J. H. and R. O. Slatyer. 1977. Mechanisms of succession in natural communities and their role in community stability and organization. *American Naturalist* 111: 1119–1144. [13]
- Connolly, J. 1987. On the use of response models in mixture experiments. *Oecologia* 72: 95–103. [10]
- Connolly, J. 1997. Substitutive experiments and the evidence for competitive hierarchies in plant communities. *Oikos* 80: 179–182. [10]
- Coomes, D. A. and P. J. Grubb. 2000. Impacts of root competition in forests and woodlands: a theoretical framework and review of experiments. *Ecological Monographs* 70: 171–207.
- Cooper, W. S. 1923. The recent ecological history of Glacier Bay, Alaska. II. The present vegetation cycle. *Ecology* 4: 223–246. [13]
- Cottingham, K. L., B. L. Brown and J. T. Lennon. 2001. Biodiversity may regulate the temporal variability of ecological systems. *Ecological Letters* 4: 72–85. [14]
- Coutts, S. R., P. Caplat, K. Cousins, N. Ledgard, et al. 2012. Reproductive ecology of *Pinus nigra* in an invasive population: individual- and population-level variation in seed production and timing of seed release. *Annals of Forest Science* 69: 467–476. [8]
- Cowles, H. C. 1899. The ecological relations of the vegetation on the sand dunes of Lake Michigan. *Botanical Gazette* 27: 95–117, 167–202, 281–308, 361–391. [13]
- Cowles, H. C. 1911. The causes of vegetative cycles. *Botanical Gazette* 51: 161–183. [13]
- Craine, J. M., J. Fargione and S. Sugita. 2005. Supply pre-emption, not concentration reduction, is the mechanism of competition for nutrients. *New Phytologist* 166: 933–940. [10]
- Cramer, W., D. W. Kicklighter, A. Bondeau, B. Moore, III, et al. 1999. Comparing global models of terrestrial net primary productivity (NPP): overview and key results. *Global Change Biology* 5: 1–15. [5]
- Crane, P. R. and S. Lidgard. 1989. Angiosperm diversification and paleolatitudinal gradients in Cretaceous floristic diversity. *Science* 246: 675–678. [17, 19]
- Crawley, M. J., S. L. Brown, R. S. Hails, D. D. Kohn, et al. 2001. Transgenic crops in natural habitats. *Nature* 409: 682–683. [6]
- Crone, E. E. and P. Lesica. 2004. Causes of synchronous flowering in *Astragalus scaphoides*, an iteroparous perennial plant. *Ecology* 85: 1944–1954. [7]
- Crone, E. E., M. M. Ellis, W. F. Morris, A. Stanley, et al. 2013. Ability of matrix models to explain the past and predict the future of plant populations. *Conservation Biology* 27: 968–978. [8]
- Cruden, R. W. 1977. Pollen-ovule ratios: a conservative indicator of the breeding systems in flowering plants. *Evolution* 31: 32–46. [6]
- Currie, D. J. and V. Paquin. 1987. Large-scale biogeographical patterns of species richness of trees. *Nature* 329: 326–327. [19]

- Curtis, J. T. 1956. The modification of mid-latitude grasslands and forests by man. In *Man's Role in Changing the Face of the Earth*, W. L. Thomas (ed.), pp. 721–736. University of Chicago Press: Chicago, IL. [15]
- Curtis, J. T. 1959. *The Vegetation of Wisconsin*. University of Wisconsin Press: Madison, WI. [12, 19]
- Curtis, J. T. and R. P. McIntosh. 1951. An upland forest continuum in the prairie-forest border region of Wisconsin. *Ecology* 32: 476–498. [12]
- Curtis, P. S. and X. Z. Wang. 1998. A meta-analysis of elevated CO₂ effects on woody plant mass, form and physiology. *Oecologia* 113: 299–313. [16]

D

- Daily, G. C., T. Söderqvist, S. Aniyar, K. Arrow, et al. 2000. The value of nature and the nature of value. *Science* 289: 395–396. [19]
- Dale, M. R. T. 2000. *Spatial Pattern Analysis in Plant Ecology*. Cambridge University Press: Cambridge. [15]
- Dale, M. R. T. and M.-J. Fortin. 2014. *Spatial Analysis: A Guide for Ecologists*, 2nd ed. Cambridge University Press: Cambridge. [15]
- Dale, V. H. and W. M. Adams. 2003. Plant reestablishment 15 years after the debris avalanche at Mount St. Helens, Washington. *Science of the Total Environment* 313: 101–113. [13]
- Dame, R., M. Alber, D. Allen, M. Mallin, et al. 2000. Estuaries of the South Atlantic coast of North America: their geographical signatures. *Estuaries* 23: 793–819. [5]
- Damschen, E. I., N. M. Haddad, J. L. Orrock, J. J. Tewksbury, et al. 2006. Corridors increase plant species richness at large scales. *Science* 313: 1284–1286. [15]
- D'Antonio, C. M. and P. M. Vitousek. 1992. Biological invasions by exotic grasses, the grass/fire cycle, and global change. *Annual Review of Ecology and Systematics* 23: 63–87. [13, 14]
- Darwin, C. 1859. *On the Origin of Species by Means of Natural Selection*. John Murray: London. [9, 10]
- Darwin, C. 1877. *The Various Contrivances by which Orchids Are Fertilized*. John Murray: London. [6]
- Das, A. A., R. John and M. Anand. 2017. Does structural connectivity influence tree species distributions and abundance in a naturally discontinuous tropical forest formation? *Journal of Vegetation Science* 28: 7–18. [15]
- Dávalos, A., V. Nuzzo and B. Blossey. 2015. Interactive effects of deer, earthworms and non-native plants on rare forest plant recruitment. *Biological Conservation* 187: 173–181. [11]
- Davidowitz, G. 2002. Does precipitation variability increase from mesic to xeric biomes? *Global Ecology and Biogeography* 11: 143–154. [16]
- Davidson, C. B., K. W. Gottschalk and J. E. Johnson. 1999. Tree mortality following defoliation by the European gypsy moth (*Lymantria dispar* L.) in the United States: a review. *Forest Sciences* 45: 74–84. [11]
- Davis, K. M. and R. W. Mutch. 1994. Applying ecological principles to manage wildland fire. *Issues in Ecology* 6. [13]

- Davis, M. B. 1981. Quaternary history and the stability of forest communities. In *Forest Succession Concepts and Applications*, D. C. West et al. (eds.), pp. 132–153. Springer-Verlag: New York. [12, 17]
- Davis, M. B. and R. G. Shaw. 2001. Range shifts and adaptive responses to quaternary climate change. *Science* 292: 673–679. [17]
- Davis, M. B., R. R. Calcote, S. Sugita and H. Takahara. 1998. Patchy invasion and the origin of a hemlock-hardwood forest mosaic. *Ecology* 79: 2641–2659. [17]
- de Candolle, A. 1855. Géographie botanique raisonnée: ou l'exposition des faits principaux et des lois concernant la distribution géographique des plates de l'époque actuelle. Maisson: Paris, France. [12]
- de Kroons, H. and M. J. Hutchings. 1995. Morphological plasticity in clonal plants: the foraging concept reconsidered. *Journal of Ecology* 83: 143–152. [6]
- de Kroons, H., T. Hara and R. Kwant. 1992. Size hierarchies of shoots and clones in clonal herb monocultures: do clonal and non-clonal plants compete differently? *Oikos* 63: 410–419. [10]
- DeLaune, R. D. and K. R. Reddy. 2008. *Biogeochemistry of Wetlands: Science and Applications*. CRC Press: Boca Raton, FL. [5]
- del Moral, R. 1998. Early succession on lahars spawned by Mount St. Helens. *American Journal of Botany* 85: 820–828. [13]
- del Moral, R. and J. H. Titus. 2018. Primary succession on Mount St. Helens: rates, determinism, and alternative states. In *Ecological Responses at Mount St. Helens: Revisited 35 Years after the 1980 Eruption*, C. M. Crisafulli and V. H. Dale (eds.), pp. 127–148. Springer: New York. [13]
- Delph, L. F. 2019. Pollen competition is the mechanism underlying a variety of evolutionary phenomena in dioecious plants. *New Phytology* 224: 1075–1079. [6]
- Denslow, J. S. 1980. Gap partitioning among tropical rainforest trees. *Biotropica* 12: 47–55. [14]
- Detling, J. K., M. I. Dyer, C. Procter-Gregg and D. A. Winn. 1980. Plant-herbivore interactions: examination of potential effects of buffalo saliva on regrowth of *Bouteloua gracilis* (H. B. K.) Lag. *Oecologia* 45: 26–31. [11]
- Detto, M., M. D. Visser, S. J. Wright and S. W. Pacala. 2019. Bias in the detection of negative density dependence in plant communities. *Ecological Letters* 22: 1923–1939. [10]
- de Wit, C. T. 1960. On competition. *Versl Landbouwk Onderz* 66: 1–82. [10]
- DeWitt, T. J. and S. M. Scheiner. 2004. *Phenotypic Plasticity. Functional and Conceptual Approaches*. Oxford University Press: New York. [9]
- de Witte, L. C. and J. Stöcklin. 2010. Longevity of clonal plants: why it matters and how to measure it. *Annals of Botany* 106: 859–870. [6]
- Díaz, F. P., C. Latorre, A. Maldonado, J. Quade, et al. 2012. Rodent middens reveal episodic, long-distance plant colonizations across the hyperarid Atacama Desert over the last 34,000 years. *Journal of Biogeography* 39: 510–525. [17]
- DiMichele, W. A., H. W. Pfefferkorn and R. A. Gastaldo. 2001. Response of Late Carboniferous and Early Permian plant communities to climate change. *Annual Review of Earth and Planetary Sciences* 29: 461–487. [17]

- Dinerstein, E., D. Olson, A. Joshi, C. Vynne, et al. 2017. An ecoregion-based approach to protecting half the terrestrial realm. *Bioscience* 67: 534–545. [19]
- Dirmeyer, P. A. and J. Shukla. 1996. The effect on regional and global climate of expansion of the world's deserts. *Quarterly Journal of the Royal Meteorological Society* 122B: 451–482. [4, 5]
- Dirzo, R. and J. L. Harper. 1982a. Experimental studies on slug-plant interactions: 3. Differences in the acceptability of individual plants of *Trifolium repens* to slugs and snails. *Journal of Ecology* 70: 101–117. [11]
- Dirzo, R. and J. L. Harper. 1982b. Experimental studies on slug-plant interactions: 4. The performance of cyanogenic and acyanogenic morphs of *Trifolium repens* in the field. *Journal of Ecology* 70: 119–138. [11]
- Dixon, P. M. 2001. The bootstrap and the jackknife: Describing the precision of ecological indices. In *Design and Analysis of Ecological Experiments*, S. M. Scheiner and J. Gurevitch (eds.), pp. 267–288. Oxford University Press: New York. [12]
- Doak, D. F., D. Bigger, E. K. Harding, M. A. Marvier, et al. 1998. The statistical inevitability of stability-diversity relationships in community ecology. *American Naturalist* 151: 264–276. [14]
- Donald, C. M. 1951. Competition among pasture plants. I. Intra-specific competition among annual pasture plants. *Australian Journal of Agricultural Research* 2: 355–376. [10]
- Dudley, S. A. 1996. Differing selection on plant physiological traits in response to environmental water availability: a test of adaptive hypotheses. *Evolution* 50: 92–102. [9]
- Dudley, S. A. and J. Schmitt. 1995. Genetic differentiation in morphological responses to simulated foliage shade between populations of *Impatiens capensis* from open and woodland sites. *Functional Ecology* 9: 655–666. [9]
- Dudley, S. A. and J. Schmitt. 1996. Testing the adaptive plasticity hypothesis: density-dependent selection on manipulated stem length in *Impatiens capensis*. *American Naturalist* 147: 445–465. [9]
- Dufrêne, M. and P. Legendre. 1997. Species assemblages and indicator species: the need for a flexible asymmetrical approach. *Ecological Monographs* 67: 345–366. [12]
- Dukes, J. S. and H. A. Mooney. 1999. Does global change increase the success of biological invaders? *Trends in Ecology & Evolution* 14: 135–139. [14]
- Dunwiddie, P., D. Foster, D. Leopold and R. T. Leverett. 1996. Old-growth forests of southern New England, New York, and Pennsylvania. In *Eastern Old-Growth Forests: Prospects for Rediscovery and Recovery*, M. D. Davis (ed.), pp. 126–143. Island Press: Washington, DC. [13]
- Dutech, C., V. L. Sork, A. J. Irwin, P. E. Smouse, et al. 2005. Gene flow and fine-scale genetic structure in a wind-pollinated tree species, *Quercus lobata* (Fagaceae). *American Journal of Botany* 92: 252–261. [6]

E

- Eckert, C. G., D. Manicacci and S. C. H. Barrett. 1996. Frequency-dependent selection on morph ratios in tristylous *Lythrum salicaria* (Lythraceae). *Heredity* 77: 581–588. [6]
- Edwards, E. J., C. P. Osborne, C. A. E. Strömberg, S. A. Smith, et al. 2010. The origins of C₄ grasslands: integrating evolutionary and ecosystem science. *Science* 328: 587–591. [17]

- Egerton, F. N. 2015. History of ecological sciences, part 55: animal population ecology. *Bulletin of the Ecological Society of America* 96: 560–626. [11]
- Egler, F. E. 1954. Vegetation science concepts I. initial floristic composition. A factor in old-field vegetation development. *Vegetatio* 4: 412–417. [13]
- Ehleringer, J. R. 1985. Annuals and perennials of warm deserts. In *Physiological Ecology of North American Plant Communities*, B. F. Chabot and H. A. Mooney (eds.), pp. 162–180. Chapman and Hall: New York. [2]
- Ehleringer, J., O. Björkman and H. A. Mooney. 1976. Leaf pubescence: effects on absorptance and photosynthesis in a desert shrub. *Science* 192: 376–377. [3]
- Ehleringer, J. R. and H. A. Mooney. 1978. Leaf hairs: effects on physiological activity and adaptive value to a desert shrub. *Oecologia* 37: 183–200. [3]
- Ehleringer, J. R. and R. K. Monson. 1993. Evolutionary and ecological aspects of photosynthetic pathway variation. *Annual Review of Ecology and Systematics* 24: 411–439. [2]
- Ehleringer, J. R., S. L. Phillips, W. S. F. Schuster and D. R. Sandquist. 1991. Differential utilization of summer rains by desert plants. *Oecologia* 88: 430–434. [10]
- Ehrhardt-Martinez, K. 1998. Social determinants of deforestation in developing countries: A cross-national study. *Societal Forces* 77: 567–586. [19]
- Ehrlich, P. R. 1968. *The Population Bomb*. Ballantine Books: New York. [19]
- Ellis, E. C. and N. Ramankutty. 2008. Putting people in the map: anthropogenic biomes of the world. *Frontiers in Ecology and the Environment* 6: 439–447. [19]
- Ellis, M. M. and E. E. Crone. 2013. The role of transient dynamics in stochastic population growth for nine perennial plants. *Ecology* 94: 1681–1686. [8]
- Ellison, A. M. 1987. Density-dependent dynamics of *Salicornia europaea* monocultures. *Ecology* 68: 737–741. [10]
- Ellner, S. P. and M. Rees. 2006. Integral projection models for species with complex demography. *American Naturalist* 167: 410–428. [8]
- Ellner, S. P., D. Z. Childs and M. Rees. 2016. *Data-Driven Modelling of Structured Populations*. Springer: Cham, Switzerland. [8]
- Ellner, S. P., R. E. Snyder, P. B. Adler and G. Hooker. 2019. An expanded modern coexistence theory for empirical applications. *Ecological Letters* 22: 3–18. [10]
- Ellstrand, N. C. 2003. *Dangerous Liaisons?: When Cultivated Plants Mate with Their Wild Relatives*. Johns Hopkins University Press: Baltimore, MD. [6]
- Ellstrand, N. C., H. C. Prentice and J. F. Hancock. 1999. Gene flow and introgression from domesticated plants into their wild relatives. *Annual Review of Ecology and Systematics* 30: 539–563. [6]
- Eltahir, E. A. B. and R. L. Bras. 1994. Sensitivity of regional climate to deforestation in the Amazon Basin. *Advances in Water Resources* 17: 101–115. [5]
- Elton, C. S. 1958. *The Ecology of Invasions by Animals and Plants*. Chapman and Hall: New York. [14]
- Emanuel, K. 2005. Increasing destructiveness of tropical cyclones over the past 30 years. *Nature* 436: 686–688. [16]

- Emery, N. J., M. J. Henwood, C. A. Offord and G. M. Wardle. 2017. Right here, right now: populations of *Actinotus helianthi* differ in their early performance traits and interactions. *Austral Ecology* 42: 367–378. [8]
- Emlen, J. M. 1984. Population Biology: The Coevolution of Population Dynamics and Behavior. Macmillan: New York. [7]
- Endler, J. A. 1986. *Natural Selection in the Wild*. Princeton University Press: Princeton, NJ. [9]
- Ennos, R. A. and M. T. Clegg. 1982. Effect of population substructuring on estimates of outcrossing rate in plant populations. *Heredity* 48: 283–292. [9]
- Epperson, B. K. and M. T. Clegg. 1986. Spatial-autocorrelation analysis of flower color polymorphisms within substructured populations of morning glory (*Ipomoea purpurea*). *American Naturalist* 128: 840–858. [9]
- Ernakovich, J.G., K. A. Hopping, A. B. Berdanier, R. T. Simpson, et al. 2014. Predicted responses of arctic and alpine ecosystems to altered seasonality under climate change. *Global Change Biology* 20: 3256–3269. [2]
- Esau, K. 1977. *Anatomy of Seed Plants*. John Wiley: New York. [2, 3]
- Etherington, J. R. 1982. *Environment and Plant Ecology*. John Wiley and Sons: New York. [3, 4]
- Etienne, R. S. and H. Olf. 2005. Confronting different models of community structure to species-abundance data: a Bayesian model comparison. *Ecological Letters* 8: 493–504. [10]
- Evans, M. E. K., R. Ferrière, M. J. Kane and D. L. Venable. 2007. Bet hedging via seed banking in desert evening primroses (*Oenothera*, Onagraceae): demographic evidence from natural populations. *American Naturalist* 169: 184–194. [8]
- F**
- Faber-Langendoen, D., T. Keeler-Wolf, D. Meidinger, D. Tart, et al. 2014. EcoVeg: a new approach to vegetation description and classification. *Ecological Monographs* 84: 533–561. [12]
- Facelli, E. and J. M. Facelli. 2002. Soil phosphorus heterogeneity and mycorrhizal symbiosis regulate plant intra-specific competition and size distribution. *Oecologia* 133: 54–61. [11]
- Faegri, K. and L. van der Pijl. 1979. *The Principles of Pollination Ecology*. Pergamon: New York. [6]
- Fahrig, L. 1998. When does fragmentation of breeding habitat affect population survival? *Ecological Modelling* 105: 273–292. [15]
- Fahrig, L. 2003. Effects of habitat fragmentation on biodiversity. *Annual Review of Ecology, Evolution, and Systematics* 34: 487–515. [15]
- Fahrig, L. 2019. Habitat fragmentation: a long and tangled tale. *Global Ecology and Biogeography* 28: 33–41. [15]
- Faith, D. P. 1992. Conservation priorities and phylogenetic diversity. *Biological Conservation* 61: 1–10. [12]
- Fang, C., Y. Zhuang, T. Xu, Y. Li, et al. 2013. Changes in rice allelopathy and rhizosphere microflora by inhibiting rice phenylalanine ammonia-lyase gene expression. *Journal of Chemical Ecology* 39: 204–212. [4]

- Fang, W., D. R. Taub, G. A. Fox, R. M. Landis, et al. 2006. Sources of variation in growth, form, and survival in dwarf and normal-stature pitch pines (*Pinus rigida*, Pinaceae) in long-term transplant experiments. *American Journal of Botany* 93: 1125–1133. [8]
- Farmilo, B. J., D. G. Nimmo and J. W. Morgan. 2013. Pine plantations modify local conditions in forest fragments in southeastern Australia: insights from a fragmentation experiment. *Forest Ecology and Management* 305: 264–272. [15]
- Fauth, J. E., J. Bernado, M. Camara, W. J. Resetarits, Jr., et al. 1996. Simplifying the jargon of community ecology: a conceptual approach. *American Naturalist* 147: 282–286. [12]
- Feder, M. E., A. F. Bennett, W. W. Burggren and R. B. Huey (eds.). 1987. *New Directions in Ecological Physiology*. Cambridge University Press: Cambridge. [1]
- Feng, G., Z. Ma, B. Sandel, L. Mao, et al. 2019. Species and phylogenetic endemism in angiosperm trees across the Northern Hemisphere are jointly shaped by modern climate and glacial–interglacial climate change. *Global Ecology and Biogeography* 28: 1393–1402. [19]
- Fichtner, A., F. Schnabel, H. Bruelheide, M. Kunz, et al. 2020. Neighbourhood diversity mitigates drought impacts on tree growth. *Journal of Ecology*, in press. doi: 10.1111/1365-2745.13353. [10]
- Field, C. B., J. T. Ball and J. A. Berry. 2000. Photosynthesis: principles and field techniques. In *Plant Physiological Ecology: Field Methods and Instrumentation*, R. W. Pearcy et al. (eds.), pp. 209–253. Springer: Dordrecht, the Netherlands. [3]
- Field, R., E. M. O'Brien and R. J. Whittaker. 2005. Global models for predicting woody plant richness from climate: development and evaluation. *Ecology* 86: 2263–2277. [19]
- Firbank, L. G. and A. R. Watkinson. 1985. On the analysis of competition within 2-species mixtures of plants. *Journal of Applied Ecology* 22: 503–517. [10]
- Firbank, L. G. and A. R. Watkinson. 1990. On the effects of competition: from monocultures to mixtures. In *Perspectives on Plant Competition*, J. B. Grace and D. Tilman (eds.), pp. 165–192. Academic Press: New York. [10]
- Fischer, A. G. 1960. Latitudinal variation in organic diversity. *Evolution* 14: 64–81. [19]
- Fisher, J. B., D. N. Huntzinger, C. R. Schwalm and S. Sitch. 2014. Modeling the terrestrial biosphere. *Annual Review of Environment and Resources* 39: 91–123. [5]
- Fisher, R. A., A. S. Corbet and C. B. Williams. 1943. The relation between the number of species and the number of individuals in a random sample of an animal population. *Journal of Animal Ecology* 12: 42–58. [19]
- Fitter, A. H. and R. K. M. Hay. 1981. *Environmental Physiology of Plants*. Academic Press: London. [2]
- Fitter, A. H. and R. S. R. Fitter. 2002. Rapid changes in flowering time in British plants. *Science* 296: 1689–1691. [16]
- Fitter, A. H., A. Hodge, T. J. Daniell and D. Robinson. 1999. Resource sharing in plant-fungus communities: did the carbon move for you? *Trends in Ecology and Evolution* 14: 70. [10]

- Florence, J. 1981. Chablis et sylvigénèse dans une forêt dense humid sempervirente du Gabon. Ph.D. Université Louis Pasteur de Strasbourg: Strasbourg, France. [13]
- Flores-Martinez, A., E. Ezcurra and S. Sanchez-Colon. 1998. Water availability and the competitive effect of a columnar cactus on its nurse plant. *Acta Oecologica* 19: 1–8. [10]
- Foody, G. M., P. M. Atkinson, P. W. Gething, N. A. Ravenhill, et al. 2005. Identification of specific tree species in ancient seminatural woodland from digital aerial sensor imagery. *Ecological Applications* 15: 1233–1244. [15]
- Forbes, R. D. 1930. Timber growing and logging and turpentine practices in the southern pine region. *USDA Tech Bull* 204. USDA, 126 pp. [8]
- Ford, E. D. 1975. Competition and stand structure in some even-aged plant monocultures. *Journal of Ecology* 63: 311–333. [10]
- Fordham, D. A., H. R. Akçakaya, M. B. Araújo, J. Elith, et al. 2012. Plant extinction risk under climate change: are forecast range shifts alone a good indicator of species vulnerability to global warming? *Global Change Biology* 18: 1357–1371. [15]
- Forest, F., R. Grenyer, M. Rouget, T. J. Davies, et al. 2007. Preserving the evolutionary potential of floras in biodiversity hotspots. *Nature* 445: 757–760. [19]
- Forman, R. T. T. 1995. *Land Mosaics*. Cambridge University Press: Cambridge. [15]
- Forman, R. T. T. and M. Godron. 1986. *Landscape Ecology*. Wiley: New York. [13, 15]
- Forrester, D. I. and J. Bauhus. 2016. A review of processes behind diversity—productivity relationships in forests. *Current Forestry Reports* 2: 45–61. [14]
- Forseth, I. and J. Ehleringer. 1982. Ecophysiology of two solar tracking desert winter annuals. 2. leaf movements, water relations and microclimate. *Oecologia* 54: 41–49. [2]
- Fortin, M.-J. and A. A. Agrawal. 2005. Landscape ecology comes of age. *Ecology* 86: 1965–1966. [15]
- Foster, C. W., J. L. Neumann and G. J. Holloway. 2019. Linking mesoscale landscape heterogeneity and biodiversity: gardens and tree cover significantly modify flower-visiting beetle communities. *Landscape Ecology* 34: 1081–1095. [15]
- Foster, D. R. 1988. Disturbance history, community organization and vegetation dynamics of the old-growth Pisgah forest, south-western New Hampshire, U.S.A. *Journal of Ecology* 76: 105–134. [13]
- Foster, G. L., D. L. Royer and D. J. Lunt. 2017. Future climate forcing potentially without precedent in the last 420 million years. *Nature Communications* 8: 14845. [17]
- Foster, T. E. and J. R. Brooks. 2005. Functional groups based on leaf physiology: are they spatially and temporally robust? *Oecologia* 144: 337–352. [12]
- Fowler, N. L. 1995. Density-dependent demography in 2 grasses - a 5-year study. *Ecology* 76: 2145–2164. [10]
- Fox, G. A. 1989. Consequences of flowering-time variation in a desert annual: adaptation and history. *Ecology* 70: 1294–1306. [7]

- Fox, G. A. 1990a. Components of flowering time variation in a desert annual. *Evolution* 44: 1404–1423. [7]
- Fox, G. A. 1990b. Drought and the evolution of flowering time in desert annuals. *American Journal of Botany* 77: 1508–1518. [7]
- Fox, G. A. 1992. The evolution of life history traits in desert annuals: adaptation and constraint. *Evolutionary Trends in Plants* 6: 25–31. [7]
- Fox, G. A. 2001. Failure time analysis: studying times-to-events and rates at which events occur. In *Design and Analysis of Ecological Experiments*, S. M. Scheiner and J. Gurevitch (eds.), pp. 253–289. Oxford University Press: New York. [8]
- Fox, G. A. 2005. Extinction risk of heterogeneous populations. *Ecology* 86: 1191–1198. [8]
- Fox, G. A. and J. Gurevitch. 2000. Population numbers count: tools for near-term demographic analysis. *American Naturalist* 156: 242–255. [8]
- Fox, G. A. and S. M. Scheiner. 2019. The demography of fitness: life histories and their evolution. In *The Theory of Evolution*, S. M. Scheiner and D. P. Mindell (eds.), pp. 211–231. University of Chicago Press: Chicago, IL. [7]
- Fox, G. A., A. S. Evans and C. J. Keefer. 1995. Phenotypic consequences of forcing germination: a general problem of intervention in experimental design. *American Journal of Botany* 82: 1264–1270. [10]
- Fox, G. A., S. M. Scheiner and M. R. Willig. 2011. A theory of ecological gradients. In *The Theory of Ecology*, S. M. Scheiner and M. R. Willig (eds.), pp. 333–347. University of Chicago Press: Chicago, IL. [19]
- Fox, G. A., S. Negrete-Yankelevich and V. J. Sosa. 2015. *Ecological Statistics: Contemporary Theory and Application*. Oxford University Press: New York. [1, 12]
- Fox, J. W. 2013. The intermediate disturbance hypothesis should be abandoned. *Trends in Ecology & Evolution* 28: 86–92. [14]
- Francis, J. M., 1999. A multiscale analysis and model of vegetation change in a semiarid landscape. Ph.D. dissertation, 140 pp., Arizona State University: Tempe, AZ. [16]
- Francis, R. and D. J. Read. 1994. The contributions of mycorrhizal fungi to the determination of plant community structure. *Plant Soil* 159: 11–25. [11]
- Frank, D. A., A. W. Pontes and K. J. McFarlane. 2012. Controls on soil organic carbon stocks and turnover among North American ecosystems. *Ecosystems* 15: 604–615. [4]
- Frankie, G. W., M. Rizzardi, S. B. Vinson and T. L. Griswold. 2009. Decline in bee diversity and abundance from 1972–2004 on a flowering leguminous tree, *Andira inermis* in Costa Rica at the interface of disturbed dry forest and the urban environment. *Journal of the Kansas Entomological Society* 82: 1–20. [6]
- Franklin, J. F. 1990. Biological legacies: a critical management concept from Mt. St. Helens. In *Transactions of the Fifty-Fifth North American Wildlife and Natural Resources Conference*, R. E. McCabe (ed.), pp. 215–219. Wildlife Management Institute: Washington, DC. [13]
- Fraterrigo, J. M., M. G. Turner, S. M. Pearson and P. Dixon. 2005. Effects of past land use on spatial heterogeneity of soil nutrients in southern Appalachian forests. *Ecological Monographs* 75: 215–230. [13]

- Freckleton, R. P., A. R. Watkinson and M. Rees. 2009. Measuring the importance of competition in plant communities. *Journal of Ecology* 97: 379–384. [10]
- Frenzen, P. M., J. E. Means, J. F. Franklin, C. W. Kiilsgaard, et al. 1986. Five years of plant succession on eleven major surface types affected by the 1980 eruptions of Mount St. Helens, Washington. In *Mount St. Helens: Five Years Later*, S. A. C. Keller (ed.). Eastern Washington University Press: Cheney, WA. [13]
- Fridley, J. D., R. K. Peet, E. van der Maarel and J. H. Willems. 2006. Integration of local and regional species-area relationships from space-time species accumulation. *American Naturalist* 168: 133–143. [12]
- Friedman, J. and S. C. H. Barrett. 2009. Wind of change: new insights on the ecology and evolution of pollination and mating in wind-pollinated plants. *Annals of Botany* 103: 1515–1527. [6]
- Fukami, T., T. Martijn Bezemer, S. R. Mortimer and W. H. van der Putten. 2005. Species divergence and trait convergence in experimental plant community assembly. *Ecological Letters* 8: 1283–1290. [13]
- Funk, J. L. and S. McDaniel. 2010. Altering light availability to restore invaded forest: the predictive role of plant traits. *Restoration Ecology* 18: 865–872. [2]
- Fynn, R. W. S., C. D. Morris and K. P. Kirkman. 2005. Plant strategies and trait trade-offs influence trends in competitive ability along gradients of soil fertility and disturbance. *Journal of Ecology* 93: 384–394. [10]
- G**
- Galen, C. and M. L. Stanton. 1991. Consequences of emergence phenology for reproductive success in *Ranunculus adoneus* (Ranunculaceae). *American Journal of Botany* 78: 978–988. [7]
- Gaston, K. J. 1994. *Rarity*. Chapman & Hall: New York. [14]
- Gates, D. M. 1993. *Climate Change and Its Biological Consequences*. Oxford University Press/Sinauer: Sunderland, MA. [16, 17]
- Gauch, H. G., Jr. and R. H. Whittaker. 1972. Comparison of ordination techniques. *Ecology* 53: 868–875. [12]
- Gervasi, D. D. L. and F. P. Schiestl. 2017. Real-time divergent evolution in plants driven by pollinators. *Nature Communications* 8: 14691. [6]
- Gholz, H. L., D. A. Wedin, S. M. Smitherman, M. E. Harmon, et al. 2000. Long-term dynamics of pine and hardwood litter in contrasting environments: toward a global model of decomposition. *Global Change Biology* 6: 751–765. [5]
- Gibson, D. J., J. Connolly, D. C. Hartnett and J. D. Weidenhamer. 1999. Designs for greenhouse studies of interactions between plants. *Journal of Ecology* 87: 1–16. [10]
- Gilbert, G. S. 2002. Evolutionary ecology of plant diseases in natural ecosystems. *Annual Review of Phytopathology* 40: 13–43. [11]
- Gillman, L. N. and S. D. Wright. 2006. The influence of productivity on the species richness of plants: a critical assessment. *Ecology* 87: 1234–1243. [19]
- Gillman, L. N. and S. D. Wright. 2010. Mega mistakes in meta-analyses: devil in the detail. *Ecology* 91: 2550–2552. [19]

- Gleason, H. A. 1917. The structure and development of the plant association. *Bulletin of the Torrey Botanical Club* 43: 463–481. [12]
- Gleason, H. A. 1922. On the relation between species and area. *Ecology* 3: 158–162. [12]
- Gleason, H. A. 1926. The individualistic concept of the plant association. *Bulletin of the Torrey Botanical Club* 53: 7–26. [12]
- Glover, B. J. and H. M. Whitney. 2010. Structural colour and iridescence in plants: the poorly studied relations of pigment colour. *Annals of Botany* 105: 505–511. [2]
- Godoy, O. 2019. Coexistence theory as a tool to understand biological invasions in species interaction networks: Implications for the study of novel ecosystems. *Functional Ecology* 33: 1190–1201. [10]
- Goldberg, D. E. 1990. Components of resource competition in plant communities. In *Perspectives on Plant Competition*, J. B. Grace and D. Tilman (eds.), pp. 27–49. Academic Press: New York. [10]
- Goldberg, D. E. and P. A. Werner. 1983. The equivalence of competitors in plant communities: A null hypothesis and a field experimental approach. *American Journal of Botany* 70: 1098–1104. [10]
- Goldberg, D. E. and R. M. Turner. 1986. Vegetation change and plant demography in permanent plots in the Sonoran Desert. *Ecology* 67: 695–712. [8]
- Goldberg, D. E. and K. Landa. 1991. Competitive effect and response: hierarchies and correlated traits in the early stages of competition. *Journal of Ecology* 79: 1013–1030. [10]
- Goldberg, D. E. and A. M. Barton. 1992. Patterns and consequences of interspecific competition in natural communities: a review of field experiments with plants. *American Naturalist* 139: 771–801. [10]
- Goldberg, D. and A. Novoplansky. 1997. On the relative importance of competition in unproductive environments. *Journal of Ecology* 85: 409–418. [10]
- Goldberg, D. E. and S. M. Scheiner. 2001. ANOVA and ANCOVA: Field competition experiments. In *Design and Analysis of Ecological Experiments*, S. M. Scheiner and J. Gurevitch (eds.), pp. 77–98. Oxford University Press: New York. [10]
- Goldberg, D. E., T. Rajaniemi, J. Gurevitch and A. Stewart-Oaten. 1999. Empirical approaches to quantifying interaction intensity: competition and facilitation along productivity gradients. *Ecology* 80: 1118–1131. [10]
- Goldberg, D. E., R. Turkington, L. Olsvig-Whittaker and A. R. Dyer. 2001. Density dependence in an annual plant community: variation among life history stages. *Ecological Monographs* 71: 423–446. [10]
- Goldberg, E. E., S. P. Otto, J. C. Vamosi, I. Mayrose, et al. 2017. Macroevolutionary synthesis of flowering plant sexual systems. *Evolution* 71: 898–912. [6]
- Goldstein, G. and P. S. Nobel. 1994. Water relations and low-temperature acclimation for cactus species varying in freezing tolerance. *Plant Physiology* 104: 675–681. [3]
- Gómez, J. M., F. Perfectti, M. Abdelaziz, J. Lorite, et al. 2015. Evolution of pollination niches in a generalist plant clade. *New Phytology* 205: 440–453. [6]

- Goodall, D. W. 1954. Objective methods for the classification of vegetation. III. an essay in the use of factor analysis. *Australian Journal of Botany* 2: 304–324. [12]
- Goodman, D. 1982. Optimal life histories, optimal notation, and the value of reproductive value. *American Naturalist* 119: 803–823. [8]
- Gotelli, N. J. 1991. Metapopulation models: the rescue effect, the propagule rain, and the core-satellite hypothesis. *American Naturalist* 138: 768–776. [15]
- Gotelli, N. J. and D. Simberloff. 1987. The distribution and abundance of tallgrass prairie plants: a test of the core-satellite hypothesis. *American Naturalist* 130: 18–35. [15]
- Gotelli, N. J. and A. M. Ellison. 2004. *A Primer of Ecological Statistics*. Oxford University Press/Sinauer: Sunderland, MA. [1, 12]
- Gough, L., C. W. Osenberg, K. L. Gross and S. L. Collins. 2000. Fertilization effects on species density and primary productivity in herbaceous plant communities. *Oikos* 89: 428–439. [14]
- Gould, S. J. and R. Lewontin. 1979. The spandrels of San Marco and the Panglossian paradigm. *Proceedings of the Royal Society of London* 205B: 581–598. [6, 9]
- Govindjee and D. Krogmann. 2004. Discoveries in oxygenic photosynthesis (1727–2003): a perspective. *Discoveries in Photosynthesis* 80: 15. [2]
- Grace, J. B. 1995. On the measurement of plant competition intensity. *Ecology* 76: 305–308. [10]
- Grace, J. B. 1999. The factors controlling species density in herbaceous plant communities: an assessment. *Perspectives in Plant Ecology, Evolution and Systematics* 2: 1–28. [14, 19]
- Grace, J. B., J. Keough and G. R. Guntenspergen. 1992. Size bias in traditional analyses of substitutive competition experiments. *Oecologia* 90: 429–434. [10]
- Grainger, T. N., J. M. Levine and B. Gilbert. 2019. The invasion criterion: a common currency for ecological research. *Trends in Ecology and Evolution* 34: 925–935. [10]
- Grant, A. and T. G. Benton. 2000. Elasticity analysis for density-dependent populations in stochastic environments. *Ecology* 81: 680–693. [8]
- Gray, J. T. 1983. Nutrient use by evergreen and deciduous shrubs in southern California. I. Community nutrient cycling and nutrient-use efficiency. *Journal of Ecology* 71: 21–41. [5]
- Greene, D. F. and E. A. Johnson. 1989. A model of wind dispersal of winged or plumed seeds. *Ecology* 70: 339–347. [6]
- Greene, D. F. and E. A. Johnson. 1995. Long-distance wind dispersal of tree seeds. *Canadian Journal of Botany* 73: 1036–1045. [9]
- Greene, D. F. and E. A. Johnson. 1996. Wind dispersal of seeds from a forest into a clearing. *Ecology* 77: 595–609. [6]
- Greenville, A. C., V. Nguyen, G. M. Wardle and C. R. Dickman. 2018. Making the most of incomplete long-term datasets: the MARSS solution. *Australian Journal of Zoology* 39: 733–747. [8]
- Greig-Smith, P. 1964. *Quantitative Plant Ecology*. Butterworths: London. [12]
- Greig-Smith, P. 1983. *Quantitative Plant Ecology*, 3rd ed. University of California Press: Berkeley, CA. [15]

- Greller, A. M. 1988. Deciduous forest. In *North American Terrestrial Vegetation*, M. G. Barbour and W. D. Billings (eds.), pp. 287–316. Cambridge University Press: Cambridge. [18]
- Gremer, J. R. and D. L. Venable. 2014. Bet hedging in desert winter annual plants: optimal germination strategies in a variable environment. *Ecological Letters* 17: 380–387. [7]
- Gremer, J. R., S. Kimball and D. L. Venable. 2016. Within-and among-year germination in Sonoran Desert winter annuals: bet hedging and predictive germination in a variable environment. *Ecological Letters* 19: 1209–1218. [7]
- Griffin, D., 2011. Plant diversity gradients in eastern North America 21,000 BP to present. International Biogeography Society Biennial Meeting: Heraklion, Greece. [17]
- Griffiths, C., D. Gaff and A. Neale. 2014. Drying without senescence in resurrection plants. *Frontiers in Plant Science* 5: 36. [3]
- Grime, J. P. 1973. Competitive exclusion in herbaceous vegetation. *Nature* 242: 344–347. [14, 19]
- Grime, J. P. 1977. Evidence for the existence of three primary strategies in plants and its relevance to ecological and evolutionary theory. *American Naturalist* 111: 1169–1194. [7, 10]
- Grime, J. P. 1979. *Plant Strategies and Vegetation Processes*. John Wiley and Sons: New York. [7, 10]
- Grimm, V. and S. F. Railsback. 2019. *Individual-Based Modeling and Ecology*. Princeton University Press: Princeton, NJ. [8]
- Grinnell, J. 1917. The niche-relationships of the California thrasher. *Auk* 34: 427–433. [9]
- Grivet, D., P. E. Smouse and V. L. Sork. 2005. A novel approach to an old problem: tracking dispersed seeds. *Molecular Ecology* 14: 3585–3595. [8]
- Groom, M. J. 1998. Allee effects limit population viability of an annual plant. *American Naturalist* 151: 487–496. [15]
- Groom, P. K. and B. B. Lamont. 1997. Fruit-seed relations in *Hakea*: serotinous species invest more dry matter in predispersal seed protection. *Australian Journal of Ecology* 22: 352–355. [6]
- Grover, J. P. 1997. *Resource Competition*. Chapman and Hall: London. [10]
- Grubb, P. J. 1977. The maintenance of species richness in plant communities: the importance of the regeneration niche. *Biology Reviews* 52: 107–145. [10]
- Gunter, N. L., T. A. Weir, A. Slipinksi, L. Bocak, et al. 2016. If dung beetles (Scarabaeidae: Scarabaeinae) arose in association with dinosaurs, did they also suffer a mass co-extinction at the K-Pg boundary? *PLOS ONE* 11: e0153570. [5]
- Guo, Q. F. and J. H. Brown. 1996. Temporal fluctuations and experimental effects in desert plant communities. *Oecologia* 107: 568–577. [11]
- Gurevitch, J. 1986. Competition and the local distribution of the grass *Stipa neomexicana*. *Ecology* 67: 46–57. [10]
- Gurevitch, J. 1988. Variation in leaf dissection and leaf energy budgets among populations of *Achillea* from an altitudinal gradient. *American Journal of Botany* 75: 1298–1306. [9]

- Gurevitch, J. 1992. Sources of variation in leaf shape among two populations of *Achillea lanulosa*. *Genetics* 130: 385–394. [9]
- Gurevitch, J. and P. H. Schuepp. 1990. Boundary layer properties of highly dissected leaves: an investigation using an electrochemical fluid tunnel. *Plant, Cell & Environment* 13: 783–792. [9]
- Gurevitch, J. and D. K. Padilla. 2004. Are invasive species a major cause of extinctions? *Trends in Ecology & Evolution* 19: 470–474. [14, 18]
- Gurevitch, J., P. Curtis and M. H. Jones. 2001. Meta-analysis in ecology. *Advances in Ecological Research* 32: 199–247. [1]
- Gurevitch, J., P. Willson, J. L. Stone, P. Teese, et al. 1990. Competition among old-field perennials at different levels of soil fertility and available space. *Journal of Ecology* 78: 727–744. [10]
- Gurevitch, J., G. A. Fox, G. M. Wardle, Inderjit, et al. 2011. Emergent insights from the synthesis of conceptual frameworks for biological invasions. *Ecological Letters* 14: 407–418. [14]
- Gurevitch, J., G. A. Fox, N. L. Fowler and C. H. Graham. 2016. Landscape demography: population change and its drivers across spatial scales. *Quarterly Review of Biology* 91: 459–485. [15]
- Gurevitch, J., J. Koricheva, S. Nakagawa and G. Stewart. 2018. Meta-analysis and the science of research synthesis. *Nature* 555: 175–182. [10]
- Gustafsson, A. 1946. Apomixis in higher plants. I. The mechanism of apomixis. *Lunds University Arsskr.* 42: 1–68. [6]
- Gustafsson, A. 1947a. Apomixis in higher plants. II. The causal aspects of apomixis. *Lunds University Arsskr.* 43: 69–180. [6]
- Gustafsson, A. 1947b. Apomixis in higher plants. III. Biotype and species formation. *Lunds University Arsskr.* 43: 181–370. [6]
- Gutiérrez, J. R., P. L. Meserve, S. Herrera, L. C. Contreras, et al. 1997. Effects of small mammals and vertebrate predators on vegetation in the Chilean semiarid zone. *Oecologia* 109: 398–406. [11]
- Gyenge, J. E., M. E. Fernández, G. D. Salda and T. Schlichter. 2005. Leaf and whole-plant water relations of the Patagonian conifer *Austrocedrus chilensis* (D. Don) Pic. Ser. et Bizzarri: implications on its drought resistance capacity. *Annals of Forest Science* 62: 297–302. [3]

H

- Haichar, F. E. Z., C. Santaella, T. Heulin and W. Achouak. 2014. Root exudates mediated interactions belowground. *Soil Biology and Biochemistry* 77: 69–80. [4]
- Hairston, N. G., Jr. and N. G. Hairston, Sr. 1993. Cause-effect relationships in energy flow, trophic structure, and interspecific interactions. *American Naturalist* 142: 379–411. [11]
- Hairston, N. G., F. E. Smith and L. B. Slobodkin. 1960. Community structure, population control, and competition. *American Naturalist* 94: 421–425. [11]
- Hale, A. N. and S. Kalisz. 2012. Perspectives on allelopathic disruption of plant mutualisms: a framework for individual- and population-level fitness consequences. *Plant Ecology* 213: 1991–2006. [10]
- Hall, B., G. Motzkin, D. R. Foster, M. Syfert, et al. 2002. Three hundred years of forest and land-use change in Massachusetts, USA. *Journal of Biogeography* 29: 1319–1335. [13]

- Halsey, R., W. . 2004. In search of allelopathy: an eco-historical view of the investigation of chemical inhibition in California coastal sage scrub and chamise chaparral. *The Journal of the Torrey Botanical Society* 131: 343–367. [10]
- Hamilton, M. B. 1999. Tropical tree gene flow and seed dispersal. *Nature* 401: 129–130. [15]
- Handel, S. N. 1983. Contrasting gene flow patterns and genetic subdivision in adjacent populations of *Cucumis sativus* (Cucurbitaceae). *Evolution* 37: 760–771. [6]
- Handel, S. N. 2017. Island life: urban habitats as theaters for the evolution of biodiversity. *Ecological Restoration* 35: 203–204. [19]
- Hanley, M. E. and B. B. Lamont. 2000. Herbivory, serotiny and seedling defence in Western Australian Proteaceae. *Oecologia* 126: 409–417. [6]
- Hansen, A. J., R. L. Knight, J. M. Marzluff, S. Powell, et al. 2005. Effects of exurban development on biodiversity: patterns, mechanisms, and research needs. *Ecological Applications* 15: 1893–1905. [15]
- Hansen, M. C., S. V. Stehman, P. V. Potapov, T. R. Loveland, et al. 2008. Humid tropical forest clearing from 2000 to 2005 quantified by using multitemporal and multiresolution remotely sensed data. *Proceedings of the National Academy of Sciences USA* 105: 9439–9444. [19]
- Hansford, J., P. C. Wright, A. Rasoamiamanana, V. R. Pérez, et al. 2018. Early Holocene human presence in Madagascar evidenced by exploitation of avian megafauna. *Science Advances* 4: eaat6925. [17]
- Hanski, I. 1982. Dynamics of regional distribution: the core and satellite hypothesis. *Oikos* 38: 210–221. [15]
- Hanski, I. 1999. *Metapopulation Ecology*. Oxford University Press: New York. [15]
- Harper, J. L. 1977. *Population Biology of Plants*. Academic Press: London. [7, 8, 10]
- Harsch, M. A. and M. Y. Bader. 2011. Treeline form – a potential key to understanding treeline dynamics. *Global Ecology and Biogeography* 20: 582–596. [18]
- Hartshorn, G. S. 1975. A matrix model of tree population dynamics. In *Tropical Ecological Systems*, F. B. Golley and E. Medin (eds.), pp. 41–51. Springer-Verlag: New York. [8]
- Harvey, P. H., R. K. Colwell, J. W. Silvertown and R. M. May. 1983. Null models in ecology. *Annual Review of Ecology and Systematics* 14: 189–211. [19]
- Hastings, A. 1996. Models of spatial spread: is the theory complete? *Ecology* 77: 1675–1679. [14]
- Hastings, J. R. and R. M. Turner. 1965. *The Changing Mile*. University of Arizona Press: Tucson, AZ. [8]
- Hatch, M. D. 2002. C₄ photosynthesis: discovery and resolution. *Discoveries in Photosynthesis* 73: 875–880. [2]
- Hättenschwiler, S. and P. Gasser. 2005. Soil animals alter plant litter diversity effects on decomposition. *Proceedings of the National Academy of Sciences USA* 102: 1519–1524. [5]

- Hautekèete, N.-C., Y. Piquot and H. Van Dijk. 2001. Investment in survival and reproduction along a semelparity–iteroparity gradient in the *Beta* species complex. *Journal of Evolutionary Biology* 14: 795–804. [7]
- Hautekèete, N.-C., Y. Piquot and H. Van Dijk. 2002a. Life span in *Beta vulgaris* ssp. *maritima*: the effects of age at first reproduction and disturbance. *Journal of Ecology* 90: 508–516. [7]
- Hautekèete, N.-C., Y. Piquot and H. Van Dijk. 2002b. Variations in ageing and meristematic activity in relation to flower-bud and fruit excision in the *Beta* species complex. *New Phytology* 154: 641–650. [7]
- Hawkes, C. V. and J. J. Sullivan. 2001. The impact of herbivory on plants in different resource conditions: a meta-analysis. *Ecology* 82: 2045–2085. [11]
- Hawkins, B. A., R. Field, H. V. Cornell, D. J. Currie, et al. 2003. Energy, water and broad-scale geographic patterns of species richness. *Ecology* 84: 3105–3117. [19]
- Haymes, K. L. and G. A. Fox. 2012. Variation among individuals in cone production in *Pinus palustris* (Pinaceae). *American Journal of Botany* 99: 640–645. [8]
- Hays, J. D., J. Imbrie and N. J. Shackleton. 1976. Variations in the Earth’s orbit: pacemaker of the Ice Ages. *Science* 194: 1121–1132. [16]
- Hazlett, D. L. 1992. Leaf area development of four plant communities in the Colorado steppe. *American Midland Naturalist* 127: 276–289. [2]
- He, X.-H., C. Critchley and C. Bledsoe. 2003. Nitrogen transfer within and between plants through common mycorrhizal networks (CMNs). *Critical Reviews in Plant Science* 22: 531–567. [10]
- Hector, A., B. Schmid, C. Beierkuhnlein, M. C. Caldeira, et al. 1999. Plant diversity and productivity experiments in European grasslands. *Science* 286: 1123–1127. [14]
- Heede, R. 2014. Carbon Majors: Accounting for Carbon and Methane Emissions 1854–2010. Climate Mitigation Services: Amsterdam. [16]
- Heegaard, E. and V. Vandvik. 2004. Climate change affects the outcome of competitive interactions—an application of principal response curves. *Oecologia* 139: 459–466. [16]
- Heimpel, G. E. and M. J. W. Cock. 2018. Shifting paradigms in the history of classical biological control. *BioControl* 63: 27–37. [11]
- Hellmann, J. J., J. E. Byers, B. G. Bierwagen and J. S. Dukes. 2008. Five potential consequences of climate change for invasive species. *Conservation Biology* 22: 534–543. [14]
- Henschel, J. R. and M. K. Seely. 2000. Long-term growth patterns of *Welwitschia mirabilis*, a long-lived plant of the Namib Desert (including a bibliography). *Plant Ecology* 150: 7–26. [6]
- Herben, T. and F. Krahulec. 1990. Competitive hierarchies, reversals of rank order and the deWit approach - are they compatible. *Oikos* 58: 254–256. [10]
- Herrera, C. M. 1982a. Defense of ripe fruits from pests: its significance in relation to pest-disperser interactions. *American Naturalist* 120: 218–241. [6]
- Herrera, C. M. 1982b. Some comments on Stiles’ paper on bird-disseminated fruits. *American Naturalist* 120: 819–822. [6]

- Herrera, C. M. 1991. Dissecting factors responsible for individual variation in plant fecundity. *Ecology* 72: 1436–1448. [8]
- Herrera, C. M., P. Jordano, J. Guitian and A. Traveset. 1998. Annual variability in seed production by woody plants and the masting concept: reassessment of principles and relationship to pollination and seed dispersal. *American Naturalist* 152: 576–594. [7]
- Herring, S. C., N. Christidis, A. Hoell, J. P. Kossin, et al. 2018. Explaining extreme events of 2016 from a climate perspective. *Bulletin of the American Meteorological Society* 99: S1–S157. [16]
- Hickman, J. C. and L. F. Pitelka. 1975. Dry weight indicates energy allocation in ecological strategy analysis of plants. *Oecologia* 221: 117–121. [7]
- Higgins, S. I., D. M. Richardson, R. M. Cowling and T. H. Trinder-Smith. 1999. Predicting the landscape-scale distribution of alien plants and their threat to plant diversity. *Conservation Biology* 13: 303–313. [14]
- Hill, M. O. 1973. Diversity and evenness: a unifying notation and its consequences. *Ecology* 54: 427–432. [12]
- Hillebrand, H. 2004. On the generality of the latitudinal diversity gradient. *American Naturalist* 163: 192–211. [19]
- Hillebrand, H. and B. J. Cardinale. 2010. A critique for meta-analyses and the productivity–diversity relationship. *Ecology* 91: 2545–2549. [19]
- Hobbs, R. J. 1989. The nature and effects of disturbance relative to invasions. In *Biological Invasions: A Global Perspective*, J. A. Drake et al. (eds.), pp. 389–403. John Wiley & Sons: Chichester, NY. [14]
- Holt, R. D. 1977. Predation, apparent competition, and the structure of prey communities. *Theoretical Population Biology* 12: 197–229. [11]
- Holt, R. D., G. R. Robinson and M. S. Gaines. 1995. Vegetation dynamics in an experimentally fragmented landscape. *Ecology* 76: 1610–1624. [15]
- Hooper, D. U. and P. M. Vitousek. 1998. Effects of plant composition and diversity on nutrient cycling. *Ecological Monographs* 68: 121–149. [4, 14]
- Hooper, D. U., F. S. Chapin III, J. J. Ewel, A. Hector, et al. 2005. Effects of biodiversity on ecosystem functioning: a consensus of current knowledge. *Ecological Monographs* 75: 3–35. [14]
- Horvitz, C. C. and D. W. Schemske. 1990. Spatiotemporal variation in insect mutualists of a neotropical herb: the myth of tropical stability. *Ecology* 71: 1085–1097. [8]
- Houle, D. 1991. Genetic covariance of fitness correlates: what genetic correlations are made of and why it matters. *Evolution* 45: 630–648. [7]
- Howard, T. G. and D. E. Goldberg. 2001. Competitive response hierarchies for germination, growth, and survival and their influence on abundance. *Ecology* 82: 979–990. [14]
- Howard, T. G., J. Gurevitch, L. Hyatt, M. Carreiro, et al. 2004. Forest invasibility in communities in southeastern New York. *Biological Invasions* 6: 393–410. [14]
- Howe, H. F. 1995. Succession and fire season in experimental prairie plantings. *Ecology* 76: 1917–1925. [13]
- Howe, H. F. and L. C. Westley. 1997. Ecology of pollination and seed dispersal. In *Plant Ecology*, M. J. Crawley (ed.), pp. 262–283. Blackwell Science: Oxford. [6]

- Huang, P. and T. P. Brutnell. 2016. A synthesis of transcriptomic surveys to dissect the genetic basis of C₄ photosynthesis. *Current Opinion in Plant Biology* 31: 91–99. [2]
- Huang, X.-F., J. M. Chaparro, K. F. Reardon, R. Zhang, et al. 2014. Rhizosphere interactions: root exudates, microbes, and microbial communities. *Botany* 92: 267–275. [4]
- Huang, Y., F. A. Street-Perrott, S. E. Metcalfe, M. Brenner, et al. 2001. Climate change as the dominant control on glacial-interglacial variations in C₃ and C₄ plant abundance. *Science* 293: 1647–1651. [17]
- Huang, Z., S. Liu, K. J. Bradford, T. E. Huxman, et al. 2016. The contribution of germination functional traits to population dynamics of a desert plant community. *Ecology* 97: 250–261. [8]
- Hubbell, S. P. 2001. *The Unified Neutral Theory of Biodiversity and Biogeography*. Princeton University Press: Princeton, NJ. [10, 15, 19]
- Hughes, A. R., J. E. Byrnes, D. L. Kimbro and J. J. Stachowicz. 2007. Reciprocal relationships and potential feedbacks between biodiversity and disturbance. *Ecological Letters* 10: 849–864. [14]
- Hughes, L. 2000. Biological consequences of global warming: is the signal already apparent? *Trends in Ecology & Evolution* 15: 56–61. [16]
- Huitu, O., K. M. Forbes, M. Helander, R. Julkunen-Tiitto, et al. 2014. Silicon, endophytes and secondary metabolites as grass defenses against mammalian herbivores. *Frontiers in Plant Science* 5: 478. [11]
- Hult, R. 1885. Blekinges vegetation. Ett bidrag till växtformationernas utvecklingshistorie. *Meddelanden af Societatis pro Fauna et Flora Fennica* 12: 161. [13]
- Humphreys, A. M., R. Govaerts, S. Z. Ficinski, E. Nic Lughadha, et al. 2019. Global dataset shows geography and life form predict modern plant extinction and rediscovery. *Nature Ecology & Evolution* 3: 1043–1047. [19]
- Hüner, N. P. A., K. Dahal, R. Bode, L. V. Kurepin, et al. 2016. Photosynthetic acclimation, vernalization, crop productivity and ‘the grand design of photosynthesis’. *Journal of Plant Physiology* 203: 29–43. [2]
- Huntington, T. G. 2000. The potential for calcium depletion in forest ecosystems of southeastern United States: review and analysis. *Global Biogeochemical Cycles* 14: 623–638. [5]
- Huntly, N. J. 1987. Effects of refuging consumers (pikas: *Ochotona princeps*) on subalpine vegetation. *Ecology* 68: 274–283. [11]
- Huston, M. A. 1979. A general hypothesis of species diversity. *American Naturalist* 113: 81–101. [14, 19]
- Huston, M. A. 1994. *Biological Diversity: The Coexistence of Species in Changing Landscapes*. Cambridge University Press: Cambridge. [14]
- Huston, M. A. and D. L. DeAngelis. 1994. Competition and coexistence: the effects of resource transport and supply rates. *American Naturalist* 144: 954–977. [14, 19]
- Hutchinson, G. E. 1957. Concluding remarks. *Cold Spring Harbor Symposia on Quantitative Biology* 22: 415–427. [9, 14]
- Hutchinson, G. E. 1959. Homage to Santa Rosalia or Why are there so many animals? *American Naturalist* 93: 145–159. [14]
- Hutchinson, G. E. 1965. *The Ecological Theater and the Evolutionary Play*. Yale University Press: New Haven, CT. [1, 9]

I

- Ibisch, P. L., M. T. Hoffmann, S. Kreft, G. Pe'er, et al. 2016. A global map of roadless areas and their conservation status. *Science* 354: 1423–1427. [15]
- Ida, T. Y. and G. Kudo. 2009. Comparison of light harvesting and resource allocation strategies between two rhizomatous herbaceous species inhabiting deciduous forests. *Journal of Plant Research* 122: 171–181. [2]
- Imaizumi, T., G. Auge and K. Donohue. 2017. Photoperiod throughout the maternal life cycle, not photoperiod during seed imbibition, influences germination in *Arabidopsis thaliana*. *American Journal of Botany* 104: 516–526. [9]
- Inderjit and R. del Moral. 1997. Is separating resource competition from allelopathy realistic? *Botanical Reviews* 63: 221–230. [10]
- Inderjit and J. Weiner. 2001. Plant allelochemical interference or soil chemical ecology? *Perspectives in Plant Ecology, Evolution and Systematics* 4: 3–12. [10]
- Inderjit and R. M. Callaway. 2003. Experimental designs for the study of allelopathy. *Plant Soil* 256: 1–11. [10]
- Inouye, B. D. 2001. Response surface experimental designs for investigating interspecific competition. *Ecology* 82: 2696–2706. [10]
- IPCC Core Writing Team, R. K. Pachauri and L. A. Meyer (eds.). 2014. *Climate Change 2014: Synthesis Report*. IPCC: Geneva, Switzerland. [16]

J

- Jaccard, P. 1901. Distribution de la flore alpine dans le Bassin des Dranes et dans quelques régions voisines. *Bulletin de la Société Vaudoise des Sciences Naturelles* 37: 241–272. [12]
- Jackson, R. B., J. G. Canadell, C. Le Quéré, R. M. Andrew, et al. 2016. Reaching peak emissions. *Nature Climate Change* 6: 7–10. [16]
- Jackson, R. B., K. Lajtha, S. E. Crow, G. Hugelius, et al. 2017. The ecology of soil carbon: pools, vulnerabilities, and biotic and abiotic controls. *Annual Review of Ecology, Evolution, and Systematics* 48: 419–445. [5]
- Jackson, S. D. 2009. Plant responses to photoperiod. *New Phytology* 181: 517–531. [2]
- Jacob, D., H. Goettel, J. Jungclaus, M. Muskulus, et al. 2005. Slowdown of the thermohaline circulation causes enhanced maritime climate influence and snow cover over Europe. *Geophysical Research Letters* 32. [16]
- Jacobs, M., M. Lopez-Garcia, O. P. Phrathep, T. Lawson, et al. 2016. Photonic multilayer structure of *Begonia* chloroplasts enhances photosynthetic efficiency. *Nature Plants* 2: 16162. [2]
- Jactel, H., E. S. Gritti, L. Drössler, D. I. Forrester, et al. 2018. Positive biodiversity–productivity relationships in forests: climate matters. *Biological Letters* 14: 20170747. [14]
- Jahnke, R. A. 1992. The phosphorus cycle. In *Global Biogeochemical Cycles*, S. S. Butcher et al. (eds.), pp. 301–315. Academic Press: London. [5]
- Jain, S. K. and A. D. Bradshaw. 1966. Evolutionary divergence among adjacent plant populations. I. The evidence and its theoretical analysis. *Heredity* 21: 407–441. [9]
- Janson, S. and J. Vegelius. 1981. Measures of ecological association. *Oecologia* 49: 371–376.
- Jansson, R. and T. J. Davies. 2008. Global variation in diversification rates of flowering plants: energy vs. climate change. *Ecological Letters* 11: 173–183. [19]

- Janzen, D. H. 1970. Herbivores and the number of tree species in tropical forests. *American Naturalist* 104: 501–528.
- Jarosz, A. M. and A. L. Davelos. 1995. Effects of disease in wild plant populations and the evolution of pathogen aggressiveness. *New Phytology* 129: 371–387. [11]
- Jarvis, P. and E. López-Juez. 2013. Biogenesis and homeostasis of chloroplasts and other plastids. *Nature Reviews Molecular Cell Biology* 14: 787–802. [2]
- Jefferies, R. L., A. P. Jano and K. F. Abraham. 2006. A biotic agent promotes large-scale catastrophic change in the coastal marshes of Hudson Bay. *Journal of Ecology* 94: 234–242. [11]
- Jenkinson, D. S., J. Meredith, J. I. Kinyamario, G. P. Warren, et al. 1999. Estimating net primary production from measurements made on soil organic matter. *Ecology* 80: 2762–2773. [5]
- Jennings, M. D., J. W. Williams and M. R. Stromberg. 2005. Diversity and productivity of plant communities across the Inland Northwest, USA. *Oecologia* 143: 607–618. [19]
- Jia, S., X. Wang, Z. Yuan, F. Lin, et al. 2018. Global signal of top-down control of terrestrial plant communities by herbivores. *Proceedings of the National Academy of Sciences USA* 115: 6237–6242. [11]
- Johnson, A. L., A. M. Fethers and T.-L. Ashman. 2017. Considering the unintentional consequences of pollinator gardens for urban native plants: is the road to extinction paved with good intentions? *New Phytology* 215: 1298–1305. [6]
- Johnson, D. M. and P. Stiling. 1998. Rate of spread of *Cactoblastis cactorum* (Lepidoptera: Pyralidae) Berg, an exotic *Opuntia*-feeding moth, in Florida. *Florida Entomologist* 81: 12–22. [11]
- Johnson, E. A. 1992. *Fire and Vegetation Dynamics*. Cambridge University Press: Cambridge. [13]
- Johnson, E. A. and K. Miyanishi. 2008. Testing the assumptions of chronosequences in succession. *Ecological Letters* 11: 419–431. [13]
- Jones, K., J. Abrams, R. T. Belote, B. J. Beltrán, et al. 2019. The American West as a social-ecological region: drivers, dynamics and implications for nested social-ecological systems. *Environmental Research Letters* 14: 115008. [19]
- Jongejans, E. and H. de Kroon. 2005. Space versus time variation in the population dynamics of three co-occurring perennial herbs. *Journal of Ecology* 93: 681–692. [8]
- Jordano, P. 2017. What is long-distance dispersal? And a taxonomy of dispersal events. *Journal of Ecology* 105: 75–84. [6]
- Jost, L. 2006. Entropy and diversity. *Oikos* 113: 363–375. [12]
- Jung, S. C., A. Martinez-Medina, J. A. Lopez-Raez and M. J. Pozo. 2012. Mycorrhiza-induced resistance and priming of plant defenses. *Journal of Chemical Ecology* 38: 651–664. [11]

K

- Kalisz, S. 1991. Experimental determination of seed bank age structure in the winter annual *Collinsia verna*. *Ecology* 72: 575–585. [8]
- Kalisz, S. and M. A. McPeck. 1992. Demography of an age-structured annual: resampled projection matrices, elasticity analyses, and seed bank effects. *Ecology* 73: 1082–1093. [8]

- Kalisz, S. and M. A. McPeck. 1993. Extinction dynamics, population growth and seed banks. *Oecologia* 95: 314–320. [7]
- Kallenbach, C. M., S. D. Frey and A. S. Grandy. 2016. Direct evidence for microbial-derived soil organic matter formation and its ecophysiological controls. *Nature Communications* 7: 13630. [5]
- Kantsa, A., R. A. Raguso, T. Lekkas, O.-I. Kalantzi, et al. 2019. Floral volatiles and visitors: a meta-network of associations in a natural community. *Journal of Ecology* 107: 2574–2586. [6]
- Karban, R. and I. T. Baldwin. 1997. *Induced Responses to Herbivory*. University of Chicago Press: Chicago, IL. [11]
- Karron, J. D., C. T. Ivey, R. J. Mitchell, M. R. Whitehead, et al. 2011. New perspectives on the evolution of plant mating systems. *Annals of Botany* 109: 493–503. [6]
- Kästner, M. and A. Miltner. 2018. SOM and microbes—what is left From microbial life. In *The Future of Soil Carbon*, C. Garcia et al. (eds.), pp. 125–163. Academic Press: Cambridge, MA. [5]
- Kates, R. W., B. L. Turner and W. C. Clark. 1990. The great transformation. In *The Earth as Transformed by Human Action*, B. L. Turner et al. (eds.), pp. 1–17. Cambridge University Press: Cambridge. [5]
- Kattge, J., S. Díaz, S. Lavorel, I. C. Prentice, et al. 2011. TRY – a global database of plant traits. *Global Change Biology* 17: 2905–2935. [10]
- Kauffman, M. J., J. F. Brodie and E. S. Jules. 2010. Are wolves saving Yellowstone’s aspen? A landscape-level test of a behaviorally mediated trophic cascade. *Ecology* 91: 2742–2755. [11]
- Kays, S. and J. L. Harper. 1974. The regulation of plant and tiller density in a grass sward. *Journal of Ecology* 62: 97–105. [10]
- Keane, R. M. and M. J. Crawley. 2002. Exotic plant invasions and the enemy release hypothesis. *Trends in Ecology & Evolution* 17: 164–170. [14]
- Keddy, P. A. 1990. Competitive hierarchies and centrifugal organization in plant communities. In *Perspectives on Plant Competition*, J. B. Grace and D. Tilman (eds.), pp. 265–289. Academic Press: Orlando, FL. [10]
- Keddy, P. A. 2001. *Competition*. Kluwer Academic: Boston, MA. [10]
- Keddy, P. A., L. H. Fraser and I. C. Wisheu. 1998. A comparative approach to examine competitive response of 48 wetland plant species. *Journal of Vegetation Science* 9: 777–786. [10]
- Keeley, J. E. and C. J. Fotheringham. 1997. Trace gas emissions and smoke-induced seed germination. *Science* 276: 1248–1250. [7]
- Keeling, C. D. and T. P. Whorf, 2001. Atmospheric CO₂ records from sites in the SIO air sampling network. In *Trends Online: A Compendium of Data on Global Change*. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy. [16]
- Keeley, J. E., B. A. Morton, A. Pedrosa and P. Trotter. 1985. Role of allelopathy, heat and charred wood in the germination of chaparral herbs and suffrutescents. *Journal of Ecology* 73: 445–458. [10]
- Keeley, J. E., C. J. Fotheringham and M. Morais. 1999. Reexamining fire suppression impacts on brushland fire regimes. *Science* 284: 1824–1832. [13]
- Keever, C. 1950. Causes of succession on old fields of the Piedmont, North Carolina. *Ecological Monographs* 20: 229–250. [13]

- Kellner, J. R. and S. P. Hubbell. 2017. Adult mortality in a low-density tree population using high-resolution remote sensing. *Ecology* 98: 1700–1709. [8]
- Kellner, J. R. and S. P. Hubbell. 2018. Density-dependent adult recruitment in a low-density tropical tree. *Proceedings of the National Academy of Sciences USA* 115: 11268–11273. [8]
- Kellogg, E. A. 1999. Phylogenetic aspects of the evolution of C₄ photosynthesis. In *C₄ Plant Biology*, R. F. Sage and R. K. Monson (eds.), pp. 411–444. Academic Press: San Diego, CA. [2]
- Kelly, C. K. 1992. Resource choice in *Cuscuta europea*. *Proceedings of the National Academy of Sciences USA* 89: 12194–12197. [6]
- Kelly, C. K. 1996. Identifying plant functional types using floristic data bases: ecological correlates of plant range size. *Journal of Vegetation Science* 7: 417–424. [14]
- Kelly, C. K. and F. I. Woodward. 1996. Ecological correlates of plant range size: taxonomies and phylogenies in the study of plant commonness and rarity in Great Britain. *Philosophical Transactions of the Royal Society of London* 351B: 1261–1269. [14]
- Kelly, C. K. and M. G. Bowler. 2002. Coexistence and relative abundance in forest trees. *Nature* 417: 437–440. [10]
- Kelly, C. K. and M. G. Bowler. 2005. A new application of storage dynamics: differential sensitivity, diffuse competition, and temporal niches. *Ecology* 86: 1012–1022. [10]
- Kelly, C. K., M. G. Bowler, F. Breden, M. Fenner, et al. 2005. An analytical model assessing the potential threat to natural habitats from insect resistance transgenes. *Proceedings of the Royal Society of London* 272B: 1759–1767. [6]
- Kelly, D. and V. L. Sork. 2002. Mast seeding in perennial plants: why, how, where? *Annual Review of Ecology and Systematics* 33: 427–447. [7]
- Kelly, D., D. E. Hart and R. B. Allen. 2001. Evaluating the wind pollination benefits of masting. *Ecology* 82: 117–126. [7]
- Kendall, B. E., G. A. Fox, M. Fujiwara and T. M. Nogeire. 2011. Demographic heterogeneity, cohort selection, and population growth. *Ecology* 92: 1985–1993. [8]
- Kendall, B. E., M. Fujiwara and J. Diaz-Lopez. 2019. Persistent problems in the construction of matrix population models. *Ecological Modelling* 406: 33–43. [8]
- Kendall, W. L. and J. D. Nichols. 2002. Estimating state-transition probabilities for unobservable states using capture–recapture/resighting data. *Ecology* 83: 3276–3284. [8]
- Kerr, B., D. W. Schwilk, A. Bergman and M. W. Feldman. 1999. Rekindling an old flame: a haploid model for the evolution and impact of flammability in resprouting plants. *Evolutionary Ecology Research* 1: 807–833. [13]
- Kerr, R. A. 1999. Why the ice ages don't keep time. *Science* 285: 503–505. [16]
- Kéry, M. and K. B. Gregg. 2003. Effects of life-state on detectability in a demographic study of the terrestrial orchid *Cleistes bifaria*. *Journal of Ecology* 91: 265–273. [8]
- Kéry, M. and K. B. Gregg. 2004. Demographic analysis of dormancy and survival in the terrestrial orchid *Cypripedium reginae*. *Journal of Ecology* 92: 686–695. [8]

- Kevan, P. G. 1978. Floral coloration, its colorimetric analysis, and significance in anthecology. In *The Pollination of Flowers by Insects*, A. J. Richards (ed.), pp. 51–78. Academic Press: London. [6]
- Kharouba, H. M., J. Ehrlén, A. Gelman, K. Bolmgren, et al. 2018. Global shifts in the phenological synchrony of species interactions over recent decades. *Proceedings of the National Academy of Sciences USA* 115: 5211–5216. [6]
- Kier, G., H. Kreft, T. M. Lee, W. Jetz, et al. 2009. A global assessment of endemism and species richness across island and mainland regions. *Proceedings of the National Academy of Sciences USA* 106: 9322–9327. [19]
- Kinlock, N. L. 2019. A meta-analysis of plant interaction networks reveals competitive hierarchies as well as facilitation and intransitivity. *American Naturalist* 194: 640–653. [10]
- Kinlock, N. L., L. Prowant, E. M. Herstoff, C. M. Foley, et al. 2018. Explaining global variation in the latitudinal diversity gradient: meta-analysis confirms known patterns and uncovers new ones. *Global Ecology and Biogeography* 27: 125–141. [19]
- Kira, T., H. Ogawa and K. Sinozaki. 1953. Intraspecific competition among higher plants. 1. Competition-density-yield inter-relationships in regularly dispersed populations. *Journal of the Institute Polytechnical, Osaka City University D* 4: 1–16. [10]
- Kitajima, K. and C. K. Augspurger. 1989. Seed and seedling ecology of a monocarpic tropical tree, *Tachigalia versicolor*. *Ecology* 70: 1102–1114. [11]
- Kivlin, S. N., C. V. Hawkes and K. K. Treseder. 2011. Global diversity and distribution of arbuscular mycorrhizal fungi. *Soil Biology and Biochemistry* 43: 2294–2303. [11]
- Knapp, A. K. and E. Medina. 1999. Success of C_4 photosynthesis in the field: lessons from communities dominated by C_4 plants. In *C_4 Plant Biology*, R. F. Sage and R. K. Monson (eds.), pp. 251–283. Academic Press: San Diego, CA. [2]
- Knapp, A. K., J. M. Briggs, D. C. Hartnett and S. L. Collins. 1998. *Grassland Dynamics: Long-Term Ecological Research in Tallgrass Prairie*. Oxford University Press: New York. [1]
- Knapp, P. A. 1996. Cheatgrass (*Bromus tectorum* L) dominance in the Great Basin Desert: history, persistence, and influences to human activities. *Global Environmental Change* 6: 37–52. [14]
- Knight, T. M. 2003. Effects of herbivory and its timing across populations of *Trillium grandiflorum* (Liliaceae). *American Journal of Botany* 90: 1207–1214. [8, 19]
- Knight, T. M. 2004. The effects of herbivory and pollen limitation on a declining population of *Trillium grandiflorum*. *Ecological Applications* 14: 915–928. [8, 19]
- Knight, T. M., M. W. McCoy, J. M. Chase, K. A. McCoy, et al. 2005. Trophic cascades across ecosystems. *Nature* 437: 880–883. [6]
- Koenig, W. D. and M. V. Ashley. 2003. Is pollen limited? The answer is blowin' in the wind. *Trends in Ecology & Evolution* 18: 157–159. [7]
- Koenig, W. D., D. Kelly, V. L. Sork, R. P. Duncan, et al. 2003. Dissecting components of population-level variation in seed production and the evolution of masting behavior. *Oikos* 102: 581–591. [7]

- Kohl, M. T., D. R. Stahler, M. C. Metz, J. D. Forester, et al. 2018. Diel predator activity drives a dynamic landscape of fear. *Ecological Monographs* 88: 638–652. [11]
- Koide, R. T., R. H. Robichaux, S. R. Morse and C. M. Smith. 1989. Plant water status, hydraulic resistance and capacitance. In *Plant Physiological Ecology: Field Methods and Instrumentation*, R. W. Pearcy et al. (eds.), pp. 161–183. Springer: Dordrecht, the Netherlands. [3]
- Kooijman, A. M. and A. Smit. 2001. Grazing as a measure to reduce nutrient availability and plant productivity in acid dune grasslands and pine forests in the Netherlands. *Ecological Engineering* 17: 63–77. [5]
- Koons, D. N., L. M. Aubry and R. F. Rockwell. 2019. Liberalized harvest regulations have not affected overabundant Snow Geese in Northern Manitoba. *The Condor* 121: duz006. [11]
- Kopp, R. E., A. C. Kemp, K. Bittermann, B. P. Horton, et al. 2016. Temperature-driven global sea-level variability in the Common Era. *Proceedings of the National Academy of Sciences USA* 113: E1434–E1441. [16]
- Korb, J. E., N. C. Johnson and W. W. Covington. 2003. Arbuscular mycorrhizal propagule densities respond rapidly to ponderosa pine restoration treatments. *Journal of Applied Ecology* 40: 101–110. [13]
- Koricheva, J., J. Gurevitch and K. Mengerson (eds.). 2013. *Handbook of Meta-analysis in Ecology and Evolution*. Princeton University Press: Princeton, NJ. [10]
- Körner, C., M. Neumayer, S. P. Menendez-Riedl and A. Smeets-Scheel. 1989. Functional morphology of mountain plants. *Flora* 182: 353–383. [4]
- Kosman, E., K. R. Burgio, S. J. Presley, M. R. Willig, et al. 2019. Conservation prioritization based on trait-based metrics illustrated with global parrot distributions. *Diversity and Distributions* 25: 1156–1165. [19]
- Kramer, P. J. 1983. *Water Relations of Plants*. Academic Press: New York. [4]
- Krebs, C. J. 1989. *Ecological Methodology*. HarperCollins: New York. [12]
- Kreft, H. and W. Jetz. 2007. Global patterns and determinants of vascular plant diversity. *Proceedings of the National Academy of Sciences USA* 104: 5925–5930. [19]
- Kristiansen, T., J.-C. Svenning, D. Pedersen, W. L. Eiserhardt, et al. 2011. Local and regional palm (Arecaceae) species richness patterns and their cross-scale determinants in the western Amazon. *Journal of Ecology* 99: 1001–1015. [19]
- Kruckeberg, A. R. 1954. The ecology of serpentine soils. III. Plant species in relation to serpentine soils. *Ecology* 35: 267–274. [4]
- Kuittinen, H., M. J. Sillanpää and O. Savolainen. 1997. Genetic basis of adaptation: flowering time in *Arabidopsis thaliana*. *Theoretical and Applied Genetics* 95: 573–583. [7]
- Kunin, W. E. 1997. Introduction: on the causes and consequences of rare-common differences. In *Causes and consequences of rare-common differences*, W. E. Kunin and K. J. Gaston (eds.), pp. 3–11. Chapman and Hall: London. [14]
- Kunin, W. E. and K. J. Gaston. 1997. *The Biology of Rarity. Causes and Consequences of Rare-Common Differences*. Chapman and Hall: London. [14]

- Kutiel, P., Y. Peled and E. Geffen. 2000. The effect of removing shrub cover on annual plants and small mammals in a coastal sand dune ecosystem. *Biological Conservation* 94: 235–242. [14]
- Kuussaari, M., R. Bommarco, R. K. Heikkinen, A. Helm, et al. 2009. Extinction debt: a challenge for biodiversity conservation. *Trends in Ecology & Evolution* 24: 564–571. [19]
- L**
- Lacey, E. P. 1996. Parental effects in *Plantago lanceolata* L. I.: A growth chamber experiment to examine pre- and postzygotic temperature effects. *Evolution* 50: 865–878. [9]
- Lacey, E. P. and D. Herr. 2000. Parental effects in *Plantago lanceolata* L. III. Measuring parental temperature effects in the field. *Evolution* 54: 1207–1217. [9]
- Lacey, E. P., D. A. Roach, D. Herr, S. Kincaid, et al. 2003. Multigenerational effects of flowering and fruiting phenology in *Plantago lanceolata*. *Ecology* 84: 2462–2475. [9]
- Lacis, A. A., G. A. Schmidt, D. Rind and R. A. Ruedy. 2010. Atmospheric CO₂: principal control knob governing Earth's temperature. *Science* 330: 356–359. [16]
- Ladiges, P. Y., F. Udovicic and G. Nelson. 2003. Australian biogeographical connections and the phylogeny of large genera in the plant family Myrtaceae. *Journal of Biogeography* 30: 989–998. [18]
- Lagos, L., F. Maruyama, P. Nannipieri, M. L. Mora, et al. 2015. Current overview on the study of bacteria in the rhizosphere by modern molecular techniques: a mini-review. *Journal of Soil Science and Plant Nutrition* 15: 504–523. [4]
- Laity, T., S. W. Laffan, C. E. González-Orozco, D. P. Faith, et al. 2015. Phylodiversity to inform conservation policy: an Australian example. *Science of the Total Environment* 534: 131–143. [19]
- Lambers, H., F. S. Chapin, III and T. L. Pons. 2008. *Plant Physiological Ecology*, 2nd ed. Springer-Verlag: New York. [3]
- Lambert, J. E. 2001. Red-tailed guenons (*Cercopithecus ascanius*) and *Strychnos mitis*: evidence for plant benefits beyond seed dispersal. *International Journal of Primatology* 22: 189–201. [11]
- Lambin, E. F., B. L. Turner, H. J. Geist, S. B. Agbola, et al. 2001. The causes of land-use and land-cover change: moving beyond the myths. *Global Environmental Change Human and Policy Dimensions* 11: 261–269. [19]
- Lamont, B. B. and N. J. Enright. 2000. Adaptive advantages of aerial seed banks. *Plant Species Biology* 15: 157–166. [6]
- Lande, R. 1996. Statistics and partitioning of species diversity, and similarity among multiple communities. *Oikos* 76: 5–13. [12]
- Landis, R. M., J. Gurevitch, G. A. Fox, W. Fang, et al. 2005. Variation in recruitment and early demography in *Pinus rigida* following crown fire in the pine barrens of Long Island, New York. *Journal of Ecology* 93: 607–617. [10]
- Lanner, R. M. 1996. *Made for Each Other: A Symbiosis of Birds and Pines*. Oxford University Press: Oxford. [6]
- Larcher, W. 1995. *Physiological Plant Ecology*. Springer: Berlin, Germany. [2, 3, 11]

- Larios, E. and D. L. Venable. 2015. Maternal adjustment of offspring provisioning and the consequences for dispersal. *Ecology* 96: 2771–2780. [7]
- Larios, E., A. Búrquez, J. X. Becerra and D. L. Venable. 2014. Natural selection on seed size through the life cycle of a desert annual plant. *Ecology* 95: 3213–3220. [8]
- La Roi, G. H. and R. J. Hnatiuk. 1980. The *Pinus contorta* forests of Banff and Jasper National Parks: a study in comparative synecology and syntaxonomy. *Ecological Monographs* 50: 1–29. [12]
- Latham, R. E. and R. E. Ricklefs. 1993. Global patterns of tree species richness in moist forests - energy-diversity theory does not account for variation in species richness. *Oikos* 67: 325–333. [19]
- Laurance, W. F. 2000. Mega-development trends in the Amazon: implications for global change. *Environmental Monitoring and Assessment* 61: 113–122. [19]
- Laurance, W. F., L. V. Ferreira, J. M. Rankin-de Merona and S. G. Laurance. 1998. Rain forest fragmentation and the dynamics of Amazonian tree communities. *Ecology* 79: 2032–2040. [15]
- Laurance, W. F., M. A. Cochrane, S. Bergen, P. M. Fearnside, et al. 2001. The future of the Brazilian Amazon. *Science* 291: 438–439. [19]
- Laurance, W. F., H. E. M. Nascimento, S. G. Laurance, A. Andrade, et al. 2006. Rapid decay of tree-community composition in Amazonian forest fragments. *Proceedings of the National Academy of Sciences USA* 103: 19010–19014. [15]
- Laurance, W. F., J. L. C. Camargo, P. M. Fearnside, T. E. Lovejoy, et al. 2018. An Amazonian rainforest and its fragments as a laboratory of global change. *Biological Reviews* 93: 223–247. [15, 19]
- Lausch, A., T. Blaschke, D. Haase, F. Herzog, et al. 2015. Understanding and quantifying landscape structure – a review on relevant process characteristics, data models and landscape metrics. *Ecological Modelling* 295: 31–41. [15]
- Lavery, P. B. and D. J. Mead. 1998. *Pinus radiata*: a narrow endemic from North America takes on the world. In *Ecology and Biogeography of Pinus*, D. M. Richardson (ed.), pp. 432–449. Cambridge University Press: Cambridge. [14]
- Lavoral, S. and S. Cramer. 1999. Plant functional types and disturbance dynamics. *Journal of Vegetation Science* 10: 603–703. [12]
- Lavorel, S. and E. Garnier. 2002. Predicting changes in community composition and ecosystem functioning from plant traits: revisiting the Holy Grail. *Functional Ecology* 16: 545–556. [10]
- Law, R. and A. R. Watkinson. 1987. Response-surface analysis of two-species competition: An experiment on *Phleum arenarium* and *Vulpia fasciculata*. *Journal of Ecology* 75: 871–886. [10]
- Lawton, J. H. 1999. Are there general laws in ecology? *Oikos* 84: 177–192. [12, 14]
- Lean, J. and D. A. Warrilow. 1989. Simulation of the regional climatic impact of Amazon deforestation. *Nature* 342: 411–413. [5]
- Lebreton, J.-D., K. P. Burnham, J. Clobert and D. R. Anderson. 1992. Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecological Monographs* 62: 67–118. [8]

- Lechowicz, M. J. 1995. Seasonality of flowering and fruiting in temperate forest trees. *Canadian Journal of Botany* 73: 175–182. [7]
- Lee, D. W. 1997. Iridescent blue plants. *American Scientist* 85: 56–63. [2]
- Lee, D. W. and R. Graham. 1986. Leaf optical-properties of rain-forest sun and extreme shade plants. *American Journal of Botany* 73: 1100–1108. [2]
- Lefsky, M., W. Cohen, G. Parker and J. Harding. 2002. LiDAR remote sensing for ecosystem studies. *Bioscience* 52: 19–30. [15]
- Legendre, P. and M.-J. Fortin. 1989. Spatial pattern and ecological analysis. *Vegetatio* 80: 107–138. [15]
- Legendre, P. and L. Legendre. 1998. *Numerical Ecology*, 2nd ed. Elsevier Science BVL: Amsterdam. [12, 15]
- Lehmann, J. and M. Kleber. 2015. The contentious nature of soil organic matter. *Nature* 528: 60–68. [5]
- Leibold, M. A. 2011. The metacommunity concept and its theoretical underpinnings. In *The Theory of Ecology*, S. M. Scheiner and M. R. Willig (eds.), pp. 163–184. University of Chicago Press: Chicago, IL. [15]
- Leibold, M. A., M. Holyoak, N. Mouquet, P. Amarasekare, et al. 2004. The metacommunity concept: a framework for multiscale community ecology. *Ecological Letters* 7: 601–613. [15]
- Leigh, R. A. and A. E. Johnston (eds.). 1994. *Long-Term Experiments in Agricultural and Ecological Sciences*. CAB International: Oxford. [12]
- Leishman, M. R. and V. P. Thomson. 2005. Experimental evidence for the effects of additional water, nutrients and physical disturbance on invasive plants in low fertility Hawkesbury Sandstone soils, Sydney, Australia. *Journal of Ecology* 93: 38–49. [14]
- Leishman, M. R., T. Haslehurst, A. Ares and Z. Baruch. 2007. Leaf trait relationships of native and invasive plants: community- and global-scale comparisons. *New Phytology* 176: 635–643. [14]
- Lerdau, M. and J. Gershenson. 1997. Allocation theory and chemical defense. In *Plant Resource Allocation*, F. A. Bazzaz and J. Grace (eds.), pp. 265–277. Academic Press: London. [11]
- Levin, D. A. 1990. The seedbank as a source of genetic novelty. *American Naturalist* 135: 563–577. [6]
- Levin, D. A. 2002. *The Role of Chromosomal Change in Plant Evolution*. Oxford University Press: Oxford. [9]
- Levin, S. A. 1992. The problem of pattern and scale in ecology. *Ecology* 73: 1943–1967. [15]
- Levine, J. M. 2000. Species diversity and biological invasions: relating local process to community pattern. *Science* 288: 852–854. [14, 15]
- Levine, J. M. 2001. Local interactions, dispersal, and native and exotic plant diversity along a California stream. *Oikos* 95: 397–408. [15]
- Levine, J. M. and C. M. D'Antonio. 1999. Elton revisited: a review of evidence linking diversity and invasibility. *Oikos* 87: 15–26. [14]
- Levine, J. M. and D. J. Murrell. 2003. The community-level consequences of seed dispersal patterns. *Annual Review of Ecology, Evolution, and Systematics* 34: 549–574. [15]
- Levins, R. 1969. Some demographic and genetic consequences of environmental heterogeneity for biological control. *Bulletin of the Entomological Society of America* 15: 237–240. [15]

- Lewis, M. C. 1969. Genecological differentiation of leaf morphology in *Geranium sanguineum* L. *New Phytology* 68: 481–503. [9]
- Lewis, M. C. 1972. The physiological significance of variation in leaf structure. *Science Progress* 60: 25–51. [9]
- Lewis, H. and M. Lewis. 1955. The genus *Clarkia*. *University of California Publications in Botany* 20: 241–392. [9]
- Lexer, D., M. E. Welch, J. L. Durphy and L. H. Rieseberg. 2003. Natural selection for salt tolerance quantitative trait loci (QTLs) in wild sunflower hybrids: Implications for the origin of *Helianthus paradoxus*, a diploid hybrid species. *Molecular Ecology* 12: 1225–1235. [9]
- Liang, S., W. Xiong, C. Yin, X. Xie, et al. 2019. Overexpression of OsARD1 improves submergence, drought, and salt tolerances of seedling through the enhancement of ethylene synthesis in rice. *Frontiers in Plant Science* 10: 1088. [3]
- Lichtenthaler, H. K., C. Buschmann, M. Doll, H. J. Fietz, et al. 1981. Photosynthetic activity, chloroplast ultrastructure, and leaf characteristics of high-light and low-light plants and of sun and shade leaves. *Photosynthesis Research* 2: 115–141. [2]
- Liebhold, A. M. and J. Gurevitch. 2002. Integrating the statistical analysis of spatial data in ecology. *Ecography* 25: 553–557. [15]
- Liebhold, A. M., R. E. Rossi and W. P. Kemp. 1993. Geostatistics and geographic information systems in applied insect ecology. *Annual Review of Entomology* 38: 303–327. [15]
- Likens, G. E., C. T. Driscoll, D. C. Buso, T. G. Siccama, et al. 1998. The biogeochemistry of calcium at Hubbard Brook. *Biogeochemistry* 41: 89–173. [5]
- Lin, C.-H., M. N. Miriti and K. Goodell. 2016. Demographic consequences of greater clonal than sexual reproduction in *Dicentra canadensis*. *Ecology and Evolution* 6: 3871–3883. [8]
- Lindeman, R. L. 1942. The trophic-dynamic aspect of ecology. *Ecology* 23: 399–418. [5]
- Linder, H. P. and A. N. Hitchcock. 2006. *Disa remota*, a remarkable new orchid species from the Western Cape. *South Africa Journal of Botany* 72: 627–629. [19]
- Lindsey, J. K. 2004. *Introductory Statistics: A Modeling Approach*. Oxford University Press: Oxford. [1, 12]
- Liu, F., J. Liu and M. Dong. 2016. Ecological consequences of clonal integration in plants. *Frontiers in Plant Science* 7: 770. [6]
- Liu, J., J. M. Chen, J. Cihlar and W. M. Park. 1997. A process-based boreal ecosystem productivity simulator using remote sensing inputs. *Remote Sensing of the Environment* 62: 158–175. [5]
- Livingston, R. B. and M. L. Allesio. 1968. Buried viable seed in successional field and forest stands, Harvard Forest, Massachusetts. *Bulletin of the Torrey Botanical Club* 95: 58–69. [13]
- Lloyd, A. H. 2005. Ecological histories from alaskan tree lines provide insight into future change. *Ecology* 86: 1687–1695. [17]
- Lockwood, J. A. and D. R. Lockwood. 1993. Catastrophe theory: a unified paradigm for rangeland ecosystem dynamics. *Journal of Range Management* 46: 282–288. [13]

- Lodge, D. M. 1993. Biological invasions: lessons for ecology. *Trends in Ecology & Evolution* 8: 133–137. [14]
- Long, S. P., X.-G. Zhu, S. L. Naidu and D. R. Ort. 2006. Can improvement in photosynthesis increase crop yields? *Plant, Cell & Environment* 29: 315–330. [2]
- Lonsdale, W. M. 1990. The self-thinning rule: dead or alive? *Ecology* 71: 1373–1388. [10]
- Lonsdale, W. M. 1999. Global patterns of plant invasions and the concept of invasibility. *Ecology* 80: 1522–1536. [14]
- Loreau, M., S. Naeem, P. Inchausti, J. Bengtsson, et al. 2001. Biodiversity and ecosystem functioning: current knowledge and future challenges. *Science* 294: 804–808. [14]
- Loreau, M., A. Downing, M. Emmerson, A. Gonzalez, et al. 2002. A new look at the relationship between diversity and stability. In *Biodiversity and Ecosystem Functioning: Synthesis and Perspectives*, M. Loreau et al. (eds.), pp. 79–91. Oxford University Press: Oxford. [14]
- Lortie, C. J. and R. M. Callaway. 2006. Re-analysis of meta-analysis: support for the stress-gradient hypothesis. *Journal of Ecology* 94: 7–16. [10]
- Losapio, G., A. Montesinos-Navarro and H. Saiz. 2019. Perspectives for ecological networks in plant ecology. *Plant Ecology & Diversity* 12: 87–102. [10]
- Louda, S. M. 1982. Distribution ecology: variation in plant recruitment over a gradient in relation to insect seed predation. *Ecology* 52: 25–41. [11]
- Louda, S. M. and M. A. Potvin. 1995. Effect of inflorescence-feeding insects on the demography and lifetime fitness of a native plant. *Ecology* 76: 229–245. [11]
- Louda, S. M. and J. E. Rodman. 1996. Insect herbivory as a major factor in the shade distribution of a native crucifer (*Cardamine cordifolia* A. Gray, bittercress). *Journal of Ecology* 84: 229–237. [11]
- Louda, S. M., D. Kendall, J. Connor and D. Simberloff. 1997. Ecological effects of an insect introduced for the biological control of weeds. *Science* 277: 1088–1090. [11]
- Lovett Doust, L. 1981. Population dynamics and local specialization in a clonal perennial *Ranunculus repens* L. The dynamics of ramets in contrasting habitats. *Journal of Ecology* 69: 743–755. [6]
- Lowry, E., E. J. Rollinson, A. J. Laybourn, T. E. Scott, et al. 2013. Biological invasions: a field synopsis, systematic review, and database of the literature. *Ecology & Evolution*. 3: 182–196. [14]
- Ludwig, J. A. and J. F. Reynolds. 1988. *Statistical Ecology*. John Wiley & Sons: New York. [12]
- Lvovitch, M. I. 1973. The global water balance. *Eos* 54: 28–42. [5]
- Lyons, E. E. and T. W. Mully. 1992. Density effects on flowering phenology and mating potential in *Nicotiana glauca*. *Oecologia* 91: 93–100. [7]
- M**
- MacArthur, R. H. 1960. On the relative abundance of species. *American Naturalist* 94: 25–36. [14]
- MacArthur, R. H. 1972. *Geographical Ecology*. Princeton University Press: Princeton, NJ. [7, 10]

- MacArthur, R. H. and E. O. Wilson. 1967. *The Theory of Island Biogeography*. Princeton University Press: Princeton, NJ. [7, 10, 15]
- Mack, M. C. and C. M. D'Antonio. 2001. Alteration of ecosystem nitrogen dynamics by exotic plants: a case study of C_4 grasses in Hawaii. *Ecological Applications* 11: 1323–1335. [14]
- Mack, R. N. 1981. Invasion of *Bromus tectorum* L. into Western North America: an ecological chronicle. *Agro-Ecosystems* 7: 145–165. [14]
- Mack, R. N. and J. L. Harper. 1977. Interference in dune annuals: spatial pattern and neighbourhood effects. *Journal of Ecology* 65: 345–363. [10]
- Mack, R. N., D. Simberloff, W. M. Lonsdale, H. Evans, et al. 2000. Biotic invasions: causes, epidemiology, global consequences and control. *Ecological Applications* 10: 689–710. [14]
- Mackey, R. L. and D. J. Currie. 2001. The diversity-disturbance relationship: is it generally strong and peaked? *Ecology* 82: 3479–3492. [14]
- Maestre, F. T., F. Valladares and J. F. Reynolds. 2005. Is the change of plant-plant interactions with abiotic stress predictable? A meta-analysis of field results in arid environments. *Journal of Ecology* 93: 748–757. [10]
- Magnuson, J. J., R. H. Wynne, B. J. Benson and D. M. Robertson. 2001. Lake and river ice as a powerful indicator of past and present climates. *Verhandlungen Internationale Vereinigung der Limnologie* 27: 2749–2756. [1]
- Magurran, A. E. 1988. *Ecological Diversity and Its Measurement*. Princeton University Press: Princeton, NJ. [12]
- Magurran, A. and B. J. McGill (eds.). 2011. *Biological Diversity*. Oxford University Press: New York. [12]
- Mahall, B. E. and F. H. Bormann. 1978. A quantitative description of the vegetative phenology of herbs in a northern hardwood forest. *Botanical Gazette* 139: 467–481. [7]
- Mal, T. K., J. Lovett Doust and L. Lovett Doust. 1997. Time-dependent competitive displacement of *Typha angustifolia* by *Lythrum salicaria*. *Oikos* 79: 26–33. [10]
- Malajczuk, N., R. Molina and J. M. Trappe. 1982. Ectomycorrhiza formation in *Eucalyptus*. *New Phytology* 91: 467–482. [11]
- Malcolm, S. B. and M. P. Zalucki. 1996. Milkweed latex and cardenolide induction may resolve the lethal plant defence paradox. *Entomologia Experimentalis et Applicata* 80: 193–196. [11]
- Malmstrom, C. M., A. J. McCullough, H. A. Johnson, L. A. Newton, et al. 2005. Invasive annual grasses indirectly increase virus incidence in California native perennial bunchgrasses. *Oecologia* 145: 153–164. [11]
- Mandujano, M. D., C. Montana, I. Mendez and J. Golubov. 1998. The relative contributions of sexual reproduction and clonal propagation in *Opuntia rastrera* from two habitats in the Chihuahuan Desert. *Journal of Ecology* 86: 911–921. [10]
- Marengo, J. A., C. M. Souza, K. Thonicke, C. Burton, et al. 2018. Changes in climate and land use over the Amazon region: current and future variability and trends. *Frontiers in Earth Science* 6: 228. [5]
- Maron, J. L. and R. L. Jefferies. 2001. Restoring enriched grasslands: effects of mowing on species richness, productivity, and nitrogen retention. *Ecological Applications* 11: 1088–1100. [13]

- Marschner, H. 1995. *Mineral Nutrition of Higher Plants*, 2nd ed. Academic Press: London. [4]
- Marshall, D. L. and M. W. Folsom. 1991. Mate choice in plants: an anatomical to population perspective. *Annual Review of Ecology and Systematics* 22: 37–63. [6]
- Marsico, T. D., L. E. Wallace, G. N. Ervin, C. P. Brooks, et al. 2011. Geographic patterns of genetic diversity from the native range of *Cactoblastis cactorum* (Berg) support the documented history of invasion and multiple introductions for invasive populations. *Biological Invasions* 13: 857–868. [11]
- Martinez, K. A., D. J. Gibson and B. A. Middleton. 2015. Core-satellite species hypothesis and native versus exotic species in secondary succession. *Plant Ecology* 216: 419–427. [15]
- Martinez, M. L. and P. Moreno-Casasola. 1998. The biological flora of coastal dunes and wetlands: *Chamaecrista chamaecristoides* (Colladon) I. & B. *Journal of Coastal Research* 14: 162–174. [10]
- Matallana, G., T. Wendt, D. S. D. Araujo and F. R. Scarano. 2005. High abundance of dioecious plants in a tropical coastal vegetation. *American Journal of Botany* 92: 1513–1519. [6]
- Mather, A. S. and C. L. Needle. 2000. The relationships of population and forest trends. *The Geographical Journal* 166: 2–13. [19]
- Mathiasson, M. E. and S. M. Rehan. 2019. Status changes in the wild bees of north-eastern North America over 125 years revealed through museum specimens. *Insect Conservation and Diversity* 12: 278–288. [6]
- Mauseth, J. D. 1991. *Botany: An Introduction to Plant Biology*. Saunders College: Philadelphia, PA. [3]
- May, F., I. Giladi, M. Ristow, Y. Ziv, et al. 2013. Metacommunity, mainland-island system or island communities? assessing the regional dynamics of plant communities in a fragmented landscape. *Ecography* 36: 842–853. [15]
- May, R. M. 1973. *Stability and Complexity in Model Ecosystems*. Princeton University Press: Princeton, NJ. [14]
- Mayewski, P. A., G. H. Denton and J. J. Hughes. 1981. The Late Wisconsin ice sheet in North America. In *The Last Great Ice Sheets*, G. H. Denton and J. J. Hughes (eds.), pp. 67–170. Wiley: New York. [17]
- Mayo, D. G. 1996. *Error and the Growth of Experimental Knowledge*. University of Chicago Press: Chicago, IL. [1]
- Mayr, E. 1942. *Systematics and the Origin of Species*. Columbia University Press: New York. [9]
- Mazer, S. J. 1989. Ecological, taxonomic, and life history correlates of seed mass among Indiana Dune angiosperms. *Ecological Monographs* 59: 153–175. [7]
- Mazer, S. J. and L. M. Wolfe. 1992. Planting density influences the expression of genetic variation in seed mass in wild radish (*Raphanus sativus* L.: Brassicaceae). *American Journal of Botany* 79: 1185–1193. [7]
- McAdam, S. A. M. and T. J. Brodribb. 2012. Stomatal innovation and the rise of seed plants. *Ecological Letters* 15: 1–8. [3, 17]
- McAuliffe, J. R. 1988. Markovian dynamics of simple and complex desert plant communities. *American Naturalist* 131: 459–490. [10]

- McCann, K. S. 2000. The diversity–stability debate. *Nature* 405: 228–233. [14]
- McCulloch, C. E. 1985. Variance tests for species associations. *Ecology* 66: 1676–1681. [12]
- McElwain, J. C. 2018. Paleobotany and global change: important lessons for species to biomes from vegetation responses to past global change. *Annual Review of Plant Biology* 69: 761–787. [17]
- McGill, B. J. 2003. Does Mother Nature really prefer rare species or are log-left-skewed SADs a sampling artefact? *Ecological Letters* 6: 766–773. [10, 19]
- McGinley, M. A., D. H. Temme and M. A. Geber. 1987. Parental investment in offspring in variable environments: theoretical and empirical considerations. *American Naturalist* 130: 370–398. [7]
- McIlveen, J. F. R. 1992. *Fundamentals of Weather and Climate*. Chapman and Hall: London. [1]
- McIntosh, R. P. 1985. *The Background of Ecology*. Cambridge University Press: Cambridge. [1]
- McLaughlin, S. B. and R. Wimmer. 1999. Tansley Review No. 104 - Calcium physiology and terrestrial ecosystem processes. *New Phytology* 142: 373–417. [5]
- McLeman, R. A., J. Dupre, L. Berrang Ford, J. Ford, et al. 2014. What we learned from the Dust Bowl: lessons in science, policy, and adaptation. *Population and Environment* 35: 417–440. [13]
- McNaughton, S. M. 1983. Serengeti grassland ecology: the role of composite environmental factors and contingency in community organization. *Ecological Monographs* 53: 291–320. [11]
- McNeilly, T. 1968. Evolution in closely adjacent plant populations. III. *Agrostis tenuis* on a small copper mine. *Heredity* 23: 99–108. [9]
- McNeilly, T. and J. Antonovics. 1968. Evolution in closely adjacent plant populations. IV. barriers to gene flow. *Heredity* 23: 205–218. [9]
- Méndez, M. and P. S. Karlsson. 2005. Nutrient stoichiometry in *Pinguicula vulgaris*: nutrient availability, plant size, and reproductive status. *Ecology* 86: 982–991. [4]
- Menges, E. S. 1992. Stochastic modeling of extinction in plant populations. In *Conservation Biology: The Theory and Practice of Nature Conservation, Preservation, and Management*, P. L. Fiedler and S. K. Jain (eds.), pp. 253–275. Chapman and Hall: New York. [8]
- Menges, E. S. and P. F. Quintana-Ascencio. 2004. Population viability with fire in *Eryngium cuneifolium*: deciphering a decade of demographic data. *Ecological Monographs* 74: 79–99. [8]
- Merow, C., J. P. Dahlgren, C. J. E. Metcalf, D. Z. Childs, et al. 2014. Advancing population ecology with integral projection models: a practical guide. *Methods Ecology and Evolution* 5: 99–110. [8]
- Messier, J., B. J. McGill and M. J. Lechowicz. 2010. How do traits vary across ecological scales? A case for trait-based ecology. *Ecological Letters* 13: 838–848. [10]
- Michalet, S., J. Rohr, D. Warshan, C. Bardon, et al. 2013. Phytochemical analysis of mature tree root exudates *in situ* and their role in shaping soil microbial communities in relation to tree N-acquisition strategy. *Plant Physiology and Biochemistry* 72: 169–177. [4]

- Milankovic, M. 1941. Canon of insolation of the earth and its application to the problem of the ice ages. *Royal Serbian Academy Press, Cemian*: 1–626. [16]
- Millennium Ecosystem Assessment. 2005. *Ecosystems and Human Well-Being: Synthesis*. Island Press: Washington, DC. [19]
- Miller, G. H., M. L. Fogel, J. W. Magee, M. K. Gagan, et al. 2005a. Ecosystem collapse in Pleistocene Australia and a human role in megafaunal extinction. *Science* 309: 287–290. [17]
- Miller, G. H., J. Mangan, D. Pollard, S. Thompson, et al. 2005b. Sensitivity of the Australian Monsoon to insolation and vegetation: implications for human impact on continental moisture balance. *Geology* 33: 65–68. [17]
- Miller, K. M. and B. J. McGill. 2018. Land use and life history limit migration capacity of eastern tree species. *Global Ecology and Biogeography* 27: 57–67. [19]
- Miller, T. E. 1987. Effects of emergence time on survival and growth in an early old-field plant community. *Oecologia* 72: 272–278. [10]
- Miller, T. E., A. A. Winn and D. W. Schemske. 1994. The effects of density and spatial distribution on selection for emergence time in *Prunella vulgaris* (Lamiaceae). *American Journal of Botany* 81: 1–6. [10]
- Miller, T. E., J. H. Burns, P. Munguia, E. L. Walters, et al. 2005. A critical review of twenty years' use of the resource-ratio theory. *American Naturalist* 165: 439–448. [10]
- Milne, B. N. 1992. Spatial aggregation and neutral models in fractal landscapes. *American Naturalist* 139: 32–57. [15]
- Minteer, B. A. and J. P. Collins. 2005. Why we need an “ecological ethics”. *Frontiers in Ecology and the Environment* 3: 332–337. [1]
- Mitchell, C. E. and A. G. Power. 2003. Release of invasive plants from fungal and viral pathogens. *Nature* 421: 625–627. [14]
- Mitchell-Olds, T. and J. Bergelson. 1990. Statistical genetics of an annual plant, *Impatiens capensis*. I. Genetic basis of quantitative variation. *Genetics* 124: 407–415. [9]
- Mitman, G. 1992. *The State of Nature*. University of Chicago Press: Chicago, IL. [1]
- Mittelbach, G. G. 2010. Understanding species richness–productivity relationships: the importance of meta-analyses. *Ecology* 91: 2540–2544. [19]
- Mittelbach, G. G., C. F. Steiner, S. M. Scheiner, K. L. Gross, et al. 2001. What is the observed relationship between species richness and productivity? *Ecology* 82: 2381–2396. [19]
- Mittelbach, G. G., D. W. Schemske, H. V. Cornell, A. P. Allen, et al. 2007. Evolution and the latitudinal diversity gradient: speciation, extinction and biogeography. *Ecological Letters* 10: 315–331. [19]
- Mohr, H. and P. Schopfer. 1995. *Plant Physiology*. Springer Verlag: Berlin, Germany. [2, 3]
- Mojonnier, L. 1998. Natural selection on two seed-size traits in the common morning glory *Ipomoea purpurea* (Convolvulaceae): patterns and evolutionary consequences. *American Naturalist* 152: 188–203. [7]

- Mooney, H. A. and W. D. Billings. 1961. Comparative physiological ecology of arctic and alpine populations of *Oxyria digyna*. *Ecological Monographs* 31: 1–29. [2, 18]
- Moore, J. L., C. E. Hauser, J. L. Bear, N. S. G. Williams, et al. 2011. Estimating detection–effort curves for plants using search experiments. *Ecological Applications* 21: 601–607. [8]
- Morgan, J. P. 1997. Plowing and seeding. In *The Tallgrass Restoration Handbook for Prairies, Savannas, and Woodlands*, S. Packard and C. F. Mutel (eds.), pp. 193–215. Island Press: Washington, DC. [13]
- Mori, A. S., T. Shiono, D. Koide, R. Kitagawa, et al. 2013. Community assembly processes shape an altitudinal gradient of forest biodiversity. *Global Ecology and Biogeography* 22: 878–888. [19]
- Morris, W. F. and D. F. Doak. 1998. Life history of the long-lived gynodioecious cushion plant *Silene acaulis* (Caryophyllaceae), inferred from size-based population projection matrices. *American Journal of Botany* 85: 784–793. [6, 7]
- Morrison, J. A. 1996. Infection of *Juncus dichotomus* by the smut fungus *Cintractia junci*: An experimental field test of the effects of neighbouring plants, environment, and host plant genotype. *Journal of Ecology* 84: 691–702. [11]
- Morrow, P. A. and V. C. LaMarche, Jr. 1978. Tree-ring evidence for chronic insect suppression of productivity in subalpine *Eucalyptus*. *Science* 201: 1244–1246. [11]
- Motzkin, G., P. Wilson, D. R. Foster and A. Allen. 1999. Vegetation patterns in heterogeneous landscapes: the importance of history and environment. *Journal of Vegetation Science* 10: 903–920. [13]
- Mueller-Dombois, D. and H. Ellenberg. 1974. *Aims and Methods of Vegetation Ecology*. John Wiley & Sons: New York. [12, 15]
- Muller, C. H. 1969. Allelopathy as a factor in ecological process. *Vegetatio* 18: 348–357. [10]
- Muller, W. H. and C. H. Muller. 1964. Volatile growth inhibitors produced by *Salvia* species. *Bulletin of the Torrey Botanical Club* 91: 327–330. [10]
- Mulroy, T. W. and P. W. Rundel. 1977. Annual plants: adaptations to desert environments. *Bioscience* 27: 109–114. [7]
- Mutch, R. 1970. Wildland fires and ecosystems: a hypothesis. *Ecology* 51: 1046–1051. [13]
- Mutke, J. and W. Barthlott. 2005. Patterns of vascular plant diversity at continental to global scales. *Biologiske skrifter* 55: 521–531. [19]
- Myers, J. A. and K. E. Harms. 2009. Seed arrival, ecological filters, and plant species richness: a meta-analysis. *Ecological Letters* 12: 1250–1260. [19]
- Myers, N., R. A. Mittermeier, C. G. Mittermeier, G. A. B. da Fonseca, et al. 2000. Biodiversity hotspots for conservation priorities. *Nature* 403: 853–858. [15, 19]

N

- Naeem, S. 2000. Reply to Wardle et al. *Bulletin of the Ecological Society of America* 81: 241–246. [14]
- Naeem, S., K. Hakansson, J. H. Lawton, M. J. Crawley, et al. 1996. Biodiversity and plant productivity in a model assemblage of plant species. *Oikos* 76: 259–264. [14]

- Nakagawa, S. and T. H. Parker. 2015. Replicating research in ecology and evolution: feasibility, incentives, and the cost-benefit conundrum. *BMC Biology* 13: 88. [1]
- Nathan, R., U. N. Safriel and I. Noy-Meir. 2001. Field validation and sensitivity analysis of a mechanistic model for tree dispersal by wind. *Ecology* 82: 374–388. [6]
- Naveh, Z. and A. S. Lieberman. 1994. *Landscape Ecology: Theory and Application*. Springer-Verlag: New York. [15]
- Nazir, R., J. A. Warmink, H. Boersma and J. D. Van Elsas. 2009. Mechanisms that promote bacterial fitness in fungal-affected soil microhabitats. *FEMS Microbiology Ecology* 71: 169–185. [11]
- Negrete-Yankelevich, S. and G. A. Fox. 2015. Spatial variation and linear modeling of ecological data. In *Ecological Statistics: Contemporary Theory and Application*, G. A. Fox et al. (eds.), pp. 252–284. Oxford University Press: Oxford. [15]
- Nemésio, A. 2013. Are orchid bees at risk? First comparative survey suggests declining populations of forest-dependent species. *Brazilian Journal of Biology* 73: 367–374. [6]
- Neubert, M. G. and H. Caswell. 2000. Demography and dispersal: calculation and sensitivity analysis of invasion speed for structured populations. *Ecology* 81: 1613–1628. [6]
- Newbold, T., L. N. Hudson, A. P. Arnell, S. Contu, et al. 2016. Has land use pushed terrestrial biodiversity beyond the planetary boundary? A global assessment. *Science* 353: 288–291. [19]
- Newman, E. I. 1973. Competition and diversity in herbaceous vegetation. *Nature* 244: 310–311. [10, 14]
- Newman, E. I. 1978. Allelopathy: adaptation or accident? In *Biochemical Aspects of Plant and Animal Coevolution*, J. B. Harborne (ed.), pp. 327–342. Academic Press: London. [10]
- Nicholson, A. J. 1933. Supplement: The balance of animal populations. *Journal of Animal Ecology* 2: 131–178. [11]
- Nicholson, A. J. 1950. Population oscillations caused by competition for food. *Nature* 165: 476–477. [11]
- Nicholson, A. J. 1954. An outline of the dynamics of animal populations. *Australian Journal of Zoology* 2: 9–65. [11]
- Nicholson, M. 1990. Henry Allan Gleason and the individualistic hypothesis: the structure of a botanist's career. *The Botanical Review* 56: 91–161. [1]
- Niemelä, P. and W. J. Mattson. 1996. Invasion of North American forests by European phytophagous insects - legacy of the European crucible? *Bioscience* 46: 741–753. [19]
- Nihorimbere, V., M. Ongena, M. Smargiassi and P. Thonart. 2011. Beneficial effect of the rhizosphere microbial community for plant growth and health. *Biotechnology, Agronomy, Society and Environment* 15: 327–337. [4]
- Niklas, K. 1997. *The Evolutionary Biology of Plants*. University of Chicago Press: Chicago, IL. [6]
- Nobel, P. S. 1980. Morphology, surface temperatures, and northern limits of columnar cacti in the Sonoran Desert. *Ecology* 61: 1–7. [3]
- Nobel, P. S. 1983. *Biophysical Plant Physiology and Ecology*. W. H. Freeman: New York. [2]

- Nobel, P. S. 2009. *Physicochemical and Environmental Plant Physiology*. Academic Press: Oxford. [3]
- Nonomura, A., G. Lorimer, B. Holtz, V. Vacquier, et al. 2016. Andrew A. Benson: personal recollections. *Photosynthesis Research* 127: 369–378. [2]
- Norberg, R. A. 1988. Theory of growth geometry of plants and self-thinning of plant populations: geometric similarity, elastic similarity, and different growth modes of plant parts. *American Naturalist* 131: 220–256. [10]
- Nunes, C. E., M. F. Peñaflores, J. M. Bento, M. J. Salvador, et al. 2016. The dilemma of being a fragrant flower: the major floral volatile attracts pollinators and florivores in the euglossine-pollinated orchid *Dichaea pendula*. *Oecologia* 182: 933–946. [6]
- Núñez-Farfán, J. and C. D. Schlichting. 2005. Natural selection in *Potentilla glandulosa* revisited. *Evolutionary Ecology Research* 7: 105–119. [9]
-
- O'Brien, E. M. 1998. Water-energy dynamics, climate, and prediction of woody plant species richness: an interim general model. *Journal of Biogeography* 25: 379–398. [19]
- Odum, E. P. 1960. Organic production and turnover in old field succession. *Ecology* 41: 34–49. [5]
- Odum, E. P. 1969. The strategy of ecosystem development. *Science* 164: 262–270. [5]
- Odum, E. P. 1971. *Fundamentals of Ecology*. W. B. Saunders: Philadelphia, PA. [12]
- Odum, H. T. 1983. *Systems Ecology*. John Wiley: New York. [12]
- Odum, H. T. 1988. Self-organization, transformity, and information. *Science* 242: 1132–1139.
- O'Hare, G., A. Johnson and R. Pope. 2005. Current shifts in abrupt climate change: the stability of the North Atlantic conveyor and its influence on future climates. *Geography* 90: 250–266. [16]
- Oksanen, L., M. Sammuli and M. Mägi. 2006. On the indices of plant–plant competition and their pitfalls. *Oikos* 112: 149–155. [10]
- Ollerton, J., R. Alarcón, N. M. Waser, M. V. Price, et al. 2009. A global test of the pollination syndrome hypothesis. *Annals of Botany* 103: 1471–1480. [6]
- Ollerton, J., A. R. Rech, N. M. Waser and M. V. Price. 2015. Using the literature to test pollination syndromes — some methodological cautions. *Journal of Pollination Ecology* 16: 119–125. [6]
- O'Neill, R. V., D. L. DeAngelis, J. B. Waide and T. F. H. Allen. 1986. *A Hierarchical Concept of Ecosystems*. Princeton University Press: Princeton, NJ. [12]
- Onguene, N. and T. Kuyper. 2002. Importance of the ectomycorrhizal network for seedling survival and ectomycorrhiza formation in rain forests of south Cameroon. *Mycorrhiza* 12: 13–17. [10]
- Oosting, H. J. 1942. An ecological analysis of the plant communities of Piedmont, North Carolina. *American Midland Naturalist* 28: 1–126. [13]
- Oosting, H. J. and M. E. Humphreys. 1940. Buried viable seeds in a successional series of old fields and forest soils. *Bulletin of the Torrey Botanical Club* 67: 253–273. [13]

- Orians, G. H. 1986. Site characteristics promoting invasions and system impact of invaders. In *Ecology of Biological Invasions of North America and Hawaii*, H. A. Mooney and J. A. Drake (eds.), pp. 133–148. Springer-Verlag: New York. [14]
- Orive, M. E. 2019. The evolution of sex. In *The Theory of Evolution*, S. M. Scheiner and D. P. Mindell (eds.), pp. 273–284. University of Chicago Press: Chicago, IL. [6]
- Orlean, S. 2000. *The Orchid Thief*. Ballentine Reader's Circle: New York. [19]
- Osnas, J. L. D., J. W. Lichstein, P. B. Reich and S. W. Pacala. 2013. Global leaf trait relationships: mass, area, and the leaf economics spectrum. *Science* 340: 741–744. [10]
- Overpeck, J. T., M. Sturm, J. A. Francis, D. K. Perovich, et al. 2005. Arctic system on trajectory to new, seasonally ice-free state. *Eos, Transactions of the American Geophysical Union* 86: 309–313. [16]

P

- Pacala, S. W. 1986a. Neighborhood models of plant population dynamics. 2. Multispecies models of annuals. *Theoretical Population Biology* 29: 262–292. [8]
- Pacala, S. W. 1986b. Neighborhood models of plant population dynamics. 4. Single-species and multispecies models of annuals with dormant seeds. *American Naturalist* 128: 859–878. [8]
- Pacala, S. W. 1987. Neighborhood models of plant population dynamics. 3. Models with spatial heterogeneity in the physical environment. *Theoretical Population Biology* 31: 359–392. [8]
- Pacala, S. W. and J. A. Silander, Jr. 1985. Neighborhood models of plant population dynamics. 1. Single-species models of annuals. *American Naturalist* 125: 385–411. [8]
- Packer, A. and K. Clay. 2000. Soil pathogens and spatial patterns of seedling mortality in a temperate tree. *Nature* 404: 278–281. [11]
- Pagani, M., K. H. Freeman and M. A. Arthur. 1999. Late Miocene atmospheric CO₂ concentrations and the expansion of C₄ grasses. *Science* 285: 876–879. [17]
- Paine, K. C., T. E. White and K. D. Whitney. 2019. Intraspecific floral color variation as perceived by pollinators and non-pollinators: evidence for pollinator-imposed constraints? *Evolutionary Ecology* 33: 461. [6]
- Pake, C. E. and D. L. Venable. 1995. Is coexistence of Sonoran desert annuals mediated by temporal variability reproductive success. *Ecology* 76: 246–261. [10]
- Palacio-López, K., B. Beckage, S. Scheiner and J. Molofsky. 2015. The ubiquity of phenotypic plasticity in plants: a synthesis. *Ecology and Evolution* 5: 3389–3400. [9]
- Palmer, M. W. and P. S. White. 1994. Scale dependence and the species-area relationship. *American Naturalist* 144: 717–740. [12]
- Palmer, M. W., R. K. Peet, R. A. Reed, W. Xi, et al. 2007. A multiscale study of vascular plants in a North Carolina piedmont forest. *Ecology* 88: 2674. [12]
- Parayil, G. and F. Tong. 1998. Pasture-led to logging-led deforestation in the Brazilian Amazon: The dynamics of socio-environmental change. *Global Environmental Change Human. Policy and Dimensions* 8: 63–79. [19]

- Parker, I. M. 2000. Invasion dynamics of *Cytisus scoparius*: a matrix model approach. *Ecological Applications* 10: 726–743. [8]
- Parker, I. M. and G. S. Gilbert. 2004. The evolutionary ecology of novel plant-pathogen interactions. *Annual Review of Ecology, Evolution, and Systematics* 35: 675–700. [11]
- Parker, T. H., W. Forstmeier, J. Koricheva, F. Fidler, et al. 2016. Transparency in ecology and evolution: real problems, real solutions. *Trends in Ecology & Evolution* 31: 711–719. [1]
- Parmesan, C. and G. Yohe. 2003. A globally coherent fingerprint of climate change impacts across natural systems. *Nature* 421: 37–42. [16]
- Pärtel, M., M. Zobel, K. Zobel and E. van der Maarel. 1996. The species pool and its relation to species richness: evidence from Estonian plant communities. *Oikos* 75: 111–117. [19]
- Parton, W. J., J. M. O. Scurlock, D. S. Ojima, T. G. Gilmanov, et al. 1993. Observations and modeling of biomass and soil organic-matter dynamics for the grassland biome worldwide. *Global Biogeochemical Cycles* 7: 785–809. [5]
- Parton, W. J., J. W. B. Stewart and C. V. Cole. 1988. Dynamics of C, N, P and S in grassland soils - a model. *Biogeochemistry* 5: 109–131. [5]
- Paruelo, J. M. and W. K. Lauenroth. 1996. Relative abundances of plant functional types in grasslands and shrublands of North America. *Ecological Applications* 6: 1212–1224. [2]
- Pastore, M. A., T. D. Lee, S. E. Hobbie and P. B. Reich. 2019. Strong photosynthetic acclimation and enhanced water-use efficiency in grassland functional groups persist over 21 years of CO₂ enrichment, independent of nitrogen supply. *Global Change Biology* 25: 3031–3044. [16]
- Patricola, C. M. and M. F. Wehner. 2018. Anthropogenic influences on major tropical cyclone events. *Nature* 563: 339–346. [16]
- Paulsen, J. and C. Körner. 2014. A climate-based model to predict potential treeline position around the globe. *Alpine Botany* 124: 1–12. [18]
- Pausas, J. G., B. B. Lamont, S. Paula, B. Appezzato-da-Glória, et al. 2018. Unearthing belowground bud banks in fire-prone ecosystems. *New Phytology* 217: 1435–1448. [13]
- Pearson, T. R. H., S. Brown, L. Murray and G. Sidman. 2017. Greenhouse gas emissions from tropical forest degradation: an underestimated source. *Carbon Balance and Management* 12: 3. [16]
- Peet, R. K. and N. L. Christensen. 1987. Competition and tree death. *Bioscience* 37: 586–595. [8]
- Pellew, R. A. P. 1983. Impacts of elephant, giraffe, and fire upon the *Acacia tortilis* woodlands of the Serengeti. *African Journal of Ecology* 21: 41–74. [11]
- Peng, S., N. L. Kinlock, J. Gurevitch and S. Peng. 2019. Correlation of native and exotic species richness: a global meta-analysis finds no invasion paradox across scales. *Ecology* 100: e02552. [14]
- Peralta, P. and P. Mather. 2000. An analysis of deforestation patterns in the extractive reserves of Acre, Amazonia from satellite imagery: a landscape ecological approach. *International Journal of Remote Sensing* 21: 2555–2570. [15]

- Peres, C. A., C. Baider, P. A. Zuidema, L. H. O. Wadt, et al. 2003. Demographic threats to the sustainability of Brazil nut exploitation. *Science* 302: 2112–2114. [19]
- Petersen, J., S. K. Eriksson, P. Harryson, S. Pierog, et al. 2012. The lysine-rich motif of intrinsically disordered stress protein CDeT11-24 from *Craterostigma plantagineum* is responsible for phosphatidic acid binding and protection of enzymes from damaging effects caused by desiccation. *Journal of Experimental Botany* 63: 4919–4929. [3]
- Pfaff, A. S. P. 1999. What drives deforestation in the Brazilian Amazon? Evidence from satellite and socioeconomic data. *Journal of Environmental Economics and Management* 37: 26–43. [19]
- Phillips, D. L. and D. J. Shure. 1990. Patch-size effects on early succession in southern Appalachian Forests. *Ecology* 71: 204–212. [13]
- Phillips, R. P., E. Brzostek and M. G. Midgley. 2013. The mycorrhizal-associated nutrient economy: a new framework for predicting carbon-nutrient couplings in temperate forests. *New Phytology* 199: 41–51. [11]
- Pianka, E. R. 1970. On r- and K-selection. *American Naturalist* 104: 592–597. [7]
- Pickett, S. T. A. and P. S. E. White (eds.). 1985. *The Ecology of Natural Disturbance and Patch Dynamics*. Academic Press: Orlando, FL. [10, 13]
- Pickett, S. T. A., J. Kolasa and C. G. Jones. 2007. *Ecological Understanding: The Nature of Theory and the Theory of Nature*. Elsevier: New York. [1]
- Pickett, S. T. A., M. L. Cadenasso and S. J. Meiners. 2009. Ever since Clements: from succession to vegetation dynamics and understanding to intervention. *Applied Vegetation Science* 12: 9–21. [13]
- Pickett, S. T. A., S. J. Meiners and M. L. Cadenasso. 2011. Domain and propositions of succession theory. In *The Theory in Ecology*, S. M. Scheiner and M. R. Willig (eds.), pp. 185–218. University of Chicago Press: Chicago, IL. [13]
- Pielou, E. C. 1977. *Mathematical Ecology*. Wiley: New York. [15]
- Pielou, E. C. 1991. *After the Ice Age*. University of Chicago Press: Chicago, IL. [17]
- Pigliucci, M. 2001. *Phenotypic Plasticity: Beyond Nature and Nurture*. Johns Hopkins University Press: Baltimore, MD. [9]
- Piñero, D., M. Martínez-Ramos and J. Sarukhan. 1984. A population model of *Astrocaryum mexicanum* and a sensitivity analysis of its finite rate of increase. *Journal of Ecology* 72: 977–991. [8]
- Pirnat, J. 2000. Conservation and management of forest patches and corridors in suburban landscapes. *Landscape and Urban Planning* 52: 135–143. [15]
- Pirozynski, K. A. and D. W. Malloch. 1975. The origin of land plants: a matter of mycotrophism. *BioSystems* 6: 153–164. [11]
- Pither, J. 2003. Climate tolerance and interspecific variation in geographic range size. *Proceedings of the Royal Society of London* 270B: 475–481. [19]
- Pitman, N. C. A., J. Terborgh, M. R. Silman and P. Nuñez V. 1999. Tree species distribution in an upper Amazonian forest. *Ecology* 80: 2651–2661. [14]
- Pitman, N. C. A., C. E. Cerón, C. I. Reyes, M. Thurber, et al. 2005. Catastrophic natural origin of a species-poor tree community in the world's richest forest. *Journal of Tropical Ecology* 21: 559–568. [13]

- Platenkamp, G. A. J. and R. G. Shaw. 1993. Environmental and genetic maternal effects on seed characters in *Nemophila menziesii*. *Evolution* 47: 540–555. [7]
- Platt, W. J. and I. M. Weis. 1977. Resource partitioning and competition within a guild of fugitive prairie plants. *American Naturalist* 111: 479–513. [13]
- Platt, W. J. and S. L. Rathbun. 1993. Dynamics of an old-growth longleaf pine population. In *The Longleaf Pine Ecosystem: Ecology; Restoration and Management*, S. M. Herman (ed.), pp. 275–297. Proceedings of the Tall Timbers Fire Ecology Conference 18. [8]
- Platt, W. J., G. W. Evans and S. J. Rathbun. 1988. The population dynamics of a long-lived conifer (*Pinus palustris*). *American Naturalist* 131: 491–525. [8]
- Playfair, W. 1786. *The Commercial and Political Atlas: Representing, by Means of Stained Copper-Plate Charts, the Progress of the Commerce, Revenues, Expenditure and Debts of England during the Whole of the Eighteenth Century*. [1]
- Policha, T., A. Davis, M. Barnadas, B. T. M. Dentinger, et al. 2016. Disentangling visual and olfactory signals in mushroom-mimicking *Dracula* orchids using realistic three-dimensional printed flowers. *New Phytology* 210: 1058–1071. [6]
- Poole, R. W. and B. J. Rathcke. 1979. Regularity, randomness, and aggregation in flowering phonologies. *Science* 203: 470–471. [7]
- Popper, K. R. 1959. *The Logic of Scientific Discovery*. Hutchinson & Co.: London. [1]
- Portnoy, S. and M. F. Willson. 1993. Seed dispersal curves: behavior of the tail of the distribution. *Evolutionary Biology* 7: 25–44. [6]
- Post, E. 2003. Climate–vegetation dynamics in the fast lane. *Trends in Ecology & Evolution* 18: 551–553. [17]
- Powell, E. A., 1992. Life history, reproductive biology and conservation of the Mauna Kea silversword, *Argyroxiphium sandwicense* DC (Asteraceae): an endangered plant of Hawaii. University of Hawaii at Manoa, 268 pp. [8]
- Powers, J. S., M. E. Sollins and J. A. Jones. 1999. Plant-pest interactions in time and space: a Douglas-fir bark beetle outbreak as a case study. *Landscape Ecology* 14: 105–120. [11]
- Powney, G. D., C. Carvell, M. Edwards, R. K. A. Morris, et al. 2019. Widespread losses of pollinating insects in Britain. *Nature Communications* 10: 1018. [6]
- Prasad, V., C. A. E. Strömberg, H. Alimohammadian and A. Sahni. 2005. Dinosaur coprolites and the early evolution of grasses and grazers. *Science* 310: 1177–1180. [11]
- Prentice, I. C., P. J. Bartlein and T. Webb, III. 1991. Vegetation and climate change in eastern North America since the last glacial maximum. *Ecology* 72: 2038–2056. [17]
- Preston, F. W. 1962a. The canonical distribution of commonness and rarity: part I. *Ecology* 43: 185–215. [14, 19]
- Preston, F. W. 1962b. The canonical distribution of commonness and rarity: part II. *Ecology* 43: 410–432. [14, 19]
- Priestley, D. A. 1986. *Seed Aging: Implications for Seed Storage and Persistence in the Soil*. Comstock Publishing: Ithaca, NY. [6]

- Purves, D. W. and S. W. Pacala. 2005. Ecological drift in niche-structured communities: neutral pattern does not imply neutral process. In *Biotic Interactions in the Tropics*, D. Burselm et al. (eds.), pp. 107–138. Cambridge University Press: Cambridge. [10, 19]
- Purves, W. K., G. H. Orians and H. C. Heller. 1995. *Life, The Science of Biology*. Oxford University Press/Sinauer: Sunderland, MA. [6]
- Puthiyaveetil, S. and J. F. Allen. 2009. Chloroplast two-component systems: evolution of the link between photosynthesis and gene expression. *Proceedings of the Royal Society of London* 276B: 2133–2145. [2]
- Putz, F. E. 1983. Treefall pits and mounds, buried seeds, and the importance of soil disturbance to pioneer trees on Barro Colorado Island, Panama. *Ecology* 64: 1069–1074. [13]
- Pyne, S. J., P. L. Andrews and R. D. Laven. 1996. *Introduction to Wildland Fire*. Wiley: New York. [13]
- Pyšek, P., V. Jarošík, P. E. Hulme, J. Pergl, et al. 2012. A global assessment of invasive plant impacts on resident species, communities and ecosystems: the interaction of impact measures, invading species' traits and environment. *Global Change Biology* 18: 1725–1737. [14]

Q

- Qian, H. and R. E. Ricklefs. 1999. A comparison of the taxonomic richness of vascular plants in China and the United States. *American Naturalist* 154: 160–181. [14, 19]
- Qian, H. and R. E. Ricklefs. 2007. A latitudinal gradient in large-scale beta diversity for vascular plants in North America. *Ecological Letters* 10: 737–744. [19]
- Qian, H., K. Klinka and G. J. Kayahara. 1998. Longitudinal patterns of plant diversity in the North American boreal forest. *Plant Ecology* 138: 161–178. [19]
- Qian, H., Y. Jin and R. E. Ricklefs. 2017. Phylogenetic diversity anomaly in angiosperms between eastern Asia and eastern North America. *Proceedings of the National Academy of Sciences USA* 114: 11452–11457. [19]

R

- Raaijmakers, J. M. and M. Mazzola. 2016. Soil immune responses. *Science* 352: 1392–1393. [4]
- Rabinowitz, D. 1981. Seven forms of rarity. In *The Biological Aspects of Rare Plant Conservation*, H. Synge (ed.), pp. 205–217. John Wiley: Chichester. [14]
- Rabinowitz, D., S. Cairns and T. Dillon. 1986. Seven forms of rarity and their frequency in the flora of the British Isles. In *Conservation Biology: The Science of Scarcity and Diversity*, M. E. Soulé (ed.), pp. 182–204. Oxford University Press/Sinauer: Sunderland, MA. [14]
- Raffa, K. 1991. Induced defensive reactions in conifer-bark beetle systems. In *Phytochemical Induction by Herbivores*, D. W. Tallamy and M. J. Raupp (eds.), pp. 245–276. John Wiley: New York. [11]
- Raffa, K. F. and A. A. Berryman. 1987. Interacting selective pressures in conifer-bark beetle systems: A basis for reciprocal adaptations. *American Naturalist* 129: 234–262. [11]
- Raffa, K. F., E. N. Powell and P. A. Townsend. 2013. Temperature-driven range expansion of an irruptive insect heightened by weakly coevolved plant defenses. *Proceedings of the National Academy of Sciences USA* 110: 2193–2198. [11]

- Raffaele, E. and T. T. Veblen. 1998. Facilitation by nurse shrubs of resprouting behavior in a post-fire shrubland in northern Patagonia, Argentina. *Journal of Vegetation Science* 9: 693–698. [10]
- Ramsey, J., H. D. Bradshaw Jr. and D. W. Schemske. 2003. Components of reproductive isolation between the monkeyflowers *Mimulus lewisii* and *M. cardinalis* (Phrymaceae). *Evolution* 57: 1520–1534. [6]
- Ramstorf, S. 2000. The thermohaline ocean circulation - a system with dangerous thresholds? *Climate Change* 46: 247–256. [16]
- Raven, J. A. 2002. Selection pressures on stomatal evolution. *New Phytology* 153: 371–386. [2]
- Raven, P. H., R. F. Everet and S. E. Eichhorn. 1999. *Biology of Plants*, 6th ed. W. H. Freeman and Company: New York. [4]
- Reader, R. J., S. D. Wilson, J. W. Belcher, I. Wisheu, et al. 1994. Plant competition in relation to neighbor biomass - an intercontinental study with *Poa pratensis*. *Ecology* 75: 1753–1760. [10]
- Redecker, D., R. Kodner and L. E. Graham. 2000. Glomalean fungi from the Ordovician. *Science* 289: 1920–1921. [11]
- Redfield, A. C. 1958. The biological control of chemical factors in the environment. *American Scientist* 46: 230A–221. [5]
- Redmann, R. E. 1975. Production ecology of grassland plant communities in western North Dakota. *Ecological Monographs* 45: 83–106. [14]
- Reed, R. A., R. K. Peet, M. W. Palmer and P. S. White. 1993. Scale dependence of vegetation-environment correlations: a case study of a North Carolina piedmont woodland. *Journal of Vegetation Science* 4: 329–340. [12]
- Reekie, E. G. and F. A. Bazzaz. 1987. Reproductive effort in plants. 1. Carbon allocation to reproduction. *American Naturalist* 129: 876–896. [7]
- Rees, M. 2013. Competition on productivity gradients – what do we expect? *Ecological Letters* 16: 291–298. [10]
- Rees, M., A. Sheppard, D. T. Brieese and M. Mangel. 1999. Evolution of size-dependent flowering in *Onopordum illyricum*: a quantitative assessment of the role of stochastic selection pressures. *American Naturalist* 154: 628–651. [7]
- Rees, M., D. Kelly and O. N. Bjørnstad. 2002. Snow tussocks, chaos, and the evolution of mast seeding. *American Naturalist* 160: 44–59. [7]
- Rees, M., D. Z. Childs and R. P. Freckleton. 2012. Assessing the role of competition and stress: a critique of importance indices and the development of a new approach. *Journal of Ecology* 100: 577–585. [10]
- Reich, P. B. 2014. The world-wide ‘fast–slow’ plant economics spectrum: a traits manifesto. *Journal of Ecology* 102: 275–301. [7]
- Reich, P. B., I. J. Wright, J. Cavender-Bares, J. M. Craine, et al. 2003. The evolution of plant functional variation: traits, spectra, and strategies. *International Journal of Plant Science* 164: S143–S164. [10]
- Reich, P. B., M. G. Tjoelker, J.-L. Machado and J. Oleksyn. 2006. Universal scaling of respiratory metabolism, size and nitrogen in plants. *Nature* 439: 457–461. [10]
- Rejmánek, M. 1989. Invasibility of plant communities. In *Biological Invasions: A Global Perspective*, J. A. Drake et al. (eds.), pp. 369–388. John Wiley & Sons: New York. [14]
- Rejmánek, M. and D. M. Richardson. 1996. What attributes make some plant species more invasive? *Ecology* 77: 1655–1661. [14]

- Rendig, V. V. and H. M. Taylor. 1989. *Principles of Soil-Plant Interrelationships*. McGraw Hill: New York. [4]
- Rey Benayas, J. M. and S. M. Scheiner. 2002. Plant diversity, biogeography, and environment in Iberia: patterns and possible causal factors. *Journal of Vegetation Science* 13: 245–258. [19]
- Rey Benayas, J. M., S. M. Scheiner, M. Garcia Sánchez-Colomer and C. Levassor. 1999. Commonness and rarity: theory and application of a new model to Mediterranean montane grasslands. *Conservation Ecology* 3: 5. [14, 15]
- Reynolds, H. L., A. Packer, J. D. Bever and K. Clay. 2003. Grassroots ecology: plant–microbe–soil interactions as drivers of plant community structure and dynamics. *Ecology* 84: 2281–2291. [11]
- Rial, J. A. 1999. Pacemaking the Ice Ages by frequency modulation of Earth's orbital eccentricity. *Science* 285: 564–568. [16]
- Rice, E. L. 1974. *Allelopathy*. Academic Press: New York. [10]
- Richards, A. J. 1986. *Plant Breeding Systems*. Chapman and Hall: London. [6]
- Richards, C. L., O. Bossdorf, N. Z. Muth, J. Gurevitch, et al. 2006. Jack of all trades, master of some? On the role of phenotypic plasticity in plant invasions. *Ecological Letters* 9: 981–993. [9]
- Richards, M. B., R. M. Cowling and W. D. Stock. 1997. Soil factors and competition as determinants of the distribution of six fynbos Proteaceae species. *Oikos* 79: 394–406. [10]
- Ricketts, T. H., G. C. Daily, P. R. Ehrlich and C. D. Michener. 2004. Economic value of tropical forest to coffee production. *Proceedings of the National Academy of Sciences USA* 101: 12579–12582. [6]
- Ricketts, T. H., E. Dinerstein, T. Boucher, T. M. Brooks, et al. 2005. Pinpointing and preventing imminent extinctions. *Proceedings of the National Academy of Sciences USA* 102: 18497–18501. [19]
- Ricklefs, R. E. 2000. Rarity and diversity in Amazonian forest trees. *Trends in Ecology & Evolution* 15: 83–84. [14]
- Ricklefs, R. E. and D. Schluter (eds.). 1993. *Species Diversity in Ecological Communities*. University of Chicago Press: Chicago, IL. [14]
- Ricklefs, R. E., H. Qian and P. S. White. 2004. The region effect on mesoscale plant species richness between eastern Asia and eastern North America. *Ecography* 27: 129–136. [19]
- Rieseberg, L. H., O. Raymond, D. M. Rosenthal, Z. Lai, et al. 2003. Major ecological transitions in wild sunflowers facilitated by hybridization. *Science* 301: 1211–1216. [9]
- Rinaldi, A. C., O. Comandini and T. W. Kuyper. 2008. Ectomycorrhizal fungal diversity: separating the wheat from the chaff. *Fungal Diversity* 33: 1–45. [11]
- Risser, M. D. and M. F. Wehner. 2017. Attributable human-induced changes in the likelihood and magnitude of the observed extreme precipitation during Hurricane Harvey. *Geophysical Research Letters* 44: 12457–12464. [16]
- Robinson, D., A. Hodge, B. S. Griffiths and A. H. Fitter. 1999. Plant root proliferation in nitrogen-rich patches confers competitive advantage. *Proceedings of the Royal Society of London* 266B: 431–435. [10]

- Robinson, L., J. P. Newell and J. M. Marzluff. 2005. Twenty-five years of sprawl in the Seattle region: growth management responses and implications for conservation. *Landscape and Urban Planning* 71: 51–72. [15]
- Root, T. L., J. T. Price, K. R. Hall, S. H. Schneider, et al. 2003. Fingerprints of global warming on wild animals and plants. *Nature* 421: 57–60. [16]
- Rosas-Guerrero, V., R. Aguilar, S. Martén-Rodríguez, L. Ashworth, et al. 2014. A quantitative review of pollination syndromes: do floral traits predict effective pollinators? *Ecological Letters* 17: 388–400. [6]
- Rosenzweig, M. L. 1968. Net primary productivity of terrestrial communities: Prediction from climatological data. *American Naturalist* 102: 67–74. [5]
- Rosenzweig, M. L. 1971. Paradox of enrichment: destabilization of exploitation ecosystems in ecological time. *Science* 171: 385–387. [14]
- Rosenzweig, M. L. 1992. Species diversity gradients: we know more and less than we thought. *Journal of Mammalogy* 73: 715–730. [14, 19]
- Rosenzweig, M. L. 1995. *Species Diversity in Space and Time*. Cambridge University Press: Cambridge. [19]
- Rosenzweig, M. L. and Z. Abramsky. 1986. Centrifugal community organization. *Oikos* 46: 339–348. [10]
- Rosenzweig, M. L. and Z. Abramsky. 1993. How are diversity and productivity related? In *Species Diversity in Ecological Communities*, R. E. Ricklefs and D. Schluter (eds.), pp. 52–65. University of Chicago Press: Chicago, IL. [14]
- Rosenzweig, M. L. and M. V. Lomolino. 1997. Who gets the short bits of the broken stick? In *The Biology of Rarity. Causes and Consequences of Rare-Common Differences*, W. E. Kunin and K. J. Gaston (eds.), pp. 63–90. Chapman & Hall: London. [14]
- Rosindell, J., S. P. Hubbell, F. He, L. J. Harmon, et al. 2012. The case for ecological neutral theory. *Trends in Ecology and Evolution* 27: 203–208. [10]
- Ross, M. A. and J. L. Harper. 1972. Occupation of biological space during seedling establishment. *Journal of Ecology* 60: 77–88. [10]
- Rothstein, D. E. and D. R. Zak. 2001. Photosynthetic adaptation and acclimation to exploit seasonal periods of direct irradiance in three temperate, deciduous-forest herbs. *Functional Ecology* 15: 722–731. [2]
- Roubik, D. W. 2001. Ups and downs in pollinator populations. When is there a decline? *Conservation Ecology* 5: 2. [6]
- Roy, B. A. 1996. A plant pathogen influences pollinator behavior and may influence reproduction of nonhosts. *Ecology* 77: 2445–2457. [11]
- Ruddiman, W. F. and J. E. Kutzbach. 1989. Forcing of late Cenozoic northern hemisphere climates by plateau uplift in southeast Asia and the American southwest. *Journal of Geophysical Research* 94: 18409–18427. [17]
- Rumney, G. R. 1968. *Climatology and the World's Climates*. Macmillan: New York. [16]
- Runkle, J. R. 1985. Disturbance regimes in temperate forests. In *The Ecology of Natural Disturbance and Patch Dynamics*, S. T. A. Pickett and P. S. White (eds.), pp. 17–33. Academic Press: Orlando, FL. [13]
- Rustad, L., J. Campbell, G. Marion, R. Norby, et al. 2001. A meta-analysis of the response of soil respiration, net nitrogen mineralization, and aboveground plant growth to experimental ecosystem warming. *Oecologia* 126: 543–562. [16]

- Ryel, R., M. Caldwell, C. Yoder, D. Or, et al. 2002. Hydraulic redistribution in a stand of *Artemisia tridentata*: evaluation of benefits to transpiration assessed with a simulation model. *Oecologia* 130: 173–184. [3, 4]
- Ryel, R. J., M. M. Caldwell, A. J. Leffler and C. K. Yoder. 2003. Rapid soil moisture recharge to depth by roots in a stand of *Artemisia tridentata*. *Ecology* 84: 757–764. [3, 4]
- Ryan, C. M., M. Williams, J. Grace, E. Woollen, et al. 2017. Pre-rain green-up is ubiquitous across southern tropical Africa: implications for temporal niche separation and model representation. *New Phytology* 213: 625–633. [7]

S

- Sage, R. F. 2004. The evolution of C₄ photosynthesis. *New Phytology* 161: 341–370. [2]
- Sage, R. F. 2016. A portrait of the C₄ photosynthetic family on the 50th anniversary of its discovery: species number, evolutionary lineages, and Hall of Fame. *Journal of Experimental Botany* 68: e11–e28. [2]
- Sage, R. F. and R. K. Monson (eds.). 1998. *C₄ Plant Biology*. Academic Press: San Diego, CA. [2]
- Sage, R. F., T. L. Sage and F. Kocacinar. 2012. Photorespiration and the evolution of C₄ photosynthesis. *Annual Review of Plant Biology* 63: 19–47. [17]
- Saikkonen, K., S. H. Faeth, M. Helander and T. J. Sullivan. 1998. Fungal endophytes: a continuum of interactions with host plants. *Annual Review of Ecology and Systematics* 29: 319–343. [11]
- Sala, O. E., F. S. Chapin, III, J. J. Armesto, E. Berlow, et al. 2000. Global biodiversity scenarios for the year 2100. *Science* 287: 1770–1774. [15, 19]
- Salanti, E. and P. B. Vose. 1984. Amazon Basin - a system in equilibrium. *Science* 225: 129–138. [5]
- Sale, P. F. 1977. Maintenance of high diversity in coral reef fish communities. *American Naturalist* 111: 337–359. [10]
- Salguero-Gómez, R. 2017. Applications of the fast–slow continuum and reproductive strategy framework of plant life histories. *New Phytology* 213: 1618–1624. [7]
- Salguero-Gómez, R., O. R. Jones, C. R. Archer, Y. M. Buckley, et al. 2015. The compadre Plant Matrix Database: an open online repository for plant demography. *Journal of Ecology* 103: 202–218. [8, 15]
- Salguero-Gómez, R., O. R. Jones, E. Jongejans, S. P. Blomberg, et al. 2016. Fast–slow continuum and reproductive strategies structure plant life-history variation worldwide. *Proceedings of the National Academy of Sciences USA* 113: 230–235. [7]
- Salisbury, E. J. 1942. *The Reproductive Capacity of Plants*. G. Bell & Sons: London. [7]
- Salzman, A. 1985. Habitat selection in a clonal plant. *Science* 228: 603–604. [6]
- Sanders, H. L. 1968. Marine benthic diversity: A comparative study. *American Naturalist* 102: 243–282. [19]
- Sanderson, E. W., J. Malanding, M. A. Levy, K. H. Redford, et al. 2002. The Human Footprint and the Last of the Wild: The human footprint is a global map of human influence on the land surface, which suggests that human beings are stewards of nature, whether we like it or not. *BioScience* 52: 891–904. [19]

- Sankary, M. N. and M. G. Barbour. 1972. Autecology of *Atriplex polycarpa* from California. *Ecology* 53: 1155–1162. [3]
- Satake, A. and Y. O. H. Iwasa. 2000. Pollen coupling of forest trees: forming synchronized and periodic reproduction out of chaos. *Journal of Theoretical Biology* 203: 63–84. [7]
- Satake, A. and Y. Iwasa. 2002. Spatially limited pollen exchange and a long-range synchronization of trees. *Ecology* 83: 993–1005. [7]
- Sax, D. F. and S. D. Gaines. 2011. The equilibrium theory of island biogeography. In *The Theory of Ecology*, S. M. Scheiner and M. R. Willig (eds.), pp. 219–241. University of Chicago Press: Chicago, IL. [15]
- Sax, D. F., S. D. Gaines and J. H. Brown. 2002. Species invasions exceed extinctions on islands worldwide: a comparative study of plants and birds. *American Naturalist* 160: 766–783. [14]
- Schaal, B. A. 1980. Measurement of gene flow in *Lupinus texensis*. *Nature* 284: 450–451. [6]
- Schaffer, W. N. 1983. On the application of optimal control theory to the general life history problem. *American Naturalist* 121: 418–431. [7]
- Schaffer, W. M. and M. L. Rosenzweig. 1977. Selection for optimal life histories. II: multiple equilibria and the evolution of alternative reproductive strategies. *Ecology* 58: 60–72. [7]
- Schaffer, W. M. and M. V. Schaffer. 1979. The adaptive significance of variations in reproductive habit in the Agavaceae. II. pollinator foraging behavior and selection for increased reproductive expenditure. *Ecology* 60: 1051–1069. [7]
- Scheiner, S. M. 1988. The seed bank and above-ground vegetation in an upland pine-hardwood succession. *Great Lakes Botanist* 27: 99–106. [13]
- Scheiner, S. M. 1989. Variable selection along a successional gradient. *Evolution* 43: 548–562. [9]
- Scheiner, S. M. 1993. Genetics and evolution of phenotypic plasticity. *Annual Review of Ecology and Systematics* 24: 35–68. [9]
- Scheiner, S. M. 2003. Six types of species-area curves. *Global Ecology and Biogeography* 12: 441–447. [12]
- Scheiner, S. M. 2004. Experiments, observations, and other kinds of evidence. In *The Nature of Scientific Evidence*, M. L. Taper and S. R. Lele (eds.), pp. 51–71. University of Chicago Press: Chicago, IL. [12]
- Scheiner, S. M. 2019. A compilation of and typology for abundance-, phylogenetic- and functional-based diversity metrics. Published online Feb. 8, 2019, <https://doi.org/10.1101/530782>. [12]
- Scheiner, S. M. and C. A. Istock. 1994. Species enrichment in a transitional landscape, northern lower Michigan. *Canadian Journal of Botany* 72: 217–226. [19]
- Scheiner, S. M. and J. M. Rey-Benayas. 1994. Global patterns of plant diversity. *Evolutionary Ecology* 8: 331–347. [14, 15, 19]
- Scheiner, S. M. and J. Gurevitch. 2001. *Design and Analysis of Ecological Experiments*. Oxford University Press: New York. [1, 12]
- Scheiner, S. M. and S. Jones. 2002. Diversity, productivity, and scale in Wisconsin vegetation. *Evolutionary Ecology Research* 4: 1097–1117. [19]
- Scheiner, S. M. and M. R. Willig. 2005. Developing unified theories in ecology as exemplified with diversity gradients. *American Naturalist* 166: 458–469. [19]

- Scheiner, S. M. and M. R. Willig. 2011a. A general theory of ecology. In *The Theory of Ecology*, S. M. Scheiner and M. R. Willig (eds.), pp. 3–19. University of Chicago Press: Chicago. [1, 19]
- Scheiner, S. M. and M. R. Willig. 2011b. *The Theory of Ecology*. University of Chicago Press: Chicago, IL. [1]
- Scheiner, S. M., S. B. Cox, M. R. Willig, G. G. Mittelbach, et al. 2000. Species richness, species-area curves, and Simpson's paradox. *Evolutionary Ecology Research* 2: 791–802. [15]
- Scheiner, S. M., A. Chiarucci, G. A. Fox, M. R. Helmus, et al. 2011. The underpinnings of the relationship of species richness with space and time. *Ecological Monographs* 81: 195–213. [12]
- Schemske, D. W. and C. Horvitz. 1984. Variation among floral visitors in pollination ability: a precondition for mutualism specialization. *Science* 225: 519–521. [6]
- Schemske, D. W. and C. C. Horvitz. 1988. Plant-animal interactions and fruit production in a neotropical herb: A path analysis. *Ecology* 69: 1128–1137. [6]
- Schemske, D. W. and H. D. Bradshaw. 1999. Pollinator preference and the evolution of floral traits in monkeyflowers (*Mimulus*). *Proceedings of the National Academy of Sciences USA* 96: 11910–11915. [6]
- Schimel, D. S., Vemap Participants and B. H. Braswell. 1997. Continental scale variability in ecosystem processes: models, data, and the role of disturbance. *Ecological Monographs* 67: 251–271. [16]
- Schindler, D. E., M. D. Scheuerell, J. W. Moore, S. M. Gende, et al. 2003. Pacific salmon and the ecology of coastal ecosystems. *Frontiers in Ecology and the Environment* 1: 31–37. [5]
- Schlesinger, W. H. 1977. Carbon balance in terrestrial detritus. *Annual Review of Ecology and Systematics* 8: 51–81. [5]
- Schlesinger, W. H. 1982. Carbon storage in the caliche of arid soils: a case study from Arizona. *Soil Science* 133: 247–255. [4]
- Schlesinger, W. H. 1997. *Biogeochemistry: An Analysis of Global Change*. Academic Press: New York. [5, 16]
- Schlesinger, W. H., J. T. Cray and F. S. Gilliam. 1982. Atmospheric deposition processes and their importance as sources of nutrients in a chaparral ecosystem of southern California. *Water Resources Research* 18: 623–629. [5]
- Schlesinger, W. H., J. G. Reynolds, G. L. Cunningham, L. F. Huenneke, et al. 1990. Biological feedbacks in global desertification. *Science* 247: 1043–1048. [4, 5]
- Schlesinger, W. H., J. Belnap and G. Marion. 2009. On carbon sequestration in desert ecosystems. *Global Change Biology* 15: 1488–1490. [4]
- Schlichting, C. D. 1986. The evolution of phenotypic plasticity in plants. *Annual Review of Ecology and Systematics* 17: 667–693. [9]
- Schluter, D. and R. E. Ricklefs. 1993. Convergence and the regional component of species diversity. In *Species Diversity in Ecological Communities*, R. E. Ricklefs and D. Schluter (eds.), pp. 230–240. University of Chicago Press: Chicago, IL. [19]
- Schmalzel, R. J., F. W. Reichenbacher and S. Rutman. 1995. Demographic study of the rare *Coryphantha robbinsorum* (Cactaceae) in southeastern Arizona. *Madrono* 42: 332–348. [8]

- Schmitt, J. 1993. Reaction norms of morphological and life-history traits to light availability in *Impatiens capensis*. *Evolution* 47: 1654–1668. [9]
- Schmitt, S. F. and R. J. Whittaker. 1996. Disturbance and succession on the Krakatau Islands, Indonesia. In *Dynamics of Tropical Communities*, D. M. Newbery et al. (eds.), pp. 515–548. Blackwell Press: Oxford. [13]
- Schnitzer, S. A. and W. P. Carson. 2001. Treefall gaps and the maintenance of species diversity in a tropical forest. *Ecology* 82: 913–919. [14]
- Schnitzler, A., B. W. Hale and E. Alsum. 2005. Biodiversity of floodplain forests in Europe and eastern North America: a comparative study of the Rhine and Mississippi Valleys. *Biodiversity and Conservation* 14: 97. [19]
- Scholander, P. F., E. D. Bradstreet, E. A. Hemmingsen and H. T. Hammel. 1965. Sap pressure in vascular plants. *Science* 148: 339–346. [3]
- Schwartz, M. W. and D. Simberloff. 2001. Taxon size predicts rates of rarity in vascular plants. *Ecological Letters* 4: 464–469. [14]
- Schwinning, S. and G. A. Fox. 1995. Competitive symmetry and its consequences for plant population dynamics. *Oikos* 72: 422–432. [10]
- Schwinning, S. and J. Weiner. 1998. Mechanisms determining the degree of size asymmetry in competition among plants. *Oecologia* 113: 447–455. [8, 10]
- Schwinning, S. and J. R. Ehleringer. 2001. Water-use tradeoffs and optimal adaptations to pulse-driven arid ecosystems. *Journal of Ecology* 89: 464–480. [18]
- Scott, D. B., J. Frail-Gauthier and P. J. Mudie. 2014. *Coastal Wetlands of the World: Geology, Ecology, Distribution and Applications*. Cambridge University Press: Cambridge. [5]
- Scott, L. 2002. Grassland development under glacial and interglacial conditions in southern Africa: review of pollen, phytolith and isotope evidence. *Palaeogeography Palaeoclimatology Palaeoecology* 177: 47–57. [17]
- Scowcroft, P. G. and J. Jeffrey. 1999. Potential significance of frost, topographic relief, and *Acacia koa* stands to restoration of mesic Hawaiian forests on abandoned rangeland. *Forest Ecology and Management* 114: 447–458. [10]
- Searles, P. S., S. D. Flint and M. M. Caldwell. 2001. A meta analysis of plant field studies simulating stratospheric ozone depletion. *Oecologia* 127: 1–10. [2]
- Selosse, M. A. and F. Le Tacon. 1998. The land flora: a phototroph-fungus partnership? *Trends in Ecology & Evolution* 13: 15–20. [11]
- Sessions, L. and D. Kelly. 2002. Predator-mediated apparent competition between an introduced grass, *Agrostis capillaris*, and a native fern, *Botrychium australe* (Ophioglossaceae), in New Zealand. *Oikos* 96: 102–109. [11]
- Sharkey, T. D. and S. E. Weise. 2015. The glucose 6-phosphate shunt around the Calvin–Benson cycle. *Journal of Experimental Botany* 67: 4067–4077. [2]
- Shipley, B. 2000. *Cause and Correlation in Biology*. Cambridge University Press: Cambridge. [1]
- Shipley, B. and P. A. Keddy. 1994. Evaluating the evidence for competitive hierarchies in plant communities. *Oikos* 69: 340–345. [10]
- Shmida, A. and S. Ellner. 1984. Coexistence of plant species with similar niches. *Vegetatio* 58: 29–55. [10]

- Shmida, A. and M. V. Wilson. 1985. Biological determinants of species diversity. *Journal of Biogeography* 12: 1–20. [19]
- Shreve, E. B. 1923. Seasonal changes in the water relations of desert plants. *Ecology* 4: 266–292. [3]
- Shreve, F. 1911. Establishment behavior of the palo verde. *Plant World* 14: 289–296. [3]
- Shreve, F. 1917. The establishment of desert perennials. *Journal of Ecology* 5: 210–216. [3]
- Shukla, J., C. Nobre and P. Sellers. 1990. Amazon deforestation and climate change. *Science* 247: 1322–1325. [5]
- Shurin, J. B. 2007. How is diversity related to species turnover through time? *Oikos* 116: 957–965. [12]
- Shurin, J. B. and E. G. Allen. 2001. Effects of competition, predation, and dispersal on species richness at local and regional scales. *American Naturalist* 158: 624–637. [19]
- Siegert, M. J., J. A. Dowdeswell, J.-I. Svendsen and A. Elverhoi. 2002. The Eurasian Arctic during the last ice age. *American Scientist* 90: 32–39. [17]
- Silva, J., J. Raventos and H. Caswell. 1990. Fire and fire exclusion effects on the growth and survival of two savanna grasses. *Acta Oecologica* 11: 783–800. [8]
- Silva, J. F., J. Raventos, H. Caswell and M. C. Trevisan. 1991. Population responses to fire in a tropical savanna grass, *Andropogon semiberbis*: a matrix model approach. *Journal of Ecology* 79: 345–355. [8]
- Silva, J. L. A., A. F. Souza, J. G. Jardim and B. T. Goto. 2015. Community assembly in harsh environments: the prevalence of ecological drift in the heath vegetation of South America. *Ecosphere* 6: 1–18. [15]
- Silvertown, J. 1987. *Introduction to Plant Population Ecology*. Longman: Harlow. [7]
- Silvertown, J. W. and J. Lovett Doust. 1993. *Introduction to Plant Population Biology*. Blackwell Scientific Publications: Oxford. [10]
- Simard, S. W. and D. M. Durall. 2004. Mycorrhizal networks: a review of their extent, function, and importance. *Canadian Journal of Botany* 82: 1140–1165. [10]
- Simberloff, D. and P. Stiling. 1996. How risky is biological control? *Ecology* 77: 1965–1974. [11]
- Simms, E. L. 1990. Examining selection on the multivariate phenotype: plant resistance to herbivores. *Evolution* 44: 1177–1188. [9]
- Simpson, D. A. 1984. A short history of the introduction and spread of *Elodea Michx.* in the British Isles. *Watsonia* 15: 1–9. [6]
- Skog, J. E. 2001. Biogeography of Mesozoic leptosporangiate ferns related to extant ferns. *Brittonia* 53: 236–269. [17]
- Skole, D. and C. Tucker. 1993. Tropical deforestation and habitat fragmentation in the Amazon-satellite data from 1978 to 1988. *Science* 260: 1905–1910. [15]
- Slade, A. J. and M. J. Hutchings. 1987. The effects of nutrient availability on foraging in the clonal herb *Glechoma hederacea*. *Journal of Ecology* 75: 95–112. [6]

- Slik, J. W. F., J. Franklin, V. Arroyo-Rodríguez, R. Field, et al. 2018. Phylogenetic classification of the world's tropical forests. *Proceedings of the National Academy of Sciences USA* 115: 1837–1842. [18]
- Slobodkin, L. C., F. E. Smith and N. G. Hairston. 1967. Regulation in terrestrial ecosystems, and the implied balance of nature. *American Naturalist* 101: 109–124. [11]
- Smallwood, P. D., M. A. Steele and S. H. Faeth. 2001. The ultimate basis of the caching preferences of rodents, and the oak-dispersal syndrome: tannins, insects, and seed germination. *American Zoologist* 41: 840–851. [11]
- Smeck, N. E. 1985. Phosphorus dynamics in soils and landscapes. *Geoderma* 36: 185–199. [5]
- Smilanich, A. M., R. M. Fincher and L. A. Dyer. 2016. Does plant apparency matter? Thirty years of data provide limited support but reveal clear patterns of the effects of plant chemistry on herbivores. *New Phytologist* 210: 1044–1057. [11]
- Smith, C. and S. D. Fretwell. 1974. The optimal balance between size and number of offspring. *American Naturalist* 108: 499–506. [7]
- Smith, C. C., J. L. Hamrick and C. L. Kramer. 1990. The advantage of mast years for wind pollination. *American Naturalist* 136: 154–166. [7]
- Smith, G. P., J. L. Bronstein and D. R. Papaj. 2019. Sex differences in pollinator behavior: patterns across species and consequences for the mutualism. *Journal of Animal Ecology* 88: 971–985. [6]
- Smith, M. D. and A. K. Knapp. 1999. Exotic plant species in a C₄-dominated grassland: invasibility, disturbance and community structure. *Oecologia* 120: 605–612. [14]
- Smith, R. S., R. S. Shiel, R. D. Bardgett, D. Millward, et al. 2003. Soil microbial community, fertility, vegetation and diversity as targets in the restoration management of a meadow grassland. *Journal of Applied Ecology* 40: 51–64. [13]
- Smouse, P. E. and V. L. Sork. 2004. Measuring pollen flow in forest trees: an exposition of alternative approaches. *Forest Ecology and Management* 197: 21–38. [6]
- Sneath, P. H. A. and R. R. Sokal. 1973. *Numerical Taxonomy*. W. H. Freeman: San Francisco, CA. [12]
- Soininen, J. 2010. Species turnover along abiotic and biotic gradients: patterns in space equal patterns in time? *Bioscience* 60: 433–439. [12]
- Sokol, N. W., J. Sanderman and M. A. Bradford. 2019. Pathways of mineral-associated soil organic matter formation: integrating the role of plant carbon source, chemistry, and point of entry. *Global Change Biology* 25: 12–24. [5]
- Sokal, R. R. and F. J. Rohlf. 1995. *Biometry*. W. H. Freeman: New York. [12]
- Soliveres, S., F. T. Maestre, W. Ulrich, P. Manning, et al. 2015. Intransitive competition is widespread in plant communities and maintains their species richness. *Ecological Letters* 18: 790–798. [10]
- Sork, V. L., F. W. Davis, P. E. Smouse, V. J. Apsit, et al. 2002. Pollen movement in declining populations of California Valley oak, *Quercus lobata*: where have all the fathers gone? *Molecular Ecology* 11: 1657–1668. [6]
- Sorte, C. J. B., I. Ibáñez, D. M. Blumenthal, N. A. Molinari, et al. 2013. Poised to prosper? A cross-system comparison of climate change effects on

- native and non-native species performance. *Ecological Letters* 16: 261–270. [16]
- Spigler, R. B. and T.-L. Ashman. 2011. Gynodioecy to dioecy: are we there yet? *Annals of Botany* 109: 531–543. [6]
- Spasojevic, M. J., S. Copeland and K. N. Suding. 2014. Using functional diversity patterns to explore metacommunity dynamics: a framework for understanding local and regional influences on community structure. *Ecography* 37: 939–949. [15]
- Srivastava, D. S. and J. H. Lawton. 1998. Why more productive sites have more species: an experimental test of theory using tree-hole communities. *American Naturalist* 152: 510–529. [19]
- Stanton, M. L. and C. Galen. 1997. Life on the edge: adaptation versus environmentally mediated gene flow in the snow buttercup, *Ranunculus adoneus*. *American Naturalist* 150: 143–178. [7]
- Starrfelt, J. and H. Kokko. 2012. Bet-hedging—a triple trade-off between means, variances and correlations. *Biological Reviews* 87: 742–755. [7]
- Staude, I. R., E. Vélez-Martin, B. O. Andrade, L. R. Podgaiski, et al. 2018. Local biodiversity erosion in south Brazilian grasslands under moderate levels of landscape habitat loss. *Journal of Applied Ecology* 55: 1241–1251. [19]
- Stearns, S. C. 1983. The influence of size and phylogeny on patterns of covariation among life-history traits in the mammals. *Oikos* 41: 173–187. [7]
- Steenbergh, W. F. and C. H. Lowe. 1976a. *Ecology of the Saguaro: 1. The Role of Freezing Weather in a Warm Desert Population*. United States Department of the Interior, Research in the Parks. *Symposium Series* 1: 49–92. [3]
- Steenbergh, W. F. and C. H. Lowe. 1976b. *Ecology of the Saguaro: 3. Growth and Demography*. United States Department of the Interior, National Park Service Scientific Monograph Series 17, Washington, DC. [3]
- Steele, M. A., P. D. Smallwood, A. Spunar and E. Nelsen. 2001. The proximate basis of the oak dispersal syndrome: Detection of seed dormancy by rodents. *American Zoologist* 41: 852–864. [11]
- Stephenson, A. G. and J. A. Winsor. 1986. *Lotus corniculatus* regulates offspring quality through selective fruit abortion. *Evolution* 40: 453–458. [6]
- Sternberg, M., S. L. Yu and P. Bar. 2004. Soil seed banks, habitat heterogeneity, and regeneration strategies in a Mediterranean coastal sand dune. *Israel Journal of Plant Science* 52: 213–221. [10]
- Sterner, R. W. and J. J. Elser. 2002. *Ecological Stoichiometry*. Princeton University Press: Princeton, NJ. [4]
- Steven, J. C. and D. M. Waller. 2004. Reproductive alternatives to insect pollination in four species of *Thalictrum* (Ranunculaceae). *Plant Species Biology* 19: 73–80. [6]
- Stevens, M. H. H. and W. P. Carson. 1999. Plant density determines species richness along an experimental fertility gradient. *Ecology* 80: 455–465. [14]
- Stewart, C. N., M. D. Halfhill and S. I. Warwick. 2003. Transgene introgression from genetically modified crops to their wild relatives. *Nature Reviews Genetics* 4: 806–817. [6]

- Stiling, P., A. M. Rossi, B. Hungate, P. Dijkstra, et al. 1999. Decreased leaf-miner abundance in elevated CO₂: reduced leaf quality and increased parasitoid attack. *Ecological Applications* 9: 240–244. [11]
- Still, C. J., J. A. Berry, G. J. Collatz and R. S. DeFries. 2003. Global distribution of C₃ and C₄ vegetation: carbon cycle implications. *Global Biogeochemical Cycles* 17: 6–1–6–14. [2]
- St. Louis, E., M. Stastny and R. D. Sargent. 2020. The impacts of biological control on the performance of *Lythrum salicaria* 20 years post-release. *Biological Control* 140: 104123. [11]
- Stohlgren, T. J., D. Binkley, G. W. Chong, M. A. Kalkhan, et al. 1999. Exotic plant species invade hot spots of native plant diversity. *Ecological Monographs* 69: 25–46. [14]
- Stoll, C., L. Klaaßen and U. Gellersörfer. 2019. The carbon footprint of bitcoin. *Joule* 3(7): 1647–1661. <https://doi.org/10.1016/j.joule.2019.05.012>. [16]
- Storch, D., E. Bohdalková and J. Okie. 2018. The more-individuals hypothesis revisited: the role of community abundance in species richness regulation and the productivity–diversity relationship. *Ecological Letters* 21: 920–937. [14]
- Stowe, L. G. 1979. Allelopathy and its influence on the distribution of plants in an Illinois old-field. *Journal of Ecology* 67: 1065–1085. [10]
- Stowe, L. G. and M. J. Wade. 1979. The detection of small-scale patterns in vegetation. *Journal of Ecology* 67: 1047–1064. [10]
- Strauss, S. Y. 1997. Floral characters link herbivores, pollinators, and plant fitness. *Ecology* 78: 1640–1645. [11]
- Strauss, S. Y., D. H. Siemsen, M. B. Decher and T. Mitchell-Olds. 1999. Ecological costs of plant resistance to herbivores in the currency of pollination. *Evolution* 53: 1105–1113. [6]
- Strauss, S. Y., R. E. Irwin and V. M. Lambrix. 2004. Optimal defence theory and flower petal colour predict variation in the secondary chemistry of wild radish. *Journal of Ecology* 92: 132–141. [6]
- Strömberg, C. A. E. 2011. Evolution of grasses and grassland ecosystems. *Annual Review of Earth and Planetary Sciences* 39: 517–544. [2]
- Strong, D. R., J. H. Lawton and R. Southwood (eds.). 1984. *Insects on Plants: Community Patterns and Mechanisms*. Harvard University Press: Cambridge, MA. [11]
- Strong, D. R., J. L. Maron, P. G. Connors, A. Whipple, et al. 1995. High mortality, fluctuation in numbers, and heavy subterranean insect herbivory in bush lupine, *Lupinus arboreus*. *Oecologia* 104: 85–92. [11]
- Strong, D. R., H. K. Kaya, A. V. Whipple, A. L. Child, et al. 1996. Entomopathogenic nematodes: Natural enemies of root-feeding caterpillars on bush lupine. *Oecologia* 108: 167–173. [11]
- Stroud, J. T., M. R. Bush, M. C. Ladd, R. J. Nowicki, et al. 2015. Is a community still a community? Reviewing definitions of key terms in community ecology. *Ecology and Evolution* 5: 4757–4765. [12]
- Strullu-Derrien, C., M.-A. Selosse, P. Kenrick and F. M. Martin. 2018. The origin and evolution of mycorrhizal symbioses: from palaeomycology to phylogenomics. *New Phytology* 220: 1012–1030. [11]
- Stuart, K. 1984. My friend, the soil. A conversation with Hans Jenny. *Journal of Soil Water Conservation* 39: 158–161. [4]

- Suding, K. N., K. D. LeJeune and T. R. Seastedt. 2004. Competitive impacts and responses of an invasive weed: dependencies on nitrogen and phosphorus availability. *Oecologia* 141: 526–535. [10]
- Sultan, S. E. 1987. Evolutionary implications of phenotypic plasticity in plants. *Evolutionary Biology* 21: 127–178. [9]
- Sultan, S. E. 2015. Organism and Environment: Ecological Development, Niche Construction, and Adaptation. Oxford University Press: New York. [9]
- Sumption, K. J. and J. R. Flowerdew. 1985. The ecological effects of the decline in rabbits (*Oryctolagus cuniculus* L.) due to myxomatosis. *Mammal Review* 15: 151–186. [11]
- Sussmilch, F. C., T. J. Brodrigg and S. A. M. McAdam. 2017. What are the evolutionary origins of stomatal responses to abscisic acid in land plants? *Journal of Integrated Plant Biology* 59: 240–260. [3]
- Swetnam, T. W., C. D. Allen and J. L. Betancourt. 1999. Applied historical ecology: using the past to manage for the future. *Ecological Applications* 9: 1189–1206. [17]
- Sykes, L., L. Santini, A. Etard and T. Newbold. 2020. Effects of rarity form on species' responses to land use. *Conservation Biology*, in press. doi: 10.1111/cobi.13419. [14]
- Symstad, A. 2000. A test of the effects of functional group richness and composition on grassland invasibility. *Ecology* 81: 99–109. [14]

T

- Taiz, L. and E. Zeiger. 1998. *Plant Physiology*, 4th ed. Oxford University Press/Sinauer: Sunderland, MA. [2, 5]
- Takenaka, A., K. Takahashi and T. Kohyama. 2001. Optimal leaf display and biomass partitioning for efficient light capture in an understory palm, *Licuala arbuscula*. *Functional Ecology* 15: 660–668. [2]
- Tansley, A. G. 1917. On competition between *Galium saxatile* L. (*G. hercynicum* Weig.) and *Galium sylvestre* Poll. (*G. asperum* Schreb.) on different types of soil. *Journal of Ecology* 5: 173–179. [10]
- Tansley, A. G. 1935. The use and abuse of vegetational concepts and terms. *Ecology* 16: 284–307. [5]
- Tansley, A. G. and R. S. Adamson. 1925. Studies of the vegetation of the English chalk. *Journal of Ecology* 13: 177–223. [11]
- Tedersoo, L., M. Bahram and M. Zobel. 2020. How mycorrhizal associations drive plant population and community biology. *Science* 367: 1223. [10]
- Teeri, J. A. 1969. The phytogeography of subalpine black spruce in New England. *Rhodora* 71: 1–6. [18]
- Teeri, J. A. and L. G. Stowe. 1976. Climatic patterns and the distribution of C_4 grasses in North America. *Oecologia* 23: 1–12. [2]
- Telewski, F. W. and J. A. D. Zeevaart. 2002. The 120-yr period for Dr. Beal's seed viability experiment. *American Journal of Botany* 89: 1285–1288. [6]
- Terborgh, J. 1973. On the notion of favorableness in plant ecology. *American Naturalist* 107: 481–501. [19]
- Terborgh, J., R. B. Foster and P. Nuñez V. 1996. Tropical tree communities: a test of the nonequilibrium hypothesis. *Ecology* 77: 561–567. [13]

- ter Braak, C. T. F. 1986. Canonical correspondence analysis: a new eigenvector technique for multivariate direct gradient analysis. *Ecology* 67: 1167–1179. [12]
- ter Steege, H., T. W. Henkel, N. Helal, B. S. Marimon, et al. 2019. Rarity of monodominance in hyperdiverse Amazonian forests. *Scientific Reports* 9: 13822. [14]
- Theodose, T. A. and W. D. Bowman. 1997. The influence of interspecific competition on the distribution of an alpine graminoid: evidence for the importance of plant competition in an extreme environment. *Oikos* 79: 101–114. [10]
- Thomas, A. S. 1960. Changes in vegetation since the advent of myxomatosis. *Journal of Ecology* 48: 287–306. [11]
- Thomas, A. S. 1963. Further changes in vegetation since the advent of myxomatosis. *Journal of Ecology* 51: 177–183. [11]
- Thompson, D. Q., R. L. Stuckey and E. B. Thompson. 1987. *Spread, impact, and control of purple loosestrife (Lythrum salicaria) in North American wetlands*. U.S. Fish and Wildlife Service: Washington, DC. [14]
- Thompson, K. E. N., J. A. Parkinson, S. R. Band and R. E. Spencer. 1997. A comparative study of leaf nutrient concentrations in a regional herbaceous flora. *New Phytology* 136: 679–689. [4]
- Thomson, J. D. 2019. Progressive deterioration of pollination service detected in a 17-year study vanishes in a 26-year study. *New Phytology* 224: 1151–1159. [6]
- Thrall, P. H. and J. Antonovics. 1995. Theoretical and empirical studies of metapopulations: population and genetic dynamics of the *Silene-Ustilago* system. *Canadian Journal of Botany* 73: 1249–1258. [11]
- Tilman, D. 1980. Resources: A graphical-mechanistic approach to competition and predation. *American Naturalist* 116: 362–393. [10]
- Tilman, D. 1982. *Resource Competition and Community Structure*. Princeton University Press: Princeton, NJ. [10, 14, 19]
- Tilman, D. 1985. The resource-ratio hypothesis of plant succession. *American Naturalist* 125: 827–852. [10]
- Tilman, D. 1987. Secondary succession and the pattern of plant dominance along experimental nitrogen gradients. *Ecological Monographs* 57: 189–214. [10]
- Tilman, D. 1988. *Plant Strategies and the Dynamics and Structure of Plant Communities*. Princeton University Press: Princeton, NJ. [10]
- Tilman, D. 1996. Biodiversity: population versus ecosystem stability. *Ecology* 77: 350–363. [14]
- Tilman, D. 1997. Distinguishing between the effects of species diversity and species composition. *Oikos* 80: 185. [14]
- Tilman, D. 1999. Ecological consequences of biodiversity: a search for general principles. *Ecology* 80: 1455–1474. [14]
- Tilman, D. and S. Pacala. 1993. The maintenance of species richness in plant communities. In *Species Diversity in Ecological Communities*, R. E. Ricklefs and D. Schluter (eds.), pp. 13–25. University of Chicago Press: Chicago, IL. [14]
- Tilman, D. and J. A. Downing. 1994. Biodiversity and stability in grasslands. *Nature* 367: 363–365. [14]

- Tilman, D., J. Knops, D. Wedin, P. Reich, et al. 1997. The influence of functional diversity and composition on ecosystem processes. *Science* 277: 1300–1302. [14]
- Tjørve, E. 2009. Shapes and functions of species-area curves (II): a review of new models and parameterizations. *Journal of Biogeography* 36: 1435–1445. [12]
- Tobias, C. and S. C. Neubauer. 2019. Salt marsh biogeochemistry—an overview. In *Coastal Wetlands*, G. M. E. Perillo et al. (eds.), pp. 539–596. Elsevier: Amsterdam. [5]
- Tonsor, S. J. 1985. Intrapopulational variation in pollen-mediated gene flow in *Plantago lanceolata* L. *Evolution* 39: 775–782. [6]
- Tredennick, A. T., M. B. Hooten and P. B. Adler. 2017. Do we need demographic data to forecast plant population dynamics? *Methods Ecology and Evolution* 8: 541–551. [8]
- Trewavas, A. J. and C. J. Leaver. 2001. Is opposition to GM crops science or politics? An investigation into the arguments that GM crops pose a particular threat to the environment. *EMBO Reports* 2: 455–459. [6]
- Triantis, K. A., F. Guilhaumon, and R. J. Whittaker. 2012. The island species–area relationship: biology and statistics. *Journal of Biogeography* 39: 215–231. [12]
- Trisos, C. H., G. Amatulli, J. Gurevitch, A. Robock, et al. 2018. Potentially dangerous consequences for biodiversity of solar geoengineering implementation and termination. *Nature Ecology and Evolution* 2: 475–482. [16]
- Tuck, S. L., J. Porter, M. Rees and L. A. Turnbull. 2018. Strong responses from weakly interacting species. *Ecological Letters* 21: 1845–1852. [10]
- Tucker, C. M., M. W. Cadotte, S. B. Carvalho, T. J. Davies, et al. 2017. A guide to phylogenetic metrics for conservation, community ecology and macroecology. *Biological Reviews* 92: 698–715. [12]
- Tuljapurkar, S. 1990. *Population Dynamics in Variable Environments*. Springer Verlag: New York. [8]
- Turelli, M. 1978. Does environmental variability limit niche overlap? *Proceedings of the National Academy of Sciences USA* 75: 5085–5089. [10]
- Turesson, G. 1922. The species and the variety as ecological units. *Hereditas* 3: 100–113. [9]
- Turner, M. G. 2005. Landscape ecology in North America: past, present, and future. *Ecology* 86: 1967–1974. [15]
- Turner, M. G. and R. H. Gardner, eds. 1991. *Quantitative Methods in Landscape Ecology*. Springer-Verlag: New York. [15]
- Turner, M. G., V. H. Dale and E. H. Everham. 1997. Fires, hurricanes, and volcanoes: comparing large disturbances. *Bioscience* 47: 758–768. [13]
- Turner, R. M. 1990. Long-term vegetation changes at a fully protected Sonoran Desert site. *Ecology* 71: 464–477. [8]
- Turner, R. M., R. J. Webb, J. E. Bowers and J. R. Hastings. 2003. *The Changing Mile Revisited*. University of Arizona Press: Tucson, AZ. [8]
- Tuomisto, H. 2010a. A diversity of beta diversities: straightening up a concept gone awry. Part 1. Defining beta diversity as a function of alpha and gamma diversity. *Ecography* 33: 2–22. [12]

- Tuomisto, H. 2010b. A diversity of beta diversities: straightening up a concept gone awry. Part 2. quantifying beta diversity and related phenomena. *Ecography* 33: 23–45. [12]
- Tyukavina, A., A. Baccini, M. C. Hansen, P. V. Potapov, et al. 2015. Aboveground carbon loss in natural and managed tropical forests from 2000 to 2012. *Environmental Research Letters* 10: 074002. [16]

U

- Uesaka, S. and S. Tsuyuzaki. 2005. Differential establishment and survival of species in deciduous and evergreen shrub patches and on bare ground, Mt. Koma, Hokkaido, Japan. *Plant Ecology* 175: 165–177. [10]
- Urban, D. L. 2005. Modeling ecological processes across scales. *Ecology* 86: 1996–2006. [15]
- U.S. Department of Agriculture. 1941. *Climate and Man. Agricultural Yearbook*. U.S. Department of Agriculture: Washington, DC. [16]

V

- Vajda, V., J. I. Raine and C. J. Hollis. 2001. Indication of global deforestation at the Cretaceous-Tertiary boundary by New Zealand fern spike. *Science* 294: 1700–2351. [17]
- Vallejo-Marín, M. 2019. Buzz pollination: studying bee vibrations on flowers. *New Phytology* 224: 1068–1074. [6]
- Valone, T. J., M. Meyer, J. H. Brown and R. M. Chew. 2002. Timescale of perennial grass recovery in desertified arid grasslands following livestock removal. *Conservation Biology* 16: 995–1002. [13]
- Valverde, J., F. Perfectti and J. M. Gómez. 2019. Pollination effectiveness in a generalist plant: adding the genetic component. *New Phytology* 223: 354–365. [6]
- van der Maarel, E. and M. T. Sykes. 1993. Small-scale plant species turnover in a limestone grassland: the carousel model and some comments on the niche concept. *Journal of Vegetation Science* 4: 179–188. [10]
- Vandermeer, J. H. 1969. The competitive structure of communities: an experimental approach with protozoa. *Ecology* 50: 362–371. [10]
- VanderMeulen, M. A., A. J. Hudson and S. M. Scheiner. 2001. Three evolutionary hypotheses for the hump-shaped productivity-diversity curve. *Evolutionary Ecology Research* 3: 379–392. [19]
- van der Ploeg, R. R., W. Böhm and M. B. Kirkham. 1999. On the origin of the theory of mineral nutrients of plants and the Law of the Minimum. *Soil Science Society of America Journal* 63: 1055–1062. [19]
- VanderPutten, W. H. and B. A. M. Peters. 1997. How soil-borne pathogens may affect plant competition. *Ecology* 78:1785–1795. [11]
- Van Dijk, H. and B. Desplanque. 1999. European *Beta*: crops and their wild and weedy relatives. In *Plant Evolution in Man-Made Habitats*, L. W. D. van Raamsdonk and J. C. M. Den Nijs (eds.), pp. 257–270. Hugo de Vries Laboratory: Amsterdam. [7]
- Van Dijk, H., P. Boudry, H. McCombre and P. Vernet. 1997. Flowering time in wild beet (*Beta vulgaris* ssp. *maritima*) along a latitudinal cline. *Acta Oecologica* 18: 47–60. [7]

- van Groenendael, J., H. de Kroon, S. Kalisz and S. Tuljapurkar. 1994. Loop analysis: evaluating life history pathways in population projection matrices. *Ecology* 75: 2410–2415. [8]
- van Kleunen, M. and M. Fischer. 2001. Adaptive evolution of plastic foraging responses in a clonal plant. *Ecology* 82: 3309–3319. [6]
- Van Noordwijk, A. J. and G. De Jong. 1986. Acquisition and allocation of resources: their influence on variation in life history tactics. *American Naturalist* 128: 137–142. [7]
- van Santen, M. and H. P. Linder. 2020. The assembly of the Cape flora is consistent with an edaphic rather than climatic filter. *Molecular Phylogenetics and Evolution* 142: 106645. [19]
- Vasek, F. 1980. Creosote bush: long-lived clones in the Mojave Desert. *American Journal of Botany* 67: 246–255. [7]
- Veblen, T. T. and D. H. Ashton. 1978. Catastrophic influence on the vegetation of the Valdivian Andes, Chile. *Vegetatio* 36: 149–167. [13]
- Vellend, M. 2010. Conceptual synthesis in community ecology. *Quarterly Review of Biology* 85: 183–206. [19]
- Vellend, M., L. Baeten, A. Becker-Scarpitta, V. Boucher-Lalonde, et al. 2017. Plant biodiversity change across scales during the Anthropocene. *Annual Review of Plant Biology* 68: 563–586. [19]
- Venable, D. L. 1985. The evolutionary ecology of seed heteromorphism. *American Naturalist* 126: 577–595. [7]
- Venable, D. L. 2007. Bet hedging in a guild of desert annuals. *Ecology* 88: 1086–1090. [7]
- Venable, D. L. and L. Lawlor. 1980. Delayed germination and dispersal in desert annuals - escape in space and time. *Oecologia* 46: 272. [7]
- Venable, D. L. and C. Pake. 1999. Population ecology of Sonoran Desert annual plants. In *The Ecology of Sonoran Desert Plants and Plant Communities*, R. H. Robichaux (ed.), pp. 115–142. University of Arizona Press: Tucson, AZ. [7, 8]
- Venable, D. L. and S. Kimball. 2013. Population and community dynamics of Sonoran Desert winter annuals. In *Temporal Dynamics and Ecological Process*, C. K. Kelly et al. (eds.), pp. 140–164. Cambridge University Press: Cambridge. [8]
- Venter, O., E. W. Sanderson, A. Magrath, J. R. Allan, et al. 2016. Sixteen years of change in the global terrestrial human footprint and implications for biodiversity conservation. *Nature Communications* 7: 12558. <https://doi.org/10.1038/ncomms12558>. [19]
- Verboom, G. A., J. K. Archibald, F. T. Bakker, D. U. Bellstedt, et al. 2009. Origin and diversification of the Greater Cape flora: ancient species repository, hot-bed of recent radiation, or both? *Molecular Phylogenetics and Evolution* 51: 44–53. [19]
- Via, S., R. Gomulkiewicz, G. De Jong, S. M. Scheiner, et al. 1995. Adaptive phenotypic plasticity: consensus and controversy. *Trends in Ecology & Evolution* 10: 212–217. [9]
- Vilà, M., J. L. Espinar, M. Hejda, P. E. Hulme, et al. 2011. Ecological impacts of invasive alien plants: a meta-analysis of their effects on species, communities and ecosystems. *Ecological Letters* 14: 702–708. [14]

- Vindenes, Y. and Ø. Langangen. 2015. Individual heterogeneity in life histories and eco-evolutionary dynamics. *Ecological Letters* 18: 417–432. [8]
- Vitousek, P. M. 1992. Global environmental change: an introduction. *Annual Review of Ecology and Systematics* 23: 1–14. [16]
- Vitousek, P. M. and W. A. Reiners. 1975. Ecosystem succession and nutrient retention: A hypothesis. *Bioscience* 25: 376–381. [5]
- Vitousek, P. M. and L. R. Walker. 1989. Biological invasion by *Myrica faya* in Hawai'i: plant demography, nitrogen fixation, ecosystem effects. *Ecological Monographs* 59: 247–265. [14]
- Vitousek, P. M., C. M. D'Antonio, L. L. Loope and R. Westbrooks. 1996. Biological invasions as global environmental change. *American Scientist* 84: 468–478. [14]
- Vitousek, P. M., J. D. Aber, R. W. Howarth, G. E. Likens, et al. 1997. Human alteration of the global nitrogen cycle: sources and consequences. *Ecological Applications* 7: 737–750. [5]
- Vivanco, J. M., H. P. Bais, F. R. Stermitz, G. C. Thelen, et al. 2004. Biogeographical variation in community response to root allelochemistry: novel weapons and exotic invasion. *Ecological Letters* 7: 285–292. [10]
- Vogler, D. W. and S. Kalisz. 2001. Sex among the flowers: the distribution of plant mating systems. *Evolution* 55: 202–204. [6]
- Vogt, K. A., C. C. Grier, C. E. Meier and R. L. Edmonds. 1982. Mycorrhizal role in net primary production and nutrient cycling in *Abies amabilis* ecosystems in western Washington. *Ecology* 63: 370–380. [5]
- Volkov, I., J. R. Banavar, A. Maritan and S. P. Hubbell. 2004. The stability of forest biodiversity. *Nature* 427: 696–696. [10]
- von Helversen, D. and O. von Helversen. 1999. Acoustic guide in bat-pollinated flower. *Nature* 398: 759–760. [6]
- von Humboldt, A. 1808. *Ansichten der Natur mit Wissenschaftlichen Erläuterungen*. J. G. Cotta: Tübingen, Germany. [18]
- von Humboldt, A. 1847. *Cosmos: Sketch of the Physical Description of the Universe*. Longman, Brown, Green, and Longman: London. [18]

W

- Wagner, D. L. 2020. Insect declines in the Anthropocene. *Annual Review of Entomology* 65: 457–480. [6]
- Wagner, H. H. and M.-J. E. Fortin. 2005. Spatial analysis of landscapes: concepts and statistics. *Ecology* 86: 1975–1987. [15]
- Walker, L. R. 1999. Patterns and process in primary succession. In *Ecosystems of Disturbed Ground*, L. R. Walker (ed.), pp. 585–610. Elsevier: Amsterdam. [13]
- Walker, L. R. and F. S. Chapin, III. 1987. Interactions among processes controlling successional change. *Oikos* 50: 131–135. [13]
- Wallace, A. R. 1858. On the tendency of varieties to depart indefinitely from the original type. *Zoological Journal of the Linnean Society* 3: 45–62. [9]
- Waller, D. M., E. L. Mudrak and D. A. Rogers. 2018. Do metacommunity mass effects predict changes in species incidence and abundance? *Ecography* 41: 11–23. [15]

- Waloff, N. and O. W. Richards. 1977. The effect of insect fauna on growth, mortality, and natality of broom, *Sarothamnus scoparius*. *Journal of Applied Ecology* 14: 787–798. [11]
- Walters, C. J. 1986. *Adaptive Management of Renewable Resources*. Macmillan: New York. [8]
- Ward, S. J. E., G. F. Midgley, M. H. Jones and P. S. Curtis. 1999. Responses of wild C₄ and C₃ grass (Poaceae) species to elevated atmospheric CO₂ concentration: a meta-analytic test of current theories and perceptions. *Global Change Biology* 5: 723–741. [16]
- Wang, B. and Y. L. Qiu. 2006. Phylogenetic distribution and evolution of mycorrhizas in land plants. *Mycorrhiza* 16: 299–363. [11]
- Wang, G., C. Alo, R. Mei and S. Sun. 2011. Droughts, hydraulic redistribution, and their impact on vegetation composition in the Amazon forest. *Plant Ecology* 212: 663–673. [3]
- Wang, J.-H., Y.-F. Cai, L. Zhang, C.-K. Xu, et al. 2018. Species richness of the family Ericaceae along an elevational gradient in Yunnan, China. *Forests* 9: 511. [19]
- Wardle, D. A., O. Zackrisson, G. Hörnberg and C. Gallet. 1997. Biodiversity and ecosystem properties. *Science* 278: 1867–1869. [14]
- Wardle, D. A., K. I. Bonner, G. M. Barker, G. W. Yeates, et al. 1999. Plant removals in perennial grassland: vegetation dynamics, decomposers, soil biodiversity, and ecosystem properties. *Ecological Monographs* 69: 535–568. [14]
- Wardle, D. A., M. A. Huston, J. P. Grime, F. Berendse, et al. 2000. Biodiversity and ecosystem function: an issue in ecology. *Bulletin of the Ecological Society of America* 81: 235–239. [14]
- Wardle, G. M. 1998. A graph theory approach to demographic loop analysis. *Ecology* 79: 2539–2549. [8]
- Waring, R. H. and S. W. Running. 1998. *Forest Ecosystems: Analysis at Multiple Scale*. Academic Press: New York. [5]
- Warner, R. R. and P. L. Chesson. 1985. Coexistence mediated by recruitment fluctuations: a field guide to the storage effect. *American Naturalist* 125: 769–787. [10]
- Waser, N. M., L. Chittka, M. V. Price, N. M. Williams, et al. 1996. Generalization in pollination systems, and why it matters. *Ecology* 77: 1043–1060. [6]
- Watkins, J. E., C. Cardelús, R. K. Colwell and R. C. Moran. 2006. Species richness and distribution of ferns along an elevational gradient in Costa Rica. *American Journal of Botany* 93: 73–83. [19]
- Watkinson, A. R. 1980. Density-dependence in single-species populations of plants. *Journal of Theoretical Biology* 83: 345–357. [10]
- Watkinson, A. R. 1985. Plant responses to crowding. In *Studies on Plant Demography*, J. White (ed.), pp. 275–289. Academic Press: London. [10]
- Watt, A. S. 1947. Pattern and process in the plant community. *Journal of Ecology* 35: 1–22. [10, 13]
- Weaver, J. E. 1968. *Prairie Plants and Their Environment. A Fifty-Year Study in the Midwest*. University of Nebraska Press: Lincoln, NE. [13]
- Weaver, J. E. and F. E. Clements. 1929. *Plant Ecology*. McGraw Hill: New York. [10]

- Webb, C. J., W. R. Sykes and P. J. Garnock-Jones. 1988. *Flora of New Zealand*. Botany Division, DSIR: Christchurch, NZ. [14]
- Wedin, D. A. and D. Tilman. 1996. Influence of nitrogen loading and species composition on the carbon balance of grasslands. *Science* 274: 1720–1723. [13]
- Weier, T. E., C. R. Stocking and M. G. Barbour. 1974. *Botany, An Introduction to Plant Biology*. Wiley: New York. [3]
- Weigelt, A. and P. Jolliffe. 2003. Indices of plant competition. *Journal of Ecology* 91: 707–720. [10]
- Weiher, E. and P. Keddy (eds.). 2001. *Ecological Assembly Rules: Perspectives, Advances, Retreats*. Cambridge University Press: Cambridge. [15]
- Weiner, J. 1985. Size hierarchies in experimental populations of annual plants. *Ecology* 66: 743–752. [8]
- Weiner, J. 1990. Asymmetric competition in plant populations. *Trends in Ecology and Evolution* 5: 360–364. [10]
- Weiner, J. and R. P. Freckleton. 2010. Constant final yield. *Annual Review of Ecology, Evolution and Systematics* 41: 173–192. [10]
- Welch, M. E. and L. H. Rieseberg. 2002. Habitat divergence between a homoploid hybrid sunflower species, *Helianthus paradoxus* (Asteraceae), and its progenitors. *American Journal of Botany* 89: 472–478. [9]
- Welden, C. W. and W. L. Slauson. 1986. The intensity of competition versus its importance: an overlooked distinction and some implications. *Quarterly Review of Biology* 61: 23–44. [10]
- Weller, D. E. 1987. A reevaluation of the -3/2 power rule of plant self-thinning. *Ecological Monographs* 57: 23–43. [10]
- Weller, D. E. 1991. The self-thinning rule: Dead or unsupported? A Reply to Lonsdale. *Ecology* 72: 747–750. [10]
- Weltzin, J. F. and G. R. McPherson. 1999. Facilitation of conspecific seedling recruitment and shifts in temperate savanna ecotones. *Ecological Monographs* 69: 513–534. [11]
- West-Eberhard, M. J. 1989. Phenotypic plasticity and the origins of diversity. *Annual Review of Ecology and Systematics* 20: 249–278. [9]
- West-Eberhard, M. J. 2003. *Developmental Plasticity and Evolution*. Oxford University Press: New York. [9]
- Westman, W. E. and R. K. Peet. 1985. Robert H. Whittaker (1920–1980): The man and his work. In *Plant Community Ecology: Papers in Honor of Robert H. Whittaker*, R. K. Peet (ed.), pp. 5–30. Dr W. Junk: Dordrecht, the Netherlands. [1]
- Westoby, M. 1998. A leaf-height-seed (LHS) plant ecology strategy scheme. *Plant Soil* 199: 213–227. [10]
- Westoby, M., D. Falster, A. Moles, P. Vesk, et al. 2002. Plant ecological strategies: some leading dimensions of variation between species. *Annual Review of Ecology and Systematics* 33: 125–159. [10]
- Wheeler, B. D. and S. C. Shaw. 1991. Above-ground crop mass and species richness of the principal types of herbaceous rich-fen vegetation of lowland England and Wales. *Journal of Ecology* 79: 285–301. [14]
- White, E. P., P. B. Adler, W. K. Lauenroth, R. A. Gill, et al. 2006. A comparison of the species-time relationship across ecosystems and taxonomic groups. *Oikos* 112: 185–195. [12]

- White, J. 1985. The thinning rule and its application to mixtures of plant populations. In *Studies on Plant Demography*, J. White (ed.), pp. 291–309. Academic Press: London. [10]
- White, P. S. and S. T. A. Pickett. 1985. Natural disturbance and patch dynamics: an introduction. In *The Ecology of Natural Disturbance and Patch Dynamics*, S. T. A. Pickett and P. S. White (eds.), pp. 3–13. Academic Press: Orlando, FL. [13]
- Whitehead, M. R., R. Lanfear, R. J. Mitchell and J. D. Karron. 2018. Plant mating systems often vary widely among populations. *Frontiers in Ecology and Evolution* 6: 38. [6]
- Whitham, T. G. and S. Mopper. 1985. Chronic herbivory: impacts on architecture and sex expression of pinyon pine. *Science* 228: 1089–1091. [11]
- Whittaker, R. H. 1954. The ecology of serpentine soils. I. Introduction. *Ecology* 35: 258–259. [4]
- Whittaker, R. H. 1956. Vegetation of the Great Smoky Mountains. *Ecological Monographs* 26: 1–80. [12]
- Whittaker, R. H. 1960. Vegetation of the Siskiyou Mountains, Oregon and California. *Ecological Monographs* 30: 279–338. [12]
- Whittaker, R. H. 1966. Forest dimensions and production in the Great Smoky Mountains. *Ecology* 47: 103–121. [14]
- Whittaker, R. H. 1970. *Communities and Ecosystems*. Macmillan: New York. [5]
- Whittaker, R. H. 1972. Evolution and measurement of species diversity. *Taxon* 21: 213–251. [12]
- Whittaker, R. H. 1975. *Communities and Ecosystems*, 2nd ed. Macmillan: New York. [12, 14, 18]
- Whittaker, R. H. and G. E. Likens. 1975. The biosphere and man. In *Primary Productivity of the Biosphere*, H. Lieth and R. H. Whittaker (eds.), pp. 305–328. Springer: Berlin, Germany. [18]
- Whittaker, R. H. and W. A. Niering. 1975. Vegetation of the Santa Catalina Mountains, Arizona. V. Biomass, production, and diversity along the elevation gradient. *Ecology* 56: 771–790. [14, 19]
- Whittaker, R. J. 2010. Meta-analyses and mega-mistakes: calling time on meta-analysis of the species richness-productivity relationship. *Ecology* 91: 2522–2533. [19]
- Whittaker, R. J., K. J. Willis and R. Field. 2001. Scale and species richness: towards a general, hierarchical theory of species diversity. *Journal of Biogeography* 28: 453–470. [19]
- Whittle, C. A., S. P. Otto, M. O. Johnston and J. E. Krochko. 2009. Adaptive epigenetic memory of ancestral temperature regime in *Arabidopsis thaliana*. *Botany* 87: 650–657. [9]
- Wied, A. and C. Galen. 1998. Plant parental care: conspecific nurse effects in *Frasera speciosa* and *Cirsium scopulorum*. *Ecology* 79: 1657–1668. [10]
- Wielicki, B. A., T. Wong, R. P. Allan, A. Slingo, et al. 2002. Evidence for large decadal variability in the tropical mean radiative energy budget. *Science* 295: 841–844. [16]
- Wilcove, D. S., D. Rothstein, J. Dubow, A. Phillips, et al. 1998. Quantifying threats to imperiled species in the United States. *Bioscience* 48: 607–615. [14]

- Willig, M. R. and S. K. Lyons. 1998. An analytical model of latitudinal gradients of species richness with an empirical test for marsupials and bats in the New World. *Oikos* 81: 93–98. [19]
- Willig, M. R., D. M. Kaufman and R. D. Stevens. 2003. Latitudinal gradients of biodiversity: pattern, process, scale, and synthesis. *Annual Review of Ecology, Evolution, and Systematics* 34: 273–309. [19]
- Willis, K. J. and R. J. Whittaker. 2002. Species diversity-scale matters. *Science* 295: 1245–1248. [19]
- Willis, K. J. and J. C. McElwain. 2014. *The Evolution of Plants*. Oxford University Press: Oxford. [17]
- Willson, M. F. 1983. *Plant Reproductive Ecology*. Wiley: Chichester, UK. [6]
- Wilson, C. and J. Gurevitch. 1995. Plant size and spatial pattern in a natural population of *Myosotis micrantha*. *Journal of Vegetation Science* 6: 847–852. [10]
- Wilson, D. S. 1980. *The Natural Selection of Populations and Communities*. Benjamin/Cummings: Menlo Park, CA. [13]
- Wilson, J. B., E. Spijkerman and J. Huisman. 2007. Is there really insufficient support for Tilman's R* concept? A comment on Miller et al. *American Naturalist* 169: 700–706. [10]
- Wilson, S. D. and P. A. Keddy. 1986. Species competitive ability and position along a natural stress disturbance gradient. *Ecology* 67: 1236–1242. [10]
- Winn, A. A. 1991. Proximate and ultimate sources of within-individual variation in seed mass in *Prunella vulgaris* (Lamiaceae). *American Journal of Botany* 78: 838–844. [7]
- Wiser, S. K., R. B. Allen, P. W. Clinton and K. H. Platt. 1998. Community structure and forest invasion by an exotic herb over 23 years. *Ecology* 79: 2071–2081. [14]
- Wolda, H. 1981. Similarity indices, sample size and diversity. *Oecologia* 50: 296–302. [12]
- Wolfe, L. M. 2002. Why alien invaders succeed: support for the escape-from-enemy hypothesis. *American Naturalist* 160: 705–711. [14]
- Woods, K. D. and M. B. Davis. 1989. Paleoecology of range limits: beech in the Upper Peninsula of Michigan. *Ecology* 70: 681–696. [17]
- Woodward, F. I. 1987. *Climate and Plant Distribution*. Cambridge University Press: Cambridge. [18]
- Woodward, F. I. and W. Cramer. 1996. Plant functional types and climatic change. *Journal of Vegetation Science* 7: 305–430. [12]
- Woodwell, G. M. and R. H. Whittaker. 1968. Primary production in terrestrial ecosystems. *American Zoologist* 8: 19–30. [5]
- Wright, D. H. 1983. Species-energy theory: An extension of species-area theory. *Oikos* 41: 496–506. [19]
- Wright, D. H., D. J. Currie and B. A. Maurer. 1993. Energy supply and patterns of species richness on local and regional scales. In *Species Diversity in Ecological Communities*, R. E. Ricklefs and D. Schluter (eds.), pp. 66–77. University of Chicago Press: Chicago, IL. [14, 19]
- Wright, D. H., B. D. Patterson, G. M. Mikkelsen, A. Cutler, et al. 1998. A comparative analysis of nested subset patterns of species composition. *Oecologia* 113: 1–20. [15]

- Wright, I. J., P. B. Reich, M. Westoby, D. D. Ackerly, et al. 2004. The worldwide leaf economics spectrum. *Nature* 428: 821–827. [10]
- Wright, I. J., P. B. Reich, J. H. C. Cornelissen, D. S. Falster, et al. 2005. Modulation of leaf economic traits and trait relationships by climate. *Global Ecology and Biogeography* 14: 411–421. [10]
- Wright, J. P. and A. Sutton-Grier. 2012. Does the leaf economic spectrum hold within local species pools across varying environmental conditions? *Functional Ecology* 26: 1390–1398. [10]
- Wright, S. 1931. Evolution in Mendelian populations. *Genetics* 16: 97–159. [15]
- Wright, S. 1968. *Evolution and the Genetics of Populations*, vol. 1. *Genetic and Biometric foundations*. University of Chicago Press: Chicago, IL. [15]
- Wuethrich, B. 2000. Conservation biology - Combined insults spell trouble for rainforests. *Science* 289: 35–37. [16]
- Wulf, A. 2015. *The Invention of Nature: Alexander von Humboldt's New World*. Knopf: New York. [1]

Y

- Yanai, R. D., T. G. Siccama, M. A. Arthur, C. A. Federer, et al. 1999. Accumulation and depletion of base cations in forest floors in the northeastern United States. *Ecology* 80: 2774–2787. [5]
- Yoda, K., T. Kira, H. Ogawa and K. Hozumi. 1963. Self thinning in overcrowded pure stands under cultivated and natural conditions. *Journal of Biology, Osaka City University* 14: 107–129. [10]
- Young, T. P. and C. K. Augspurger. 1991. Ecology and evolution of long-lived semelparous plants. *Trends in Ecology & Evolution* 6: 285–289. [7]
- Yu, H., M. Chin, T. Yuan, H. Bian, et al. 2015. The fertilizing role of African dust in the Amazon rainforest: A first multiyear assessment based on data from Cloud-Aerosol Lidar and Infrared Pathfinder Satellite Observations. *Geophysical Research Letters* 42: 1984–1991. [5]
- Yuan, Z. Y. and H. Y. H. Chen. 2015. Decoupling of nitrogen and phosphorus in terrestrial plants associated with global changes. *Nature Climate Change* 5: 465–469. [5]

Z

- Zar, J. H. 1999. *Biostatistical Analysis*, 4th ed. Prentice Hall: Upper Saddle River, NJ. [12]
- Zeng, Z., L. Estes, A. D. Ziegler, A. Chen, et al. 2018. Highland cropland expansion and forest loss in Southeast Asia in the twenty-first century. *Nature Geoscience* 11: 556–562. [19]
- Zobel, K. and J. Liira. 1997. A scale-independent approach to the richness vs. biomass relationship in ground-layer plant communities. *Oikos* 80: 325–332. [14]