

Section 21.1

Aller SG, Lombardo ID, Bhanot S, Forrest JN Jr. (1999). Cloning, characterization, and functional expression of a CNP receptor regulating CFTR in the shark rectal gland. *American Journal of Physiology* 276 (Cell Physiology 45): C442–C449.

Amer SA, Brown JA (1995). Glomerular actions of arginine vasotocin in the in situ perfused trout kidney. *American Journal of Physiology* 269 (Regulatory Integrative & Comparative Physiology 38): R775–R780.

Bewley MS, Pena JTG, Plesch FN, Decker SE, Weber GJ, Forrest JN Jr. (2006). Shark rectal gland vasoactive intestinal peptide receptor: cloning, functional expression, and regulation of CFTR chloride channels. *American Journal of Physiology Regulatory Integrative and Comparative Physiology* 291: R1157–R1164.

Bold de AJ (1985). Atrial natriuretic factor: a hormone produced by the heart. *Science* 230: 767–770.

Bold de AJ, Borenstein HB, Veress AT, Sonnenberg H (1981). A rapid and potent natriuretic response to intravenous injection of atrial myocardial extract in rats. *Life Sciences* 28: 89–94.

Cramp RL, De Vries I, Anderson WG, Franklin CE (2010). Hormone-dependent dissociation of blood flow and secretion rate in the lingual salt glands of the estuarine crocodile, *Crocodylus porosus*. *Journal of Comparative Physiology B Biochemical, Systemic, and Environmental Physiology* 180: 825–834.

Denton D, Shade R, Zamarippa F, Egan G, Blair-West J, McKinley M, Lancaster J, Fox P (1999). Neuroimaging of genesis and satiation of thirst and an interoceptor-driven theory of origins of primary consciousness. *Proceedings of the National Academy of Sciences of the United States of America* 96: 5304–5309.

Ford SS, Bradshaw SD (2006). Kidney function and the role of arginine vasotocin in three agamid lizards from habitats of differing aridity in Western Australia. *General and Comparative Endocrinology* 147: 62–69.

Goldstein DL (2006). Regulation of the avian kidney by arginine vasotocin. *General and Comparative Endocrinology* 147: 78–84.

Inoue K, Sakamoto T, Yuge S, Iwatani H, Yamagami S, Tsutsumi M, Hori H, Cerra MC, Tota B, Suzuki N, Okamoto N, Takei Y (2005). Structural and functional evolution of three cardiac natriuretic peptides. *Molecular Biology and Evolution* 22: 2428–2434.

Kaiya H, Takei Y (1996). Osmotic and volaemic regulation of atrial and ventricular natriuretic peptide secretion in conscious eels. *Journal of Endocrinology* 149: 441–447.

Kawakoshi A, Hyodo S, Inoue K, Kobayashi Y, Takei Y (2004). Four natriuretic peptides (ANP, BNP, VNP and CNP) coexist in the sturgeon: identification of BNP in fish lineage. *Journal of Molecular Endocrinology* 32: 547–555.

Kortenoeven MLA, Trimpert C, van den Brand M, Li Y, Wetzels JFM, Deen PMT (2012). In mpkCCD cells, long-term regulation of aquaporin-2 by vasopressin occurs independent of protein kinase A and CREB but may involve Epac. *American Journal of Physiology Renal Physiology* 302: F1395-F1401.

Lange AB, Orchard I, Barrett FM (1989). Changes in haemolymph serotonin levels associated with feeding in the blood-sucking bug, *Rhodnius prolixus*. *Journal of Insect Physiology* 35: 393–399.

Lau KK, Yang Y, Cook GA, Wyatt RJ, Nishimura H (2009). Control of aquaporin 2 expression in collecting ducts of quail kidneys. *General and Comparative Endocrinology* 160: 288–294.

Maddrell SHP (1966). The site of release of the diuretic hormone in *Rhodnius* – A new neurohaemal system in insects. *Journal of Experimental Biology* 45: 499–508.

Maddrell SHP, Phillips JE (1975). Secretion of hypo-osmotic fluid by the lower Malpighian tubules of *Rhodnius prolixus*. *Journal of Experimental Biology* 62: 671–683.

Maddrell SHP, Herman WS, Mooney RL, Overton JA (1991). 5-hydroxytryptamine: a second diuretic hormone in *Rhodnius prolixus*. *Journal of Experimental Biology* 156: 557–566.

McKinley MJ, Mathai ML, McAllen RM, McClear RC, Miselis RR, Pennington GL, Vivas L, Wade JD, Oldfield BJ (2004). Vasopressin secretion: osmotic and hormonal regulation of the lamina terminalis. *Journal of Neuroendocrinology* 16: 340–347.

Nobata S, Takei Y (2011). The area postrema in hindbrain is a central player for regulation of drinking behavior in Japanese eels. *American Journal of Physiology Regulatory Integrative & Comparative Physiology* 300: R1569–R1577.

Paluzzi J-P, Orchard I (2006). Distribution, activity and evidence for the release of an anti-diuretic peptide in the kissing bug *Rhodnius prolixus*. *The Journal of Experimental Biology* 209: 907–915.

Paluzzi J-PV, Naikhwah W, O'Donnell MJ (2012). Natriuresis and diuretic hormone synergism in *R. prolixus* upper Malpighian tubules is inhibited by the anti-diuretic hormone, RhoprCAPA- α 2. *Journal of Insect Physiology* 58: 534–542.

Radford JC, Davies SA, Dow JAT (2002). Systematic G-protein-coupled receptor analysis in *Drosophila melanogaster* identifies a leukokinin receptor with novel roles. *The Journal of Biological Chemistry* 277: 38810–38817.

Shane MA, Nofziger C, Blazer-Yost BL (2006). Hormonal regulation of the epithelial Na⁺ channel: From amphibians to mammals. *General and Comparative Endocrinology* 147: 85–92.

Silva P, Solomon RJ, Epstein FH (1999). Mode of activation of salt secretion by C-type natriuretic peptide in the shark rectal gland. *American Journal of Physiology* 277 (Regulatory Integrative & Comparative Physiology 46): R1725– R1732.

Summa V, Camargo SMR, Bauch C, Zecevic M, Verrey F (2004). Isoform specificity of human Na⁺, K⁺-ATPase localization and aldosterone regulation in mouse kidney cells. *Journal of Physiology* 555: 355–364.

Takei Y, Okawara Y, Kobayashi H (1988). Water intake induced by water deprivation in the quail, *Coturnix coturnix japonica*. *Journal of Comparative Physiology B Biochemical, Systemic and Environmental Physiology* 158: 519–525.

Trajanovska S, Donald JA (2008). Molecular cloning of natriuretic peptides from the heart of reptiles: Loss of ANP in diapsid reptiles and birds. *General and Comparative Endocrinology* 156: 339–346.

Tsukada T, Nobata S, Hyodo S, Takei Y (2007). Area postrema, a brain circumventricular organ, is the site of antidipsogenic action of circulating atrial natriuretic peptide in eels. *The Journal of Experimental Biology* 210: 3970–3978.

Section 21.2

Baxter BJ, Andrews RN, Barrell GK (1999). Bone turnover associated with antler growth in red deer (*Cervus elaphus*). *The Anatomical Record* 256: 14–19.

Bell TD, Demay MB, Burnett-Bowie S-A M (2010). The biology and pathology of vitamin D control in bone. *Journal of Cell Biochemistry* 111: 7–13.

Bronner F (2003). Mechanisms and functional aspects of intestinal calcium absorption. *Journal of Experimental Zoology* 300A: 47–52.

Cavaleros M, Buffenstein R, Ross FP, Pettifor JM (2003). Vitamin D metabolism in a frugivorous nocturnal mammal, the Egyptian fruit bat (*Rousettus aegyptiacus*). *General and Comparative Endocrinology* 133: 109–117.

Flik G, Verboost PM (1993). Calcium transport in fish gills and intestine. *Journal of Experimental Biology* 184: 17-29.

Fujita H, Sugimoto K, Inatomi S, Maeda T, Osanai M, Uchiyama Y, Yamamoto Y, Wada T, Kojima T, Yokozaki H, Yamashita T, Kato S, Sawada N, Chiba H (2008). Tight junction proteins claudin-2 and -12 are critical for vitamin D-dependent Ca^{2+} adsorption between enterocytes. *Molecular Biology of the Cell* 19: 1912–1921.

Gaume B, Fouchereau-Peron M, Badou A, Helléouet M-N, Huchette S, Auzoux-Bordenave S (2011). Biomineralization markers during early shell formation in the European abalone *Haliotis tuberculata*, Linnaeus. *Marine Biology* 158: 341–353.

Greenwood MP, Flik G, Wagner GF, Balment RJ (2009). The corpuscles of Stannius, calcium-sensing receptor, and stanniocalcin: responses to calcimimetics and physiological challenges. *Endocrinology* 150: 3002–3010.

Gregório SF, Carvalho ESM, Campinho MA, Power DM, Canário AVM, Fuentes J (2014). Endocrine regulation of carbonate precipitate formation in marine fish intestine by stanniocalcin and PTHrP. *Journal of Experimental Biology* 217: 1555–1562.

Lafont A-G, Wang Y-F, Chen G-D, Liao B-K, Tseng Y-C, Huang C-J, Hwang P-P (2011). Involvement of calcitonin and its receptor in the control of calcium-regulating genes and calcium homeostasis in zebrafish (*Danio rerio*). *Journal of Bone and Mineral Research* 26: 1072–1083.

Landete-Castillejos T, Currey JD, Ceacero F, Garcia AJ, Gallego L, Gomez S (2012). Does nutrition affect bone density and mineral tissue distribution in deer antlers? The relationship between histology, mechanical properties and mineral composition. *Bone* 50: 245–254.

Li KW, Geraerts WPM, van Loenhout H, Joosse J (1992). Biosynthesis and axonal transport of multiple molluscan insulin-related peptides by the neuroendocrine light green cells of *Lymnaea stagnalis*. *General and Comparative Endocrinology* 87: 79–86.

Lin C-H, Su C-H, Hwang P-P (2014). Calcium-sensing receptor mediates Ca^{2+} homeostasis by modulating expression of PTH and stanniocalcin. *Endocrinology* 155: 56–67.

Loretz CA, Pollina C, Hyodo S, Takei Y (2009). Extracellular calcium-sensing receptor distribution in osmoregulatory and endocrine tissues of the tilapia. *General and Comparative Endocrinology* 161: 216–228.

Luquet G, Marin F (2004). Biomineralisations in crustaceans: storage strategies. *Comptes Rendus Palevol* 3: 515–534.

Meester I, Ramkema MD, van Minnen J, Boer HH (1992). Differential expression of four genes encoding molluscan insulin-related peptides in the central nervous system of the pond snail *Lymnaea stagnalis*. *Cell and Tissue Research* 269: 183–188.

Mukherjee D, Sen U, Bhattacharyya SP, Mukherjee D (2004). Inhibition of whole body Ca^{2+} uptake in fresh water teleosts, *Channa punctatus* and *Cyprinus carpio* in response to salmon calcitonin. *Journal of Experimental Zoology* 301A: 882–890.

Pinheiro PLC, Cardoso JCR, Gomes AS, Fuentes J, Power DM, Canário AVM (2010). Gene structure, transcripts and calciotropic effects of the PTH family of peptides in *Xenopus* and chicken. *BioMed Central Evolutionary Biology* 10: 373.

Roch GJ, Sherwood NM (2010). Genomics reveal ancient forms of stanniocalcin in amphioxus and tunicate. *Integrative and Comparative Biology* 50: 86–97.

Roch GJ, Sherwood NM (2011). Stanniocalcin has deep evolutionary roots in eukaryotes. *Genome Biology Evolution* 3: 284–294.

Shechter A, Berman A, Singer A, Freiman A, Grinstein M, Erez J, Aflalo ED, Sagi A (2008). Reciprocal changes in calcification of the gastrolith and cuticle during the molt cycle of the red claw crayfish *Cherax quadricarinatus*. *Biological Bulletin* 214: 122–134.

Smith SM, Heer MA, Shackelford LC, Sibonga JD, Ploutz-Snyder L, Zwart SR (2012). Benefits for bone from resistance exercise and nutrition in long-duration spaceflight: evidence from biochemistry and densitometry. *Journal of Bone and Mineral Research* 27: 1896–1906.

Sundell K, Björnsson BT, Itoh H, Kawauchi H (1992). Chum salmon (*Oncorhynchus keta*) stanniocalcin inhibits in vitro intestinal calcium uptake in Atlantic cod (*Gadus morhua*). *Journal of Comparative Physiology B Biochemical, Systems, and Environmental Physiology* 162: 489–495.

Wheatley MG (1996). An overview of calcium balance in crustaceans. *Physiological Zoology* 69: 351–382.

Whitehead CC (2004). Overview of bone biology in the egg-laying hen. *Poultry Science* 83: 193–199.

Woodrow JP, Sharpe CJ, Fudge NJ, Hoff AO, Gagel RF, Kovacs CS (2006). Calcitonin plays a critical role in regulating skeletal mineral metabolism during lactation. *Endocrinology* 147: 4010–4021.