

Principles of Animal Communication, Second Edition
Jack W. Bradbury and Sandra L. Vehrencamp

Chapter 14: Environmental Signals

Literature Cited

- 1 Abbot, P. and V. Chhatre. 2007. Kin structure provides no explanation for intruders in social aphids. *Molecular Ecology* 16: 3659–3670.
- 2 Abbott, K. R. and R. Dukas. 2009. Honeybees consider flower danger in their waggle dance. *Animal Behaviour* 78: 633–635.
- 3 Ackers, S. H. and C. N. Slobodchikoff. 1999. Communication of stimulus size and shape in alarm calls of Gunnison's prairie dogs, *Cynomys gunnisoni*. *Ethology* 105: 149–162.
- 4 Aguado, F. and A. Marin. 2007. Warning coloration associated with nematocyst-based defences in *Aeolidioid nudibranchs*. *Journal of Molluscan Studies* 73: 23–28.
- 5 Akamatsu, T., D. Wang, and K. X. Wang. 2005. Off-axis sonar beam pattern of free-ranging finless porpoises measured by a stereo pulse event data logger. *Journal of the Acoustical Society of America* 117: 3325–3330.
- 6 Akamatsu, T., D. Wang, K. X. Wang, and Y. Naito. 2005. Biosonar behaviour of free-ranging porpoises. *Proceedings of the Royal Society B-Biological Sciences* 272: 797–801.
- 7 Alatalo, R. V. and P. Helle. 1990. Alarm calling by individual willow tits, *Parus montanus*. *Animal Behaviour* 40: 437–442.
- 8 Allan, R. A., M. A. Elgar, and R. J. Capon. 1996. Exploitation of an ant chemical alarm signal by the zodariid spider *Habronestes bradleyi* Walckenaer. *Proceedings of the Royal Society of London Series B-Biological Sciences* 263: 69–73.
- 9 Allen, T. and J. A. Clarke. 2005. Social learning of food preferences by white-tailed ptarmigan chicks. *Animal Behaviour* 70: 305–310.
- 10 Altes, R. A. 1980. Detection, estimation, and classification with spectrograms. *Journal of the Acoustical Society of America* 67: 1232–1246.
- 11 Alzaga, V., J. Vicente, D. Villanua, P. Acevedo, F. Casas, and C. Gortazar. 2008. Body condition and parasite intensity correlates with escape capacity in Iberian hares (*Lepus granatensis*). *Behavioral Ecology and Sociobiology* 62: 769–775.

- 12 Ang, H. P. and L. J. Newman. 1998. Warning colouration in pseudocerotid flatworms (Platyhelminthes, Polycladida). A preliminary study. *Hydrobiologia* 383: 29–33.
- 13 Arakaki, N. 1989. Alarm pheromone eliciting attack and escape responses in the sugar cane woolly aphid, *Ceratovacuna lanigera* (Homoptera, Pemphigidae). *Journal of Ethology* 7: 83–90.
- 14 Arenas, A., V. M. Fernandez, and W. M. Farina. 2007. Floral odor learning within the hive affects honeybees' foraging decisions. *Naturwissenschaften* 94: 218–222.
- 15 Arita, H. T. 1990. Noseleaf morphology and ecological correlates in phyllostomid bats. *Journal of Mammalogy* 71: 36–47.
- 16 Arlet, M. E. and L. A. Isbell. 2009. Variation in behavioral and hormonal responses of adult male gray-cheeked mangabeys (*Lophocebus albigena*) to crowned eagles (*Stephanoaetus coronatus*) in Kibale National Park, Uganda. *Behavioral Ecology and Sociobiology* 63: 491–499.
- 17 Armstrong, E. A. 1949. Diversionary display. Part 1. Connocation and terminology. *Ibis* 91: 88–96.
- 18 Armstrong, E. A. 1949. Diversionary display. Part 2. The nature and origin of distraction display. *Ibis* 91: 179–188.
- 19 Arnold, K. and K. Zuberbuhler. 2006. Semantic combinations in primate calls. *Nature* 441: 303–303.
- 20 Arnold, K. and K. Zuberbuhler. 2006. The alarm-calling system of adult male putty-nosed monkeys, *Cercopithecus nictitans martini*. *Animal Behaviour* 72: 643–653.
- 21 Arnold, K., Y. Pohlner, and K. Zuberbuhler. 2008. A forest monkey's alarm call series to predator models. *Behavioral Ecology and Sociobiology* 62: 549–559.
- 22 Arnold, K. and K. Zuberbuhler. 2008. Meaningful call combinations in a non-human primate. *Current Biology* 18: R202–R203.
- 23 Atem, A. C. G., M. H. Rasmussen, M. Wahlberg, H. C. Petersen, and L. A. Miller. 2009. Change in click source levels with distance to targets: studies of free-ranging white-beaked dolphins *Lagenorhynchus albirostris* and captive harbour porpoises *Phocoena phocoena*. *Bioacoustics-the International Journal of Animal Sound and Its Recording* 19: 49–65.

- 24 Au, W. W. L., P. W. B. Moore, and D. Pawloski. 1986. Echolocation transmitting beam of the Atlantic bottlenosed dolphin. *Journal of the Acoustical Society of America* 80: 688–691.
- 25 Au, W. W. L. 1993. *The Sonar of Dolphins*. New York NY: Springer Verlag.
- 26 Au, W. W. L., J. L. Pawloski, P. E. Nachtigall, M. Blonz, and R. C. Gisner. 1995. Echolocation signals and transmission beam pattern of false killer whale (*Pseudorca crassidens*). *Journal of the Acoustical Society of America* 98: 51–59.
- 27 Au, W. W. L. 1997. Echolocation in dolphins with a dolphin–bat comparison. *Bioacoustics-the International Journal of Animal Sound and Its Recording* 8: 162–185.
- 28 Au, W. W. L. and K. J. Benoit-Bird. 2003. Automatic gain control in the echolocation system of dolphins. *Nature* 423: 861–863.
- 29 Au, W. W. L. 2004. Echolocation signals of wild dolphins. *Acoustical Physics* 50: 454–462.
- 30 Au, W. W. L. and B. Wursig. 2004. Echolocation signals of dusky dolphins (*Lagenorhynchus obscurus*) in Kaikoura, New Zealand. *Journal of the Acoustical Society of America* 115: 2307–2313.
- 31 Au, W. W. L., R. A. Kastelein, K. J. Benoit-Bird, T. W. Cranford, and M. F. McKenna. 2006. Acoustic radiation from the head of echolocating harbor porpoises (*Phocoena phocoena*). *Journal of Experimental Biology* 209: 2726–2733.
- 32 Au, W. W. L. and J. A. Simmons. 2007. Echolocation in dolphins and bats. *Physics Today* 60: 40–45.
- 33 Au, W. W. L., B. K. Branstetter, K. J. Benoit-Bird, and R. A. Kastelein. 2009. Acoustic basis for fish prey discrimination by echolocating dolphins and porpoises. *Journal of the Acoustical Society of America* 126: 460–467.
- 34 Aubin, T. 1989. The role of frequency modulation in the process of distress call recognition by the starling (*Sturnus vulgaris*). *Behaviour* 108: 57–72.
- 35 Aubin, T. 1994. Adaptations for acoustic information through the environment—importance of duration parameters in the distress calls of the starling (*Sturnus vulgaris*). *Revue D Ecologie-La Terre Et La Vie* 49: 405–415.
- 36 Bajec, I. L. and F. H. Heppner. 2009. Organized flight in birds. *Animal Behaviour* 78: 777–789.

- 37 Bajpai, S., J. G. M. Thewissen, and A. Sahni. 2009. The origin and early evolution of whales: macroevolution documented on the Indian Subcontinent. *Journal of Biosciences* 34: 673–686.
- 38 Baker, M. C. and A. M. Becker. 2002. Mobbing calls of black-capped Chickadees: Effects of urgency on call production. *Wilson Bulletin* 114: 510–516.
- 39 Baldellou, M. and S. P. Henzi. 1992. Vigilance, predator detection, and the presence of supernumerary males in vervet monkey troops. *Animal Behaviour* 43: 451–461.
- 40 Ballerini, M., N. Calbibbo, R. Candeleir, A. Cavagna, E. Cisbani, I. Giardina, V. Lecomte, A. Orlandi, G. Parisi, A. Procaccini, M. Viale, and V. Zdravkovic. 2008. Interaction ruling animal collective behavior depends on topological rather than metric distance: Evidence from a field study. *Proceedings of the National Academy of Sciences of the United States of America* 105: 1232–1237.
- 41 Balogh, A. C. V., G. Gamberale-Stille, B. S. Tullberg, and O. Leimar. 2009. Feature theory and the two-step hypothesis of Müllerian mimicry. *Evolution* 64: 810–822.
- 42 Barber, J. R. and W. E. Conner. 2006. Tiger moth responses to a simulated bat attack: timing and duty cycle. *Journal of Experimental Biology* 209: 2637–2650.
- 43 Barber, J. R. and W. E. Conner. 2007. Acoustic mimicry in a predator–prey interaction. *Proceedings of the National Academy of Sciences of the United States of America* 104: 9331–9334.
- 44 Barnard, C. and R. M. Sibly. 1981. Producers and scroungers: a general model and its application to captive flocks of house sparrows. *Animal Behaviour* 29: 543–550.
- 45 Barta, Z. and T. Szép. 1992. The role of information transfer under different food patterns: a simulation study. *Behavioral Ecology* 3: 318–324.
- 46 Barta, Z. and L. A. Giraldeau. 2001. Breeding colonies as information centers: a reappraisal of information-based hypotheses using the producer–scrounger game. *Behavioral Ecology* 12: 121–127.
- 47 Barth, F. G., M. Hrncir, and S. Jarau. 2008. Signals and cues in the recruitment behavior of stingless bees (*Meliponini*). *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 194: 313–327.
- 48 Bartram, S. and W. Boland. 2001. Chemistry and ecology of toxic birds. *ChemBioChem* 2: 809–811.

- 49 Bayly, K. L. and C. S. Evans. 2003. Dynamic changes in alarm call structure: a strategy for reducing conspicuousness to avian predators? *Behaviour* 140: 353–369.
- 50 Bearzi, M. 2005. Dolphin sympatric ecology. *Marine Biology Research* 1: 165–175.
- 51 Beauchamp, G. and G. D. Ruxton. 2007. False alarms and the evolution of antipredator vigilance. *Animal Behaviour* 74: 1199–1206.
- 52 Bednekoff, P. A. 1997. Mutualism among safe, selfish sentinels: a dynamic game. *American Naturalist* 150: 373–392.
- 53 Bednekoff, P. A. and S. L. Lima. 1998. Randomness, chaos and confusion in the study of antipredator vigilance. *Trends in Ecology and Evolution* 13: 284–287.
- 54 Bednekoff, P. A. 2001. Coordination of safe, selfish sentinels based on mutual benefits. *Annales Zoologici Fennici* 38: 5–14.
- 55 Bednekoff, P. A. and S. L. Lima. 2002. Why are scanning patterns so variable? An overlooked question in the study of anti-predator vigilance. *Journal of Avian Biology* 33: 143–149.
- 56 Bednekoff, P. A. and G. W. Woolfenden. 2003. Florida scrub jays (*Aphelocoma coerulescens*) are sentinels more when well-fed (even with kin nearby). *Ethology* 110: 895–904.
- 57 Beedholm, K. and B. Møhl. 1998. Bat sonar: an alternative interpretation of the 10-ns jitter result. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 182: 259–266.
- 58 Beedholm, K. 2006. The transfer function of a target limits the jitter detection threshold with signals of echolocating FM-bats. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 192: 461–468.
- 59 Beekman, M. and J. Bin Lew. 2008. Foraging in honeybees—when does it pay to dance? *Behavioral Ecology* 19: 255–262.
- 60 Bender, H. 2005. Effectiveness of the eastern grey kangaroo foot thump for deterring conspecifics. *Wildlife Research* 32: 649–655.
- 61 Bender, H. 2006. Structure and function of the eastern grey kangaroo (*Macropus giganteus*) foot thump. *Journal of Zoology* 268: 415–422.
- 62 Benoit-Bird, K. J. and W. W. L. Au. 2009. Phonation behavior of cooperatively foraging spinner dolphins. *Journal of the Acoustical Society of America* 125: 539–546.

- 63 Benoit-Bird, K. J. and W. W. L. Au. 2009. Cooperative prey herding by the pelagic dolphin, *Stenella longirostris*. *Journal of the Acoustical Society of America* 125: 125–137.
- 64 Bergstrom, C. T. and M. Lachmann. 2001. Alarm calls as costly signals of antipredator vigilance: the watchful babbler game. *Animal Behaviour* 61: 535–543.
- 65 Berke, S. K., M. Miller, and S. A. Woodin. 2006. Modelling the energy–mortality trade-offs of invertebrate decorating behaviour. *Evolutionary Ecology Research* 8: 1409–1425.
- 66 Beverly, B. D., H. McLendon, S. Nacu, S. Holmes, and D. M. Gordon. 2009. How site fidelity leads to individual differences in the foraging activity of harvester ants. *Behavioral Ecology* 20: 633–638.
- 67 Biesmeijer, J. and T. Seeley. 2005. The use of waggle dance information by honey bees throughout their foraging careers. *Behavioral Ecology and Sociobiology* 59: 133–142.
- 68 Bildstein, K. L. 1983. Why white-tailed deer flag their tails. *American Naturalist* 121: 709–715.
- 69 Billen, J., B. Thijs, F. Ito, and B. Gobin. 2005. The pretarsal footprint gland of the ant *Amblyopone reclinata* (Hymenoptera, Formicidae) and its role in nestmate recruitment. *Arthropod Structure and Development* 34: 111–116.
- 70 Blaustein, A. R. and B. Waldman. 1992. Kin recognition in anuran amphibians. *Animal Behaviour* 44: 207–221.
- 71 Blest, A. D. 1957. The function of eyespot patterns in the Lepidoptera. *Behaviour* 11: 209–256.
- 72 Bloss, J. 1999. Olfaction and the use of chemical signals in bats. *Acta Chiropterologica* 1: 31–45.
- 73 Blount, J. D., M. P. Speed, G. D. Ruxton, and P. A. Stephens. 2009. Warning displays may function as honest signals of toxicity. *Proceedings of the Royal Society B-Biological Sciences* 276: 871–877.
- 74 Blum, M. S. 1981. *Chemical Defenses of Arthropods*. New York NY: Academic Press.
- 75 Blum, M. S. 1985. Alarm pheromones. In *Comprehensive Insect Physiology, Biochemistry, and Pharmacology*, Vol. 9 (G. A. Kerkut and L. J. Gilbert, eds.), pp. 193–224. Oxford, UK: Pergamon Press.

- 76** Blum, M. S. 1996. Semiochemical parsimony in the Arthropoda. *Annual Review of Entomology* 41: 353–374.
- 77** Blumstein, D. T. 1995. Golden marmot alarm calls. I. The production of situationally specific vocalizations. *Ethology* 100: 113–125.
- 78** Blumstein, D. T. 1995. Golden marmot alarm calls. II. Asymmetrical production and perception of situationally specific vocalizations. *Ethology* 101: 25–32.
- 79** Blumstein, D. T. and K. B. Armitage. 1997. Alarm calling in yellow-bellied marmots .I. The meaning of situationally variable alarm calls. *Animal Behaviour* 53: 143–171.
- 80** Blumstein, D. T., J. Steinmetz, K. B. Armitage, and J. C. Daniel. 1997. Alarm calling in yellow-bellied marmots. II. The importance of direct fitness. *Animal Behaviour* 53: 173–184.
- 81** Blumstein, D. T. 1999. Alarm calling in three species of marmots. *Behaviour* 136: 731–757.
- 82** Blumstein, D. T. and J. C. Daniel. 2004. Yellow-bellied marmots discriminate between the alarm calls of individuals and are more responsive to calls from juveniles. *Animal Behaviour* 68: 1257–1265.
- 83** Blumstein, D. T. and O. Munos. 2005. Individual, age and sex-specific information is contained in yellow-bellied marmot alarm calls. *Animal Behaviour* 69: 353–361.
- 84** Boesch, C. 1994. Cooperative hunting in wild chimpanzees. *Animal Behaviour* 48: 653–667.
- 85** Bogdanowicz, W., R. D. Csada, and M. B. Fenton. 1997. Structure of noseleaf, echolocation, and foraging behavior in the Phyllostomidae (Chiroptera). *Journal of Mammalogy* 78: 942–953.
- 86** Bohlin, T., B. S. Tullberg, and S. Merilaita. 2008. The effect of signal appearance and distance on detection risk in an aposematic butterfly larva (*Parnassius apollo*). *Animal Behaviour* 76: 577–584.
- 87** Boinski, S. and A. F. Campbell. 1996. The huh vocalization of white-faced capuchins: a spacing call disguised as a food call? *Ethology* 102: 826–840.
- 88** Bond, A. B. 2007. The evolution of color polymorphism: crypticity searching images, and apostatic selection. *Annual Review of Ecology Evolution and Systematics* 38: 489–514.

- 89** Boogert, N. J., F. E. Hofstede, and I. A. Monge. 2006. The use of food source scent marks by the stingless bee *Trigona corvina* (Hymenoptera: Apidae): the importance of the depositor's identity. *Apidologie* 37: 366–375.
- 90** Boonman, A. and G. Jones. 2002. Intensity control during target approach in echolocating bats; stereotypical sensori-motor behaviour in Daubenton's bats, *Myotis daubentonii*. *Journal of Experimental Biology* 205: 2865–2874.
- 91** Boonman, A. and H. U. Schnitzler. 2005. Frequency modulation patterns in the echolocation signals of two vespertilionid bats. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 191: 13–21.
- 92** Boonman, A. and J. Ostwald. 2007. A modeling approach to explain pulse design in bats. *Biological Cybernetics* 97: 159–172.
- 93** Boonman, A. M., S. Parsons, and G. Jones. 2003. The influence of flight speed on the ranging performance of bats using frequency modulated echolocation pulses. *Journal of the Acoustical Society of America* 113: 617–628.
- 94** Borina, F., U. Firzlauff, G. Schuller, and L. Wiegrebe. 2008. Representation of echo roughness and its relationship to amplitude-modulation processing in the bat auditory midbrain. *European Journal of Neuroscience* 27: 2724–2732.
- 95** Bourdeau, P. E. 2010. Cue reliability, risk sensitivity and inducible morphological defense in a marine snail. *Oecologia* 162: 987–994.
- 96** Bradbury, J. W. 1970. Target discrimination by the echolocating bat, *Vampyrum spectrum*. *Journal of Experimental Zoology* 173: 23–46.
- 97** Breed, M. D., E. Guzman-Novoa, and G. J. Hunt. 2004. Defensive behavior of honey bees: organization, genetics, and comparisons with other bees. *Annual Review of Entomology* 49: 271–298.
- 98** Brinklov, S., E. K. V. Kalko, and A. Surlykke. 2009. Intense echolocation calls from two 'whispering' bats, *Artibeus jamaicensis* and *Macrophyllum macrophyllum* (Phyllostomidae). *Journal of Experimental Biology* 212: 11–20.
- 99** Brockmann, A. and G. E. Robinson. 2007. Central projections of sensory systems involved in honey bee dance language communication. *Brain Behavior and Evolution* 70: 125–136.
- 100** Brockmann, A. and M. S. Sarma. 2009. Honeybee dance language: is it overrated? *Trends in Ecology and Evolution* 24: 583.
- 101** Broom, M., M. P. Speed, and G. D. Ruxton. 2006. Evolutionarily stable defence and signalling of that defence. *Journal of Theoretical Biology* 242: 32–43.

- 102** Brower, L. P., J. V. Brower, and C. T. Collin. 1963. Experimental studies of mimicry. 7. Relative palatability and Müllerian mimicry among neotropical butterflies of the subfamily Heiiconiinae. *Zoologica* 48: 65–84.
- 103** Brown, C. R., M. B. Brown, and M. L. Shaffer. 1991. Food-sharing signals among socially foraging cliff swallows. *Animal Behaviour* 42: 551–564.
- 104** Brown, G. E. and R. J. F. Smith. 1997. Conspecific skin extracts elicit antipredator responses in juvenile rainbow trout (*Oncorhynchus mykiss*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 75: 1916–1922.
- 105** Brown, G. E. and J. G. J. Godin. 1999. Chemical alarm signals in wild Trinidadian gunnies (*Poecilia reticulata*). *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 77: 562–570.
- 106** Brown, G. E., J. G. J. Godin, and J. Pedersen. 1999. Fin-flicking behaviour: a visual antipredator alarm signal in a characin fish, *Hemigrammus erythrozonus*. *Animal Behaviour* 58: 469–475.
- 107** Brown, G. E., J. C. Adrian, E. Smyth, H. Leet, and S. Brennan. 2000. Ostariophysan alarm pheromones: Laboratory and field tests of the functional significance of nitrogen oxides. *Journal of Chemical Ecology* 26: 139–154.
- 108** Brown, G. E., J. F. Poirier, and J. C. Adrian. 2004. Assessment of local predation risk: the role of subthreshold concentrations of chemical alarm cues. *Behavioral Ecology* 15: 810–815.
- 109** Brown, G. E., C. K. Elvidge, C. J. Macnaughton, I. Ramnarine, and J. G. J. Godin. 2010. Cross-population responses to conspecific chemical alarm cues in wild Trinidadian guppies, *Poecilia reticulata*: evidence for local conservation of cue production. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 88: 139–147.
- 110** Brown, S. G., G. H. Boettner, and J. E. Yack. 2007. Clicking caterpillars: acoustic aposematism in *Antheraea polyphemus* and other Bombycoidea. *Journal of Experimental Biology* 210: 993–1005.
- 111** Bruschini, C., F. R. Dani, G. Pieraccini, F. Guarna, and S. Turillazzi. 2006. Volatiles from the venom of five species of paper wasps (*Polistes dominulus*, *P. gallicus*, *P. nimphus*, *P. sulcifer* and *P. olivaceus*). *Toxicon* 47: 812–825.
- 112** Bruschini, C., R. Cervo, I. Protti, and S. Turillazzi. 2008. Caste differences in venom volatiles and their effect on alarm behaviour in the paper wasp *Polistes dominulus* (Christ). *Journal of Experimental Biology* 211: 2442–2449.

- 113** Bruschini, C., R. Cervo, and S. Turillazzi. 2008. Nesting habit and alarm pheromones in *Polistes gallicus* (Hymenoptera, Vespidae). *Journal of Insect Behavior* 21: 123–129.
- 114** Bshary, R., A. Hohner, K. Ait-El-Djoudi, and H. Fricke. 2006. Interspecific communicative and coordinated hunting between groupers and giant moray eels in the Red Sea. *PLoS Biology* 4: 2393–2398.
- 115** Bugnyar, T., M. Kijne, and K. Kotrschal. 2001. Food calling in ravens: are yells referential signals? *Animal Behaviour* 61: 949–958.
- 116** Buhl, J., D. J. T. Sumpter, I. D. Couzin, J. J. Hale, E. Despland, E. R. Miller, and S. J. Simpson. 2006. From disorder to order in marching locusts. *Science* 312: 1402–1406.
- 117** Buhrman-Deever, S. C., E. A. Hobson, and A. D. Hobson. 2008. Individual recognition and selective response to contact calls in foraging brown-throated conures, *Aratinga pertinax*. *Animal Behaviour* 76: 1715–1725.
- 118** Bura, V. L., A. J. Fleming, and J. E. Yack. 2009. What’s the buzz? Ultrasonic and sonic warning signals in caterpillars of the great peacock moth (*Saturnia pyri*). *Naturwissenschaften* 96: 713–718.
- 119** Burger, A. E. 1997. Arrival and departure behavior of Common Murres at colonies: evidence for an information halo? *Colonial Waterbirds* 20: 55–65.
- 120** Burton, N. and K. Yasukawa. 2001. The “predator early warning system” of red-winged blackbirds. *Journal of Field Ornithology* 72: 106–112.
- 121** Cap, H., P. Deleporte, J. Joachim, and D. Reby. 2008. Male vocal behavior and phylogeny in deer. *Cladistics* 24: 917–931.
- 122** Caraco, T. and J. L. Brown. 1986. A game between communal breeders: When is food-sharing stable. *Journal of Theoretical Biology* 118: 379–393.
- 123** Caro, T. 1986. The functions of stotting in Thomson’s gazelles: some tests of the predictions. *Animal Behaviour* 34: 663–684.
- 124** Caro, T. 1986. The functions of stotting: a review of the hypotheses. *Animal Behaviour* 34: 649–662.
- 125** Caro, T. 1994. Ungulate antipredator behaviour: preliminary and comparative data from African bovids. *Behaviour* 128: 189–228.

- 126** Caro, T., A. Lombardo, A. W. Goldizen, and M. Kelly. 1995. Tail-flagging and other antipredator signals in white-tailed deer: new data and synthesis. *Behavioral Ecology* 6: 442–450.
- 127** Caro, T. 2005. *Antipredator Defenses in Birds and Mammals*. Chicago, IL: University of Chicago Press.
- 128** Caro, T. 2005. The adaptive significance of coloration in mammals. *Bioscience* 55: 125–136.
- 129** Caro, T. 2009. Contrasting coloration in terrestrial mammals. *Philosophical Transactions of the Royal Society B-Biological Sciences* 364: 537–548.
- 130** Caro, T. and T. Stankowich. 2010. The function of contrasting pelage markings in artiodactyls. *Behavioral Ecology* 21: 78–84.
- 131** Caro, T. M., C. M. Graham, C. J. Stoner, and J. K. Vargas. 2004. Adaptive significance of antipredator behaviour in artiodactyls. *Animal Behaviour* 67: 205–228.
- 132** Carrascal, L. M., J. A. Diaz, D. L. Huertas, and I. Mozetich. 2001. Behavioral thermoregulation by treecreepers: trade-off between saving energy and reducing crypsis. *Ecology* 82: 1642–1654.
- 133** Carvalho, L. N., J. Zuanon, and I. Sazima. 2006. The almost invisible league: crypsis and association between minute fishes and shrimps as a possible defence against visually hunting predators. *Neotropical Ichthyology* 4: 219–224.
- 134** Ceccarelli, F. S. 2008. Behavioral mimicry in *Myrmarachne* species (Araneae, Salticidae) from North Queensland, Australia. *Journal of Arachnology* 36: 344–351.
- 135** Chapman, C. A. and L. Lefebvre. 1990. Manipulating foraging group size: spider monkey food calls at fruiting trees. *Animal Behaviour* 39: 891–896.
- 136** Charlesworth, D. and B. Charlesworth. 1975. Theoretical genetics of Batesian mimicry. I. Single-locus models. *Journal of Theoretical Biology* 55: 283–303.
- 137** Charlesworth, D. and B. Charlesworth. 1975. Theoretical genetics of Batesian mimicry. II. Evolution of super-genes. *Journal of Theoretical Biology* 55: 305–324.
- 138** Charlesworth, D. and B. Charlesworth. 1975. Theoretical genetics of Batesian mimicry. III. Evolution of dominance. *Journal of Theoretical Biology* 55: 325–337.
- 139** Charnov, E. L. and J. R. Krebs. 1975. Evolution of alarm calls: altruism or manipulation? *American Naturalist* 109: 107–112.

- 140** Cheney, D. L. and R. M. Seyfarth. 1985. Social and non-social knowledge in vervet monkeys. *Philosophical Transactions of the Royal Society B-Biological Sciences* 308: 187–201.
- 141** Cheney, D. L. and R. M. Seyfarth. 1988. Assessment of meaning and the detection of unreliable signals by vervet monkeys. *Animal Behaviour* 36: 477–486.
- 142** Cheney, D. L. and R. M. Seyfarth. 2005. Constraints and preadaptations in the earliest stages of language evolution. *Linguistic Review* 22: 135–159.
- 143** Chiu, C. and C. F. Moss. 2007. The role of the external ear in vertical sound localization in the free flying bat, *Eptesicus fuscus*. *Journal of the Acoustical Society of America* 121: 2227–2235.
- 144** Chivers, D. P. and R. J. F. Smith. 1998. Chemical alarm signalling in aquatic predator–prey systems: a review and prospectus. *Ecoscience* 5: 338–352.
- 145** Chivers, D. P., B. D. Wisenden, C. J. Hindman, T. Michalak, R. C. Kusch, S. W. Kaminskyj, K. L. Jack, M. C. O. Ferrari, R. J. Pollock, C. F. Halbgewachs, M. S. Pollock, S. Alemadi, C. T. James, R. K. Savaloja, C. P. Goater, A. Corwin, R. S. Mirza, J. M. Kiesecker, G. E. Brown, J. C. Adrian, P. H. Krone, A. R. Blaustein, and A. Mathis. 2007. Epidermal ‘alarm substance’ cells of fishes maintained by non-alarm functions: possible defence against pathogens, parasites and UVB radiation. *Proceedings of the Royal Society B-Biological Sciences* 274: 2611–2619.
- 146** Chu, M. 2001. Heterospecific responses to scream calls and vocal mimicry by phainopeplas (*Phainopepla nitens*) in distress. *Behaviour* 138: 775–787.
- 147** Clark, V. C., C. J. Raxworthy, V. Rakotomalala, P. Sierwald, and B. L. Fisher. 2005. Convergent evolution of chemical defense in poison frogs and arthropod prey between Madagascar and the Neotropics. *Proceedings of the National Academy of Sciences of the United States of America* 102: 11617–11622.
- 148** Clarke, J. A. 2010. White-tailed ptarmigan food calls enhance chick diet choice: learning nutritional wisdom? *Animal Behaviour* 79: 25–30.
- 149** Clay, Z. and K. Zuberbuhler. 2009. Food-associated calling sequences in bonobos. *Animal Behaviour* 77: 1387–1396.
- 150** Clode, D., J. D. S. Birks, and D. W. Macdonald. 2000. The influence of risk and vulnerability on predator mobbing by terns (*Sterna* spp.) and gulls (*Larus* spp.). *Journal of Zoology* 252: 53–59.
- 151** Clutton-Brock, T. 2009. Cooperation between non-kin in animal societies. *Nature* 462: 51–57.

- 152** Clutton-Brock, T. H., M. J. O’Riain, P. N. M. Brotherton, D. Gaynor, R. Kansky, A. S. Griffin, and M. Manser. 1999. Selfish sentinels in cooperative mammals. *Science* 284: 1640–1644.
- 153** Cocroft, R. B. 1999. Offspring-parent communication in a subsocial treehopper (Hemiptera: Membracidae: *Umbonia crassicornis*). *Behaviour* 136: 1–21.
- 154** Cocroft, R. B. 2002. Antipredator defense as a limited resource: unequal predation risk in broods of an insect with maternal care. *Behavioral Ecology* 13: 125–133.
- 155** Colasurdo, N. and E. Despland. 2005. Social cues and following behavior in the forest tent caterpillar. *Journal of Insect Behavior* 18: 77–87.
- 156** Coleman, S. W. 2008. Mourning dove (*Zenaida macroura*) wing-whistles may contain threat-related information for con- and hetero-specifics. *Naturwissenschaften* 95: 981–986.
- 157** Collett, T. S. and D. Waxman. 2005. Ant navigation: reading geometrical signposts. *Current Biology* 15: R171–R173.
- 158** Conover, M. R. 1994. Stimuli eliciting distress calls in adult passerines and response of predators and birds to their broadcast. *Behaviour* 131: 19–37.
- 159** Conradt, L., J. Krause, I. D. Couzin, and T. J. Roper. 2009. “Leading according to need” in self-organizing groups. *American Naturalist* 173: 304–312.
- 160** Contrera, F. A. L. and J. C. Nieh. 2007. The effect of ambient temperature on forager sound production and thoracic temperature in the stingless bee, *Melipona panamica*. *Behavioral Ecology and Sociobiology* 61: 887–897.
- 161** Cooper, W. E. and L. J. Vitt. 1985. Blue tails and autotomy enhancement of predation avoidance in juvenile skinks. *Zeitschrift Fur Tierpsychologie-Journal of Comparative Ethology* 70: 265–276.
- 162** Cooper, W. E. and L. J. Vitt. 1991. Influence of detectability and ability to escape on natural selection of conspicuous autotomous defenses. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 69: 757–764.
- 163** Cooper, W. E. 2001. Multiple roles of tail display by the curly-tailed lizard *Leiocephalus carinatus*: pursuit deterrent and deflective roles of a social signal. *Ethology* 107: 1137–1149.
- 164** Cooper, W. E., V. Perez-Mellado, T. A. Baird, J. P. Caldwell, and L. J. Vitt. 2004. Pursuit deterrent signalling by the bonaire whiptail lizard *Cnemidophorus murinus*. *Behaviour* 141: 297–311.

- 165** Cooper, W. E. 2007. Escape and its relationship to pursuit-deterrent signalling in the Cuban curly-tailed lizard *Leiocephalus carinatus*. *Herpetologica* 63: 144–150.
- 166** Coppinger, R. 1970. Effect of experience and novelty on avian feeding behavior with reference to evolution of warning coloration in butterflies. II. Reactions of naive birds to novel insects. *American Naturalist* 104: 323–335.
- 167** Corcoran, A. J., J. R. Barber, and W. E. Conner. 2009. Tiger moth jams bat sonar. *Science* 325: 325–327.
- 168** Costa-Leonardo, A. M., F. E. Casarin, and J. T. Lima. 2009. Chemical communication in Isoptera. *Neotropical Entomology* 38: 1–6.
- 169** Cott, H. B. 1947. The edibility of birds—illustrated by five years’ experiments and observations (1941–1946) on the food preferences of hornet, cat, and man; and considered with special reference to the theories of adaptive coloration. *Proceedings of the Zoological Society of London* 116: 371–524.
- 170** Cott, H. B. and C. W. Benson. 1970. The palatability of birds, mainly based on observations of a taste panel in Zambia. *Ostrich, Supplement* 8: 357–384.
- 171** Couzin, I. D. and N. R. Franks. 2003. Self-organized lane formation and optimized traffic flow in army ants. *Proceedings of the Royal Society of London Series B-Biological Sciences* 270: 139–146.
- 172** Couzin, I. D. and J. Krause. 2003. Self-organization and collective behavior in vertebrates. In *Advances in the Study of Behavior, Vol. 32* (Peter J. B. Slater, Jay S. Rosenblatt, Charles T. Snowdon, and Timothy J. Roper, eds.), pp. 1–75. London: Academic Press.
- 173** Couzin, I. D., J. Krause, N. R. Franks, and S. A. Levin. 2005. Effective leadership and decision-making in animal groups on the move. *Nature* 433: 513–516.
- 174** Cranford, T., P. Krysl, and J. A. Hildebrand. 2008. Acoustic pathways revealed: simulated sound transmission and reception in Cuvier’s beaked whale (*Ziphius cavirostris*). *Bioinspiration and Biomimetics* 3: 016001.doi:10.1088/1748-3182/3/1/016001.
- 175** Cranford, T., M. F. McKenna, M. S. Soldevilla, S. M. Wiggins, J. A. Goldbogen, R. E. Shadwick, P. Krysl, J. A. St. Leger, and J. A. Hildebrand. 2008. Anatomic geometry of sound transmission and reception in Cuvier’s beaked whale (*Ziphius cavirostris*). *The Anatomical Record* 291: 353–378.
- 176** Cresswell, W. 1994. The function of alarm calls in redshanks, *Tringa totanus*. *Animal Behaviour* 47: 736–738.

- 177** Cresswell, W., J. L. Quinn, M. J. Whittingham, and S. Butler. 2003. Good foragers can also be good at detecting predators. *Proceedings of the Royal Society of London Series B-Biological Sciences* 270: 1069–1076.
- 178** Crockford, C. and C. Boesch. 2003. Context-specific calls in wild chimpanzees, *Pan troglodytes verus*: analysis of barks. *Animal Behaviour* 66: 115–125.
- 179** Crockford, C. and C. Boesch. 2005. Call combinations in wild chimpanzees. *Behaviour* 142: 397–421.
- 180** Croft, D. P., J. Krause, S. K. Darden, I. W. Ramnarine, J. J. Faria, and R. James. 2009. Behavioural trait assortment in a social network: patterns and implications. *Behavioral Ecology and Sociobiology* 63: 1495–1503.
- 181** Cruz-Lopez, L., S. Aguilar, E. A. Malo, M. Rincon, M. Guzman, and J. C. Rojas. 2007. Electroantennogram and behavioral responses of workers of the stingless bee *Oxytrigona mediorufa* to mandibular gland volatiles. *Entomologia Experimentalis et Applicata* 123: 43–47.
- 182** Curio, E. 1978. Adaptive significance of avian mobbing. II. Teleonomic hypotheses and predictions. *Zeitschrift Fur Tierpsychologie-Journal of Comparative Ethology* 48: 175–183.
- 183** Curio, E., U. Ernst, and W. Vieth. 1978. Adaptive significance of avian mobbing. II. Cultural transmission of enemy recognition in blackbirds: effectiveness and some constraints. *Zeitschrift Fur Tierpsychologie-Journal of Comparative Ethology* 48: 184–202.
- 184** Cuthill, I. C., E. Hiby, and E. Lloyd. 2006. The predation costs of symmetrical cryptic coloration. *Proceedings of the Royal Society B-Biological Sciences* 273: 1267–1271.
- 185** Cuthill, I. C., M. Stevens, A. M. M. Windsor, and H. J. Walker. 2006. The effects of pattern symmetry on detection of disruptive and background-matching coloration. *Behavioral Ecology* 17: 828–832.
- 186** Dacke, M. and M. V. Srinivasan. 2007. Honeybee navigation: distance estimation in the third dimension. *Journal of Experimental Biology* 210: 845–853.
- 187** Dacke, M. and M. V. Srinivasan. 2008. Two odometers in honeybees? *Journal of Experimental Biology* 211: 3281–3286.
- 188** Daly, J. W. 1995. The chemistry of poisons in amphibian skin. *Proceedings of the National Academy of Sciences of the United States of America* 92: 9–13.

- 189** Daly, J. W., T. F. Spande, and H. M. Garraffo. 2005. Alkaloids from amphibian skin: a tabulation of over eight-hundred compounds. *Journal of Natural Products* 68: 1556–1575.
- 190** Dani, F. R., E. D. Morgan, G. R. Jones, S. Turillazzi, R. Cervo, and W. Francke. 1998. Species-specific volatile substances in the venom sac of hover wasps. *Journal of Chemical Ecology* 24: 1091–1104.
- 191** Dani, F. R., R. L. Jeanne, S. R. Clarke, G. R. Jones, E. D. Morgan, W. Francke, and S. Turillazzi. 2000. Chemical characterization of the alarm pheromone in the venom of *Polybia occidentalis* and of volatiles from the venom of *P. sericea*. *Physiological Entomology* 25: 363–369.
- 192** Darst, C. R., P. A. Menendez-Guerrero, L. A. Coloma, and D. C. Cannatella. 2005. Evolution of dietary specialization and chemical defense in poison frogs (Dendrobatidae): a comparative analysis. *American Naturalist* 165: 56–69.
- 193** Davies, N. B., J. R. Madden, S. H. M. Butchart, and J. Rutila. 2006. A host-race of the cuckoo *Cuculus canorus* with nestlings attuned to the parental alarm calls of the host species. *Proceedings of the Royal Society B-Biological Sciences* 273: 693–699.
- 194** De Mey, F., J. Reijniers, H. Peremans, M. Otani, and U. Firzlaff. 2008. Simulated head related transfer function of the phyllostomid bat *Phyllostomus discolor*. *Journal of the Acoustical Society of America* 124: 2123–2132.
- 195** de Waal, F. B. M. and L. M. Luttrell. 1988. Mechanisms of social reciprocity in three primate species: Symmetrical relationship characteristics or cognition? *Ethology and Sociobiology* 9: 101–118.
- 196** de Waal, F. B. M. 1989. Food sharing and reciprocal obligations among chimpanzees. *Journal of Human Evolution* 18: 433–459.
- 197** de Waal, F. B. M. 1997. The chimpanzee's service economy: food for grooming. *Evolution and Human Behavior* 18: 375–386.
- 198** de Waal, F. B. M. 2000. Attitudinal reciprocity in food sharing among brown capuchin monkeys. *Animal Behaviour* 60: 253–261.
- 199** Deecke, V. B., J. K. B. Ford, and P. J. B. Slater. 2005. The vocal behaviour of mammal-eating killer whales: communicating with costly calls. *Animal Behaviour* 69: 395–405.
- 200** Deligne, J., A. Quennedy, and M. S. Blum. 1981. The enemies and defense mechanisms of termites. In *Social Insects, Vol. 2* (H. R. Hermann, ed.), pp. 1–76. New York NY: Academic Press.

- 201** DeLong, C. M., R. Bragg, and J. A. Simmons. 2008. Evidence for spatial representation of object shape by echolocating bats (*Eptesicus fuscus*). *Journal of the Acoustical Society of America* 123: 4582–4598.
- 202** DeRuiter, S. L., A. Bahr, M. A. Blanchet, S. F. Hansen, J. H. Kristensen, P. T. Madsen, P. L. Tyack, and M. Wahlberg. 2009. Acoustic behaviour of echolocating porpoises during prey capture. *Journal of Experimental Biology* 212: 3100–3107.
- 203** Detrain, C. and J. L. Deneubourg. 2008. Collective decision-making and foraging patterns in ants and honeybees. In *Advances in Insect Physiology, Vol. 35* (S.J. Simpson, ed.), pp. 123–173. London: Academic Press.
- 204** Devereux, C. L., E. Fernandez-Juricic, J. R. Krebs, and M. J. Whittingham. 2008. Habitat affects escape behaviour and alarm calling in Common Starlings *Sturnus vulgaris*. *Ibis* 150: 191–198.
- 205** Di Bitetti, M. S. 2003. Food-associated calls of tufted capuchin monkeys (*Cebus apella nigrinus*) are functionally referential signals. *Behaviour* 140: 565–592.
- 206** Di Bitetti, M. S. 2005. Food-associated calls and audience effects in tufted capuchin monkeys, *Cebus apella nigrinus*. *Animal Behaviour* 69: 911–919.
- 207** Digweed, S. M., L. M. Fedigan, and D. Rendall. 2005. Variable specificity in the anti-predator vocalizations and behaviour of the white-faced capuchin, *Cebus capucinus*. *Behaviour* 142: 997–1021.
- 208** Dimitrova, M. and S. Merilaita. 2010. Prey concealment: visual background complexity and prey contrast distribution. *Behavioral Ecology* 21: 176–181.
- 209** Dittus, W. P. J. 1984. Toque macaque food calls: semantic communication concerning food distribution in the environment. *Animal Behaviour* 32: 470–477.
- 210** Donaldson, M. C., M. Lachmann, and C. T. Bergstrom. 2007. The evolution of functionally referential meaning in a structured world. *Journal of Theoretical Biology* 246: 225–233.
- 211** Dornhaus, A. and L. Chittka. 2004. Why do honey bees dance? *Behavioral Ecology and Sociobiology* 55: 395–401.
- 212** Dornhaus, A., F. Klugl, C. Oechslein, F. Puppe, and L. Chittka. 2006. Benefits of recruitment in honey bees: effects of ecology and colony size in an individual-based model. *Behavioral Ecology* 17: 336–344.
- 213** Doving, K. B. and S. Lastein. 2009. The alarm reaction in fishes: odorants, modulations of responses, neural pathways. In *International Symposium on Olfaction and Taste* (T. E. Finger, ed.), pp. 413–423. Boston: Wiley-Blackwell.

- 214** Dubost, G. and H. Genest. 1974. Le comportement social d'une colonie de maras *Dolichotis patagonum* Z. dans le Parc de Branféré. *Zeitschrift Fur Tierpsychologie-Journal of Comparative Ethology* 35: 225–302.
- 215** Dugatkin, L. A. and J. G. J. Godin. 1992. Prey approaching predators: a cost–benefit perspective. *Annales Zoologici Fennici* 29: 233–252.
- 216** Dugatkin, L. A. 1997. *Cooperation among Animals: An Evolutionary Perspective*. Oxford, UK: Oxford University Press.
- 217** Dugatkin, L. A., M. A. McCall, R. G. Gregg, A. Cavanaugh, C. Christensen, and M. Unseld. 2005. Zebrafish (*Danio rerio*) exhibit individual differences in risk-taking behavior during predator inspection. *Ethology Ecology and Evolution* 17: 77–81.
- 218** Dumbacher, J. P., B. M. Beehler, T. F. Spande, and H. M. Garraffo. 1992. Homobatrachotoxin in the genus *Pitohui*: chemical defense in birds? *Science* 258: 799–801.
- 219** Dumbacher, J. P., B. M. Beehler, T. F. Spande, H. M. Garraffo, and J. W. Daly. 1993. *Pitohui*: how toxic and to whom. *Science* 259: 582–583.
- 220** Dumbacher, J. P. and S. Pruett-Jones. 1996. Avian chemical defense. In *Current Ornithology, Vol. 13* (V. Nolan and E. D. Ketterson, eds.), pp. 137–174. New York: Plenum Press.
- 221** Dumbacher, J. P., T. F. Spande, and J. W. Daly. 2000. Batrachotoxin alkaloids from passerine birds: a second toxic bird genus (*Ifrita kowaldi*) from New Guinea. *Proceedings of the National Academy of Sciences of the United States of America* 97: 12970–12975.
- 222** Dumbacher, J. P. and R. C. Fleischer. 2001. Phylogenetic evidence for colour pattern convergence in toxic pitohuis: Müllerian mimicry in birds? *Proceedings of the Royal Society of London Series B-Biological Sciences* 268: 1971–1976.
- 223** Dumbacher, J. P., A. Wako, S. R. Derrickson, A. Samuelson, T. F. Spande, and J. W. Daly. 2004. Melyrid beetles (*Choresine*): A putative source for the batrachotoxin alkaloids found in poison-dart frogs and toxic passerine birds. *Proceedings of the National Academy of Sciences of the United States of America* 101: 15857–15860.
- 224** Dumbacher, J. P., K. Deiner, L. Thompson, and R. C. Fleischer. 2008. Phylogeny of the avian genus *Pitohui* and the evolution of toxicity in birds. *Molecular Phylogenetics and Evolution* 49: 774–781.

- 225** Dumbacher, J. P., G. K. Menon, and J. W. Daly. 2009. Skin as a toxin storage organ in the endemic New Guinean genus *Pitohui*. *Auk* 126: 520–530.
- 226** Dussutour, A., S. C. Nicolis, G. Shephard, M. Beekman, and D. J. T. Sumpter. 2009. The role of multiple pheromones in food recruitment by ants. *Journal of Experimental Biology* 212: 2337–2348.
- 227** Dyer, F. C. 2002. The biology of the dance language. *Annual Review of Entomology* 47: 917–949.
- 228** Edmunds, M. 1974. *Defence in Animals: A Survey of Anti-predator Defences*. New York: Longmans.
- 229** Eick, G. N., D. S. Jacobs, and C. A. Matthee. 2005. A nuclear DNA phylogenetic perspective on the evolution of echolocation and historical biogeography of extant bats (Chiroptera). *Molecular Biology and Evolution* 22: 1869–1886.
- 230** Eifler, D. A. and M. A. Eifler. 2010. Characteristics and use of the tail in signaling by the zebra-tailed lizard (*Callisaurus draconoides*). *Southwestern Naturalist* 55: 104–109.
- 231** Eiler, K. C. and S. A. Banack. 2004. Variability in the alarm call of golden-mantled ground squirrels (*Spermophilus lateralis* and *S. saturatus*). *Journal of Mammalogy* 85: 43–50.
- 232** Eisner, T., R. Ziegler, J. L. McCormick, M. Eisner, E. R. Hoebeke, and J. Meinwald. 1994. Defensive use of an acquired substance (carminic acid) by predaceous insect larvae. *Experientia* 50: 610–615.
- 233** Elgar, M. A. 1986. House sparrows establish foraging flocks by giving chirrup calls if the resources are divisible. *Animal Behaviour* 34: 169–174.
- 234** Ellis, J. M. S. 2008. Which call parameters signal threat to conspecifics in white-throated magpie-jay mobbing calls? *Ethology* 114: 154–163.
- 235** Ellis, J. M. S. 2009. Anti-predator signals as advertisements: evidence in white-throated magpie-jays. *Ethology* 115: 522–532.
- 236** Endler, J. A. 1991. Interactions between predators and prey. In *Behavioural Ecology: An Evolutionary Approach. 3rd Edition* (J. R. Krebs and N. B. Davies, eds.), pp. 169–196. Oxford, UK: Blackwell Scientific Publications.
- 237** Endres, T., K. Widmann, and M. Fendt. 2007. Are rats predisposed to learn 22 kHz calls as danger-predicting signals? *Behavioural Brain Research* 185: 69–75.

- 238** Engen, S., T. Jarvi, and C. Wiklund. 1986. The evolution of aposematic coloration by individual selection: a life-span survival model. *Oikos* 46: 397–403.
- 239** Esch, H., F. Goller, and J. E. Burns. 1994. Honeybee waggle dances: the energy hypothesis and thermoregulatory behavior of foragers. *Journal of Comparative Physiology B-Biochemical Systemic and Environmental Physiology* 163: 621–625.
- 240** Estok, P. and B. M. Siemers. 2009. Calls of a bird-eater: the echolocation behaviour of the enigmatic greater noctule, *Nyctalus lasiopterus*. *Acta Chiropterologica* 11: 405–414.
- 241** Evans, C. S. and P. Marler. 1994. Food calling and audience effects in male chickens, *Gallus gallus*: their relationships to food availability, courtship, and social facilitation. *Animal Behaviour* 47: 1159–1170.
- 242** Evans, C. S. and P. Marler. 1994. Food calling and audience effects in male chickens, *Gallus gallus*: their relationships to food availability, courtship and social facilitation *Animal Behaviour* 47: 1159–1170.
- 243** Evans, C. S. and L. Evans. 1999. Chicken food calls are functionally referential. *Animal Behaviour* 58: 307–319.
- 244** Evans, C. S. and L. Evans. 2007. Representational signalling in birds. *Biology Letters* 3: 8–11.
- 245** Evans, T. A., J. C. S. Lai, E. Toledano, L. McDowall, S. Rakotonarivo, and M. Lenz. 2005. Termites assess wood size by using vibration signals. *Proceedings of the National Academy of Sciences of the United States of America* 102: 3732–3737.
- 246** Evison, S. E. F., A. G. Hart, and D. E. Jackson. 2008. Minor workers have a major role in the maintenance of leafcutter ant pheromone trails. *Animal Behaviour* 75: 963–969.
- 247** Evison, S. E. F., O. L. Petchey, A. P. Beckerman, and F. L. W. Ratnieks. 2008. Combined use of pheromone trails and visual landmarks by the common garden ant *Lasius niger*. *Behavioral Ecology and Sociobiology* 63: 261–267.
- 248** Exnerova, A., E. Landova, P. Stys, R. Fuchs, M. Prokopova, and P. Cehlarikova. 2003. Reactions of passerine birds to aposematic and nonaposematic firebugs (*Pyrrhocoris apterus*; Heteroptera). *Biological Journal of the Linnean Society* 78: 517–525.
- 249** Fallow, P. M. and R. D. Magrath. 2010. Eavesdropping on other species: mutual interspecific understanding of urgency information in avian alarm calls. *Animal Behaviour* 79: 411–417.

- 250** Farji-Brener, A. G., S. Amador-Vargas, F. Chinchilla, S. Escobar, S. Cabrera, M. I. Herrera, and C. Sandoval. 2010. Information transfer in head-on encounters between leaf-cutting ant workers: food, trail condition or orientation cues? *Animal Behaviour* 79: 343–349.
- 251** Fasanella, M. and G. J. Fernandez. 2009. Alarm calls of the southern house wren *Troglodytes musculus*: variation with nesting stage and predator model. *Journal of Ornithology* 150: 853–863.
- 252** Fenton, M. B., C. V. Portfors, I. L. Rautenbach, and J. M. Waterman. 1998. Compromises: sound frequencies used in echolocation by aerial-feeding bats. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 76: 1174–1182.
- 253** Fenton, M. B. 1999. Describing the echolocation calls and behaviour of bats. *Acta Chiropterologica* 1: 127–136.
- 254** Ferguson, A. W. and J. B. Free. 1979. Production of a forage-marking pheromone by the honeybee. *Journal of Apicultural Research* 18: 128–135.
- 255** Fernandez-Juricic, E., B. Kerr, P. A. Bednekoff, and D. W. Stephens. 2004. When are two heads better than one? Visual perception and information transfer affect vigilance coordination in foraging groups. *Behavioral Ecology* 15: 898–906.
- 256** Fettig, C. J., R. R. Borys, D. R. Cluck, and S. L. Smith. 2004. Field response of *Dendroctonus valens* (Coleoptera: Scolytidae) and a major predator, *Temnochila chlorodia* (Coleoptera: Trogositidae), to host kairomones and a *Dendroctonus* spp. pheromone component. *Journal of Entomological Science* 39: 490–499.
- 257** Fettig, C. J., S. R. McKelvey, C. P. Dabney, and R. R. Borys. 2007. The response of *Dendroctonus valens* and *Temnochila chlorodia* to *Ips paraconfusus* pheromone components and verbenone. *Canadian Entomologist* 139: 141–145.
- 258** Fichtel, C. and K. Hammerschmidt. 2002. Responses of redfronted lemurs to experimentally modified alarm calls: evidence for urgency-based changes in call structure. *Ethology* 108: 763–777.
- 259** Fichtel, C. and P. M. Kappeler. 2002. Anti-predator behavior of group-living Malagasy primates: mixed evidence for a referential alarm call system. *Behavioral Ecology and Sociobiology* 51: 262–275.
- 260** Fichtel, C. and K. Hammerschmidt. 2003. Responses of squirrel monkeys to their experimentally modified mobbing calls. *Journal of the Acoustical Society of America* 113: 2927–2932.
- 261** Fichtel, C., S. Perry, and J. Gros-Louis. 2005. Alarm calls of white-faced capuchin monkeys: an acoustic analysis. *Animal Behaviour* 70: 165–176.

- 262** Fichtel, C. and C. P. van Schaik. 2006. Semantic differences in sifaka (*Propithecus verreauxi*) alarm calls: a reflection of genetic or cultural variants? *Ethology* 112: 839–849.
- 263** Fichtel, C. 2007. Avoiding predators at night: antipredator strategies in red-tailed sportive lemurs (*Lepilemur ruficaudatus*). *American Journal of Primatology* 69: 611–624.
- 264** Fichtel, C. 2008. Ontogeny of conspecific and heterospecific alarm call recognition in wild Verreaux's sifakas (*Propithecus verreauxi verreauxi*). *American Journal of Primatology* 70: 127–135.
- 265** Ficken, M. S. 1990. Acoustic characteristics of alarm calls associated with predation risk in chickadees. *Animal Behaviour* 39: 400–401.
- 266** Fischer, J., K. Hammerschmidt, D. L. Cheney, and R. M. Seyfarth. 2001. Acoustic features of female chacma baboon barks. *Ethology* 107: 33–54.
- 267** Fischer, J., M. Metz, D. L. Cheney, and R. M. Seyfarth. 2001. Baboon responses to graded bark variants. *Animal Behaviour* 61: 925–931.
- 268** Fischer, J., K. Hammerschmidt, D. L. Cheney, and R. M. Seyfarth. 2002. Acoustic features of male baboon loud calls: influences of context, age, and individuality. *Journal of the Acoustical Society of America* 111: 1465–1474.
- 269** Fischhoff, I. R., S. R. Sundaresan, J. Cordingley, H. M. Larkin, M. J. Sellier, and D. I. Rubenstein. 2007. Social relationships and reproductive state influence leadership roles in movements of plains zebra, *Equus burchellii*. *Animal Behaviour* 73: 825–831.
- 270** Fitch, W. T. 2010. *The Evolution of Language*. Cambridge, UK: Cambridge University Press.
- 271** Fitzgibbon, C. D. and J. H. Fanshawe. 1988. Stotting in Thomson's gazelles: an honest signal of condition. *Behavioral Ecology and Sociobiology* 23: 69–74.
- 272** Fitzgibbon, C. D. 1994. The costs and benefits of predator inspection behavior in Thomson gazelles. *Behavioral Ecology and Sociobiology* 34: 139–148.
- 273** Fleisher, K. J. and J. F. Case. 1995. Cephalopod predation facilitated by dinoflagellate luminescence. *Biological Bulletin* 189: 263–271.
- 274** Fontaine, B. and H. Peremans. 2009. Determining biosonar images using sparse representations. *Journal of the Acoustical Society of America* 125: 3052–3059.

- 275** Forsman, J. T. and M. Monkkonen. 2001. Responses by breeding birds to heterospecific song and mobbing call playbacks under varying predation risk. *Animal Behaviour* 62: 1067–1073.
- 276** Fortunato, A., F. R. Dani, M. F. Sledge, L. Fondelli, and S. Turillazzi. 2004. Alarm communication in *Ropalidia* social wasps. *Insectes Sociaux* 51: 299–305.
- 277** Fraker, M. E., F. Hu, V. Cuddapah, S. A. McCollum, R. A. Relyea, J. Hempel, and R. J. Denver. 2009. Characterization of an alarm pheromone secreted by amphibian tadpoles that induces behavioral inhibition and suppression of the neuroendocrine stress axis. *Hormones and Behavior* 55: 520–529.
- 278** Franks, D. W., G. D. Ruxton, and T. N. Sherratt. 2009. Warning signals evolve to disengage Batesian mimics. *Evolution* 63: 256–267.
- 279** Franks, N. R. and T. Richardson. 2006. Teaching in tandem-running ants. *Nature* 439: 153–153.
- 280** Franks, N. R., T. O. Richardson, S. Keir, S. J. Inge, F. Bartumeus, and A. B. Sendova-Franks. 2010. Ant search strategies after interrupted tandem runs. *Journal of Experimental Biology* 213: 1697–1708.
- 281** Frederiksen, J. K. and C. N. Slobodchikoff. 2007. Referential specificity in the alarm calls of the black-tailed prairie dog. *Ethology Ecology and Evolution* 19: 87–99.
- 282** Free, J. B., A. W. Ferguson, and J. A. Pickett. 1981. Evaluation of the various components of the Nasonov pheromone used by clustering honeybees. *Physiological Entomology* 6: 263–268.
- 283** Free, J. B. and I. H. Williams. 1983. Scent-marking of flowers by honeybees. *Journal of Apicultural Research* 22: 86–90.
- 284** Freeberg, T. M. and J. R. Lucas. 2002. Receivers respond differently to chick-a-dee calls varying in note composition in Carolina chickadees, *Poecile carolinensis*. *Animal Behaviour* 63: 837–845.
- 285** Freeberg, T. M. 2008. Complexity in the chick-a-dee call of Caroline chickadees (*Poecile carolinensis*): associations of context and signaler behavior to call structure. *Auk* 125: 896–907.
- 286** Fullard, J. H., R. M. R. Barclay, and D. W. Thomas. 1993. Echolocation in free-flying swiftlets (*Aerodramus sawtelli*). *Biotropica* 25: 334–339.
- 287** Furrer, R. D. and M. B. Manser. 2009. Banded mongoose recruitment calls convey information about risk and not stimulus type. *Animal Behaviour* 78: 195–201.

- 288** Furrer, R. D. and M. B. Manser. 2009. The evolution of urgency-based and functionally referential alarm calls in ground-dwelling species. *American Naturalist* 173: 400–410.
- 289** Gall, B. G. and E. D. Brodie. 2009. Behavioral avoidance of injured conspecific and predatory chemical stimuli by larvae of the aquatic caddisfly *Hesperophylax occidentalis*. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 87: 1009–1015.
- 290** Gannon, D. P., N. B. Barros, D. P. Nowacek, A. J. Read, D. M. Waples, and R. S. Wells. 2005. Prey detection by bottlenose dolphins, *Tursiops truncatus*: an experimental test of the passive listening hypothesis. *Animal Behaviour* 69: 709–720.
- 291** Garay, J. 2009. Cooperation in defence against a predator. *Journal of Theoretical Biology* 257: 45–51.
- 292** Gaunard, G. C., D. Brill, H. Huang, P. W. B. Moore, and H. C. Strifors. 1998. Signal processing of the echo signatures returned by submerged shells insonified by dolphin “clicks”: active classification. *Journal of the Acoustical Society of America* 103: 1547–1557.
- 293** Gautier, J. P. 1998. Vocal communication in primates. *Bulletin De La Societe Zoologique De France* 123: 239–253.
- 294** Gautier-Hion, A., M. Colyn, and J.-P. Gautier. 1999. *Histoire Naturelle des Primates D’Afrique Centrale*. Libreville Gabon: ECOFAC.
- 295** Gawleta, N., Y. Zimmermann, and T. Eltz. 2005. Repellent foraging scent recognition across bee families. *Apidologie* 36: 325–330.
- 296** Genzel, D. and L. Wiegrebe. 2008. Time-variant spectral peak and notch detection in echolocation-call sequences in bats. *Journal of Experimental Biology* 211: 9–14.
- 297** Gerlach, G., U. Schardt, R. Eckmann, and A. Meyer. 2001. Kin-structured subpopulations in Eurasian perch (*Perca fluviatilis* L.). *Heredity* 86: 213–221.
- 298** Getty, T. 2002. The discriminating babbler meets the optimal diet hawk. *Animal Behaviour* 63: 397–402.
- 299** Ghirlanda, S. and M. Enquist. 2003. A century of generalization. *Animal Behaviour* 66: 15–36.
- 300** Ghose, K. and C. F. Moss. 2003. The sonar beam pattern of a flying bat as it tracks tethered insects. *Journal of the Acoustical Society of America* 114: 1120–1131.

- 301** Giaquinto, P. C. and A. Hoffmann. 2010. Role of olfaction and vision cues in feeding behavior and alarm reaction in the catfish pintado, *Pseudoplatystoma corruscans*. *Journal of Ethology* 28: 21–27.
- 302** Gil, M. and W. M. Farina. 2002. Foraging reactivation in the honeybee *Apis mellifera* L.: factors affecting the return to known nectar sources. *Naturwissenschaften* 89: 322–325.
- 303** Gilbert, F., S. Azmeh, C. Barnard, J. Behnke, S. A. Collins, J. Hurst, D. Shuker, and The Behavioural Ecology Field Course. 2001. Individually recognizable scent marks on flowers made by a solitary bee. *Animal Behaviour* 61: 217–229.
- 304** Gill, S. A. and S. G. Sealy. 2003. Tests of two functions of alarm calls given by yellow warblers during nest defence. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 81: 1685–1690.
- 305** Gill, S. A. and S. G. Sealy. 2004. Functional reference in an alarm signal given during nest defence: set calls of yellow warblers denote brood-parasitic brown-headed cowbirds. *Behavioral Ecology and Sociobiology* 56: 71–80.
- 306** Gillam, E. H., G. F. McCracken, J. K. Westbrook, Y. F. Lee, M. L. Jensen, and B. B. Balsley. 2009. Bats aloft: variability in echolocation call structure at high altitudes. *Behavioral Ecology and Sociobiology* 64: 69–79.
- 307** Giraldeau, L. A. and B. Livoreil. 1998. Game theory and social foraging. In *Game Theory and Animal Behavior* (L. A. Dugatkin and H. K. Reeve, eds.), pp. 16–37. Oxford, UK: Oxford University Press.
- 308** Giraldeau, L. A. and T. Caraco. 2000. *Social Foraging Theory*. Princeton NJ: Princeton University Press.
- 309** Giurfa, M. 1993. The repellent scent-mark of the honeybee *Apis mellifera ligustica* and its role as communication cue during foraging. *Insectes Sociaux* 40: 59–67.
- 310** Glaudas, X. and C. T. Winne. 2007. Do warning displays predict striking behavior in a viperid snake, the cottonmouth (*Agkistrodon piscivorus*)? *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 85: 574–578.
- 311** Glos, J., K. H. Dausmann, and K. E. Linsenmair. 2007. Mixed-species social aggregations in Madagascan tadpoles: determinants and species composition. *Journal of Natural History* 41: 1965–1977.
- 312** Glos, J., G. Erdmann, K. H. Dausmann, and K. E. Linsenmair. 2007. A comparative study of predator-induced social aggregation of tadpoles in two anuran species from western Madagascar. *Herpetological Journal* 17: 261–268.

- 313** Gobbel, L. 2002. Morphology of the external nose in *Hipposideros diadema* and *Lavia frons* with comments on its diversity and evolution among leaf-nosed microchiroptera. *Cells Tissues Organs* 170: 39–60.
- 314** Gochfeld, M. 1984. Antipredator behavior: aggressive and distraction displays of shorebirds. In *Behavior of Marine Animals, Vol. 5* (J. Burger and B. J. Olla, eds.), pp. 289–377. New York NY: Plenum Press.
- 315** Godfray, H. C. J. 1995. Communication between the first and third trophic levels: an analysis using biological signaling theory. *Oikos* 72: 367–374.
- 316** Goerlitz, H. R., S. Greif, and B. M. Siemers. 2008. Cues for acoustic detection of prey: insect rustling sounds and the influence of walking substrate. *Journal of Experimental Biology* 211: 2799–2806.
- 317** Golding, Y. C., A. R. Ennos, and M. Edmunds. 2001. Similarity in flight behaviour between the honeybee *Apis mellifera* (Hymenoptera: Apidae) and its presumed mimic, the dronefly *Eristalis tenax* (Diptera: Syrphidae). *Journal of Experimental Biology* 204: 139–145.
- 318** Gomez, D. and M. Thery. 2007. Simultaneous crypsis and conspicuousness in color patterns: comparative analysis of a neotropical rainforest bird community. *American Naturalist* 169: S42–S61.
- 319** Gomez-Laplaza, L. M. 2002. Social status and investigatory behaviour in the angelfish (*Pterophyllum scalare*). *Behaviour* 139: 1469–1490.
- 320** Goodale, E. and S. W. Kotagama. 2005. Alarm calling in Sri Lankan mixed-species bird flocks. *Auk* 122: 108–120.
- 321** Goodale, E. and S. W. Kotagama. 2006. Context-dependent vocal mimicry in a passerine bird. *Proceedings of the Royal Society B-Biological Sciences* 273: 875–880.
- 322** Goodale, E. and S. W. Kotagama. 2008. Response to conspecific and heterospecific alarm calls in mixed-species bird flocks of a Sri Lankan rainforest. *Behavioral Ecology* 19: 887–894.
- 323** Goodwin, G. G. and A. M. Greenhall. 1961. A review of the bats of Trinidad and Tobago. *Bulletin of the American Museum of Natural History* 122: 187–302.
- 324** Götmark, F. 1994. Are bright birds distasteful: a reanalysis of H. B. Cott's data on the edibility of birds. *Journal of Avian Biology* 25: 184–197.

- 325** Goudy-Trainor, A. and P. W. Freeman. 2002. Call parameters and facial features in bats: a surprising failure of form following function. *Acta Chiropterologica* 4: 1–16.
- 326** Goulson, D., S. A. Hawson, and J. C. Stout. 1998. Foraging bumblebees avoid flowers already visited by conspecifics or by other bumblebee species. *Animal Behaviour* 55: 199–206.
- 327** Goulson, D., J. C. Stout, J. Langley, and W. O. H. Hughes. 2000. Identity and function of scent marks deposited by foraging bumblebees. *Journal of Chemical Ecology* 26: 2897–2911.
- 328** Gramapurohit, N. P., D. K. Veeranagoudar, S. V. Mulkeegoudra, B. A. Shanbhag, and S. K. Saidapur. 2006. Kin recognition in *Bufo scaber* tadpoles: ontogenetic changes and mechanism. *Journal of Ethology* 24: 267–274.
- 329** Granero, A. M., J. M. G. Sanz, F. J. E. Gonzalez, J. L. M. Vidal, A. Dornhaus, J. Ghani, A. R. Serrano, and L. Chittka. 2005. Chemical compounds of the foraging recruitment pheromone in bumblebees. *Naturwissenschaften* 92: 371–374.
- 330** Graw, B. and M. B. Manser. 2007. The function of mobbing in cooperative meerkats. *Animal Behaviour* 74: 507–517.
- 331** Greene, E. and T. Meagher. 1998. Red squirrels, *Tamiasciurus hudsonicus*, produce predator-class specific alarm calls. *Animal Behaviour* 55: 511–518.
- 332** Greene, H. W. 2000. *Snakes: The Evolution of Mystery in Nature*. Berkeley CA: University of California Press.
- 333** Greene, M. J. and D. M. Gordon. 2007. How patrollers set foraging direction in harvester ants. *American Naturalist* 170: 943–948.
- 334** Greenwood, P. G. 2009. Acquisition and use of nematocysts by cnidarian predators. *Toxicon* 54: 1065–1070.
- 335** Griesser, M. and A. Ekman. 2004. Nepotistic alarm calling in the Siberian jay, *Perisoreus infaustus*. *Animal Behaviour* 67: 933–939.
- 336** Griesser, M. and J. Ekman. 2005. Nepotistic mobbing behaviour in the Siberian jay, *Perisoreus infaustus*. *Animal Behaviour* 69: 345–352.
- 337** Griesser, M. 2009. Mobbing calls signal predator category in a kin group-living bird species. *Proceedings of the Royal Society B-Biological Sciences* 276: 2887–2892.
- 338** Griffin, A. S., R. S. Savani, K. Hausmanis, and L. Lefebvre. 2005. Mixed-species aggregations in birds: zenaida doves, *Zenaida aurita*, respond to the alarm calls of carib grackles, *Quiscalus lugubris*. *Animal Behaviour* 70: 507–515.

- 339** Griffin, A. S. 2008. Social learning in Indian mynahs, *Acridotheres tristis*: the role of distress calls. *Animal Behaviour* 75: 79–89.
- 340** Griffin, D. R. 1953. Acoustic orientation in the oilbird, *Steatornis*. *Proceedings of the National Academy of Sciences of the United States of America* 39: 884–893.
- 341** Griffin, D. R. 1958. *Listening in the Dark: The Acoustic Orientation of Bats and Men*. New Haven, CT: Yale University Press.
- 342** Griffin, D. R., F. A. Webster, and C. R. Michael. 1960. The echolocation of flying insects by bats. *Animal Behaviour* 8: 141–154.
- 343** Griffin, D. R. and R. A. Suthers. 1970. Sensitivity of echolocation in cave swiftlets. *Biological Bulletin* 139: 495–501.
- 344** Griffin, D. R. and D. Thompson. 1982. Echolocation by cave swiftlets. *Behavioral Ecology and Sociobiology* 10: 119–123.
- 345** Grill, C. P. and A. J. Moore. 1998. Effects of a larval antipredator response and larval diet on adult phenotype in an aposematic ladybird beetle. *Oecologia* 114: 274–282.
- 346** Grim, T. 2008. Are Blackcaps (*Sylvia atricapilla*) defending their nests also calling for help from their neighbours? *Journal of Ornithology* 149: 169–180.
- 347** Grinnell, A. D. and H. U. Schnitzler. 1977. Directional sensitivity of echolocation in horseshoe bat, *Rhinolophus ferrumequinum*. II. Behavioral directionality of hearing. *Journal of Comparative Physiology* 116: 63–76.
- 348** Gros-Louis, J. 2004. The function of food-associated calls in white-faced capuchin monkeys, *Cebus capucinus*, from the perspective of the signaller. *Animal Behaviour* 67: 431–440.
- 349** Grunwald, J. E., S. Schornich, and L. Wiegrebe. 2004. Classification of natural textures in echolocation. *Proceedings of the National Academy of Sciences of the United States of America* 101: 5670–5674.
- 350** Gruter, C., L. E. Acosta, and W. M. Farina. 2006. Propagation of olfactory information within the honeybee hive. *Behavioral Ecology and Sociobiology* 60: 707–715.
- 351** Gruter, C., M. S. Balbuena, and W. M. Farina. 2008. Informational conflicts created by the waggle dance. *Proceedings of the Royal Society B-Biological Sciences* 275: 1321–1327.

- 352** Gruter, C., M. S. Balbuena, and W. M. Farina. 2009. Retention of long-term memories in different age groups of honeybee (*Apis mellifera*) workers. *Insectes Sociaux* 56: 385–387.
- 353** Grüter, C. and W. M. Farina. 2009. Why do honeybee foragers follow waggle dances? *Trends in Ecology and Evolution* 24: 584–585.
- 354** Grüter, C. and W. M. Farina. 2009. The honeybee waggle dance: can we follow the steps? *Trends in Ecology and Evolution* 24: 242–247.
- 355** Guilford, T. 1990. The evolution of aposematism. In *Insect Defense: Adaptive Mechanisms and Strategies of Prey and Predators* (D. I. Evans and J. O. Schmidt, eds.), pp. 23–61. New York, NY: State University of New York Press.
- 356** Guilford, T. and M. S. Dawkins. 1993. Are warning colors handicaps? *Evolution* 47: 400–416.
- 357** Guilford, T. 1994. Go-slow signaling and the problem of automimicry. *Journal of Theoretical Biology* 170: 311–316.
- 358** Gursky, S. 2003. Predation experiments on infant spectral tarsiers (*Tarsius spectrum*). *Folia Primatologica* 74: 272–284.
- 359** Guthrie, R. D. 1971. A new theory on mammalian rump patch evolution. *Behaviour* 38: 132–145.
- 360** Gyger, M., P. Marler, and R. Pickert. 1987. Semantics of an avian alarm call system: the male domestic fowl, *Gallus domesticus*. *Behaviour* 102: 15–40.
- 361** Habersetzer, J., G. Schuller, and G. Neuweiler. 1984. Foraging behavior and Doppler-shift compensation in echolocating hipposiderid bats, *Hipposideros bicolor* and *Hipposideros speoris*. *Journal of Comparative Physiology* 155: 559–567.
- 362** Haddock, S. H. D., M. A. Moline, and J. F. Case. 2010. Bioluminescence in the sea. *Annual Review of Marine Science* 2: 443–493.
- 363** Haff, T. M. and R. D. Magrath. 2010. Vulnerable but not helpless: nestlings are fine-tuned to cues of approaching danger. *Animal Behaviour* 79: 487–496.
- 364** Haftorn, S. 2000. Contexts and possible functions of alarm calling in the willow tit, *Parus montanus*; The principle of ‘better safe than sorry’. *Behaviour* 137: 437–449.
- 365** Hagelin, J. C. and I. L. Jones. 2007. Bird odors and other chemical substances: a defense mechanism or overlooked mode of intraspecific communication? *Auk* 124: 741–761.

- 366** Hagman, M. and R. Shine. 2008. Understanding the toad code: behavioural responses of cane toad (*Chaunus marinus*) larvae and metamorphs to chemical cues. *Austral Ecology* 33: 37–44.
- 367** Hailman, J. P. 1977. *Optical Signals: Animal Communication and Light*. Bloomington IN: Indiana University Press.
- 368** Hailman, J. P., K. J. McGowan, and G. E. Woolfenden. 1994. Roles of helpers in the sentinel behavior of the Florida scrub jay (*Aphelocoma c. coerulescens*). *Ethology* 97: 119–140.
- 369** Halbgewachs, C. F., T. A. Marchant, R. C. Kusch, and D. P. Chivers. 2009. Epidermal club cells and the innate immune system of minnows. *Biological Journal of the Linnean Society* 98: 891–897.
- 370** Halpin, C. G., J. Skelhorn, and C. Rowe. 2008. Being conspicuous and defended: selective benefits for the individual. *Behavioral Ecology* 19: 1012–1017.
- 371** Halverson, M. A., D. K. Skelly, and A. Caccone. 2006. Kin distribution of amphibian larvae in the wild. *Molecular Ecology* 15: 1139–1145.
- 372** Hamilton, W. D. 1971. Geometry for the selfish herd. *Journal of Theoretical Biology* 31: 295–311.
- 373** Hanifin, C. T. 2010. The chemical and evolutionary ecology of tetrodotoxin (TTX) toxicity in terrestrial vertebrates. *Marine Drugs* 8: 577–593.
- 374** Hanlon, R. T., L. A. Conroy, and J. W. Forsythe. 2008. Mimicry and foraging behaviour of two tropical sand-flat octopus species off North Sulawesi, Indonesia. *Biological Journal of the Linnean Society* 93: 23–38.
- 375** Hanlon, R. T., C. C. Chiao, L. M. Mathger, A. Barbosa, K. C. Buresch, and C. Chubb. 2009. Cephalopod dynamic camouflage: bridging the continuum between background matching and disruptive coloration. *Philosophical Transactions of the Royal Society B-Biological Sciences* 364: 429–437.
- 376** Hanlon, R. T., A. C. Watson, and A. Barbosa. 2010. A “mimic octopus” in the Atlantic: flatfish mimicry and camouflage by *Macrotritopus defilippi*. *Biological Bulletin* 218: 15–24.
- 377** Hardie, J., J. A. Pickett, E. M. Pow, and D. W. Smiley. 1999. Aphids. In *Pheromones of Non-Lepidopteran Insects Associated with Agricultural Plants* (J. Hardie and A. K. Minks, eds.), pp. 227–250. Wallingford, UK: CAB International.

- 378** Hare, J. F. and B. A. Atkins. 2001. The squirrel that cried wolf: reliability detection by juvenile Richardson's ground squirrels (*Spermophilus richardsonii*). *Behavioral Ecology and Sociobiology* 51: 108–112.
- 379** Harris, R. N., T. J. Vess, J. I. Hammond, and C. J. Lindermuth. 2003. Context-dependent kin discrimination in larval four-toed salamanders *Hemidactylium scutatum* (Caudata: Plethodontidae). *Herpetologica* 59: 164–177.
- 380** Hartley, D. J. and R. A. Suthers. 1987. The sound emission pattern and the acoustical role of the noseleaf in the echolocating bat, *Carollia perspicillata*. *Journal of the Acoustical Society of America* 82: 1892–1900.
- 381** Hartley, D. J. and R. A. Suthers. 1989. The sound emission pattern of the echolocating bat, *Eptesicus fuscus*. *Journal of the Acoustical Society of America* 85: 1348–1351.
- 382** Hartley, D. J. 1992. Stabilization of perceived echo amplitudes in echolocating bats. I. Echo detection and automatic gain-control in the big brown bat, *Eptesicus fuscus*, and the fishing bat, *Noctilio leporinus*. *Journal of the Acoustical Society of America* 91: 1120–1132.
- 383** Hartley, D. J. 1992. Stabilization of perceived echo amplitudes in echolocating bats. II. The acoustic behavior of the big brown bat, *Eptesicus fuscus*, when tracking moving prey. *Journal of the Acoustical Society of America* 91: 1133–1149.
- 384** Harvey, P. H., J. J. Bull, M. Pemberton, and R. J. Paxton. 1982. The evolution of aposematic coloration in distasteful prey: a family model. *American Naturalist* 119: 710–719.
- 385** Hasenfuss, I. 2000. Evolutionary pathways of truncanal tympanal organs in Lepidoptera (Insecta: Holometabola). *Zoologischer Anzeiger* 239: 27–44.
- 386** Hasson, O. 1991. Pursuit deterrent signals: communication between prey and predator. *Trends in Ecology and Evolution* 6: 325–329.
- 387** Hasson, O. 1994. Cheating signals. *Journal of Theoretical Biology* 167: 223–238.
- 388** Hasson, O. 1997. Towards a general theory of biological signaling. *Journal of Theoretical Biology* 185: 139–156.
- 389** Hatano, E., G. Kunert, S. Bartram, W. Boland, J. Gershenzon, and W. W. Weisser. 2008. Do aphid colonies amplify their emission of alarm pheromone? *Journal of Chemical Ecology* 34: 1149–1152.
- 390** Hatchwell, B. J. 2010. Cryptic kin selection: kin structure in vertebrate populations and opportunities for kin-directed cooperation. *Ethology* 116: 203–216.

- 391** Hatle, J. D. and B. A. Salazar. 2001. Aposematic coloration of gregarious insects can delay predation by an ambush predator. *Environmental Entomology* 30: 51–54.
- 392** Hauser, M. D. 1988. How infant vervet monkeys learn to recognize startling alarm calls: the role of experience. *Behaviour* 105: 187–201.
- 393** Hauser, M. D. and P. Marler. 1993. Food-associated calls in rhesus macaques (*Macaca mulatta*). I. Socioecological factors. *Behavioral Ecology* 4: 194–205.
- 394** Hauser, M. D. and P. Marler. 1993. Food-associated calls in rhesus macaques (*Macaca mulatta*). II. Costs and benefits of call production and suppression. *Behavioral Ecology* 4: 206–212.
- 395** Hauser, M. D., P. Teixidor, L. Field, and R. Flaherty. 1993. Food-elicited calls in chimpanzees: effects of food quantity and divisibility. *Animal Behaviour* 45: 817–819.
- 396** Hauser, M. D. 1998. Functional referents and acoustic similarity: field playback experiments with rhesus monkeys. *Animal Behaviour* 55: 1647–1658.
- 397** Hauser, M. D., N. Chomsky, and W. T. Fitch. 2002. The language faculty: what is it, who has it, and how did it evolve? *Science* 298: 1569–1579.
- 398** Haynes, K. F. and K. V. Yeorgan. 1999. Exploitation of intraspecific communication systems: illicit signalers and receivers. *Annals of the Entomological Society of America* 92: 960–970.
- 399** Heinrich, B. 1988. Winter foraging at carcasses by three sympatric corvids, with emphasis on recruitment by the raven *Corvus corax*. *Behavioral Ecology and Sociobiology* 23: 141–156.
- 400** Hennessy, D. F., D. H. Owings, M. P. Rowe, R. G. Coss, and D. W. Leger. 1981. The information afforded by a variable signal: constraints on snake-elicited tail flagging by California ground squirrels. *Behaviour* 78: 188–226.
- 401** Hersek, M. J. and D. H. Owings. 1993. Tail flagging by adult California ground squirrels—a tonic signal that serves different functions for males and females. *Animal Behaviour* 46: 129–138.
- 402** Hingee, M. and R. D. Magrath. 2009. Flights of fear: a mechanical wing whistle sounds the alarm in a flocking bird. *Proceedings of the Royal Society B-Biological Sciences* 276: 4173–4179.
- 403** Hirth, D. H. and D. R. McCullough. 1977. Evolution of alarm signals in ungulates with special reference to white-tailed deer. *American Naturalist* 111: 31–42.

- 404** Hiryu, S., T. Hagino, H. Riquimaroux, and Y. Watanabe. 2007. Echo-intensity compensation in echolocating bats (*Pipistrellus abramus*) during flight measured by a telemetry microphone. *Journal of the Acoustical Society of America* 121: 1749–1757.
- 405** Hiryu, S., T. Hagino, E. Fujioka, H. Riquimaroux, and Y. Watanabe. 2008. Adaptive echolocation sounds of insectivorous bats, *Pipistrellus abramus*, during foraging flights in the field. *Journal of the Acoustical Society of America* 124: EL51–EL56.
- 406** Hiryu, S., Y. Shiori, T. Hosokawa, H. Riquimaroux, and Y. Watanabe. 2008. On-board telemetry of emitted sounds from free-flying bats: compensation for velocity and distance stabilizes echo frequency and amplitude. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 194: 841–851.
- 407** Hokit, D. G. and A. R. Blaustein. 1997. Effects of kinship on interactions between tadpoles of *Rana cascadae*. *Ecology* 78: 1722–1735.
- 408** Holderied, M. W. and O. von Helversen. 2003. Echolocation range and wingbeat period match in aerial-hawking bats. *Proceedings of the Royal Society of London Series B-Biological Sciences* 270: 2293–2299.
- 409** Holderied, M. W., C. Korine, M. B. Fenton, S. Parsons, S. Robson, and G. Jones. 2005. Echolocation call intensity in the aerial hawking bat *Eptesicus bottae* (Vespertilionidae) studied using stereo videogrammetry. *Journal of Experimental Biology* 208: 1321–1327.
- 410** Holderied, M. W., G. Jones, and O. Von Helversen. 2006. Flight and echolocation behaviour of whiskered bats commuting along a hedgerow: range-dependent sonar signal design, Doppler tolerance and evidence for ‘acoustic focussing’. *Journal of Experimental Biology* 209: 1816–1826.
- 411** Holderied, M. W., C. J. Baker, M. Vespe, and G. Jones. 2008. Understanding signal design during the pursuit of aerial insects by echolocating bats: tools and applications. *Integrative and Comparative Biology* 48: 74–84.
- 412** Hölldobler, B. and E. O. Wilson. 1990. *The Ants*. Cambridge, MA: Belknap Press/Harvard University Press.
- 413** Hollen, L. I. and M. B. Manser. 2007. Persistence of alarm-call behaviour in the absence of predators: A comparison between wild and captive-born meerkats (*Suricata suricatta*). *Ethology* 113: 1038–1047.

- 414** Hollen, L. I. and M. B. Manser. 2007. Motivation before meaning: motivational information encoded in meerkat alarm calls develops earlier than referential information. *American Naturalist* 169: 758–767.
- 415** Hollen, L. I., M. B. V. Bell, and A. N. Radford. 2008. Cooperative sentinel calling? Foragers gain increased biomass intake. *Current Biology* 18: 576–579.
- 416** Hollén, L. I., T. Clutton-Brock, and M. B. Manser. 2008. Ontogenetic changes in alarm-call production and usage in meerkats (*Suricata suricatta*): adaptations or constraints? *Behavioral Ecology and Sociobiology* 62: 821–829.
- 417** Hollén, L. I. and A. N. Radford. 2009. The development of alarm call behaviour in mammals and birds. *Animal Behaviour* 78: 791–800.
- 418** Holyoak, D. T. 2001. *Nightjars and their Allies: The Caprimulgiformes*. Oxford, UK: Oxford University Press.
- 419** Hoogland, J. L. 1996. Why do Gunnison’s prairie dogs give anti-predator calls? *Animal Behaviour* 51: 871–880.
- 420** Houser, D., S. W. Martin, E. J. Bauer, M. Phillips, T. Herrin, M. Cross, A. Vidal, and P. W. Moore. 2005. Echolocation characteristics of free-swimming bottlenose dolphins during object detection and identification. *Journal of the Acoustical Society of America* 117: 2308–2317.
- 421** Houser, D. S., D. A. Helweg, and P. W. Moore. 1999. Classification of dolphin echolocation clicks by energy and frequency distributions. *Journal of the Acoustical Society of America* 106: 1579–1585.
- 422** Houston, A. I. and J. M. McNamara. 1999. *Models of Adaptive Behaviour: An Approach Based on State*. Cambridge, UK: Cambridge University Press.
- 423** Houston, A. I., M. Stevens, and I. C. Cuthill. 2007. Animal camouflage: compromise or specialize in a 2 patch-type environment? *Behavioral Ecology* 18: 769–775.
- 424** Hoy, R. R. 1992. The evolution of hearing in insects as an adaptation to predation from bats. In *The Evolutionary Biology of Hearing* (D. B. Webster, R. R. Fay, and A. N. Popper, eds.), pp. 115–129. New York: Springer Verlag.
- 425** Hristov, N. and W. E. Conner. 2005. Effectiveness of tiger moth (Lepidoptera, Arctiidae) chemical defenses against an insectivorous bat (*Eptesicus fuscus*). *Chemoecology* 15: 105–113.
- 426** Hristov, N. I. and W. E. Conner. 2005. Sound strategy: acoustic aposematism in the bat–tiger moth arms race. *Naturwissenschaften* 92: 164–169.

- 427 Hrnčir, M., S. Jarau, R. Zucchi, and F. G. Barth. 2004. On the origin and properties of scent marks deposited at the food source by a stingless bee, *Melipona seminigra*. *Apidologie* 35: 3–13.
- 428 Hultgren, K. M. and J. J. Stachowicz. 2009. Evolution of decoration in majoid crabs: a comparative phylogenetic analysis of the role of body size and alternative defensive strategies. *American Naturalist* 173: 566–578.
- 429 Hutchinson, D. A., A. Mori, A. H. Savitzky, G. M. Burghardt, X. G. Wu, J. Meinwald, and F. C. Schroeder. 2007. Dietary sequestration of defensive steroids in nuchal glands of the Asian snake *Rhabdophis tigrinus*. *Proceedings of the National Academy of Sciences of the United States of America* 104: 2265–2270.
- 430 Hutchinson, D. A., A. H. Savitzky, A. Mori, J. Meinwald, and F. C. Schroeder. 2008. Maternal provisioning of sequestered defensive steroids by the Asian snake *Rhabdophis tigrinus*. *Chemoecology* 18: 181–190.
- 431 Inagaki, H., K. Nakamura, Y. Kiyokawa, T. Kikusui, Y. Takeuchi, and Y. Mori. 2009. The volatility of an alarm pheromone in male rats. *Physiology and Behavior* 96: 749–752.
- 432 Inbar, M. and S. Lev-Yadun. 2005. Conspicuous and aposematic spines in the animal kingdom. *Naturwissenschaften* 92: 170–172.
- 433 Isack, H. A. and H. U. Reyer. 1989. Honeyguides and honey gatherers: interspecific communication in a symbiotic relationship. *Science* 243: 1343–1346.
- 434 Jackendoff, R. and S. Pinker. 2005. The nature of the language faculty and its implications for evolution of language: (Reply to Fitch, Hauser, and Chomsky). *Cognition* 97: 211–225.
- 435 Jackson, D. E., M. Holcombe, and F. L. W. Ratnieks. 2004. Trail geometry gives polarity to ant foraging networks. *Nature* 432: 907–909.
- 436 Jackson, D. E. and N. Chaline. 2007. Modulation of pheromone trail strength with food quality in Pharaoh's ant, *Monomorium pharaonis*. *Animal Behaviour* 74: 463–470.
- 437 James, C. T., B. D. Wisenden, and C. P. Goater. 2009. Epidermal club cells do not protect fathead minnows against trematode cercariae: a test of the anti-parasite hypothesis. *Biological Journal of the Linnean Society* 98: 884–890.
- 438 Janzen, D. H., W. Hallwachs, and J. M. Burns. 2010. A tropical horde of counterfeit predator eyes. *Proceedings of the National Academy of Sciences of the United States of America* 107: 11659–11665.

- 439** Jarau, S., M. Hrncir, V. M. Schmidt, R. Zucchi, and F. G. Barth. 2003. Effectiveness of recruitment behavior in stingless bees (Apidae, Meliponini). *Insectes Sociaux* 50: 365–374.
- 440** Jarau, S., M. Hrncir, M. Ayasse, C. Schulz, W. Francke, R. Zucchi, and F. G. Barth. 2004. A stingless bee (*Melipona seminigra*) marks food sources with a pheromone from its claw retractor tendons. *Journal of Chemical Ecology* 30: 793–804.
- 441** Jensen, F. H., L. Bejder, M. Wahlberg, and P. T. Madsen. 2009. Biosonar adjustments to target range of echolocating bottlenose dolphins (*Tursiops* sp.) in the wild. *Journal of Experimental Biology* 212: 1078–1086.
- 442** Jensen, M. E. and L. A. Miller. 1999. Echolocation signals of the bat *Eptesicus serotinus* recorded using a vertical microphone array: effect of flight altitude on searching signals. *Behavioral Ecology and Sociobiology* 47: 60–69.
- 443** Jensen, M. E., C. F. Moss, and A. Surlykke. 2005. Echolocating bats can use acoustic landmarks for spatial orientation. *Journal of Experimental Biology* 208: 4399–4410.
- 444** Johnsen, S. 2001. Hidden in plain sight: The ecology and physiology of organismal transparency. *Biological Bulletin* 201: 301–318.
- 445** Johnson, F. R., E. J. McNaughton, C. D. Shelley, and D. T. Blumstein. 2003. Mechanisms of heterospecific recognition in avian mobbing calls. *Australian Journal of Zoology* 51: 577–585.
- 446** Johnson, L. K., L. W. Haynes, M. A. Carlson, H. A. Fortnum, and D. L. Gorgas. 1985. Alarm substances of the stingless bee, *Trigona silvestriana*. *Journal of Chemical Ecology* 11: 409–416.
- 447** Johnson, M., P. T. Madsen, W. M. X. Zimmer, N. A. de Soto, and P. L. Tyack. 2004. Beaked whales echolocate on prey. *Proceedings of the Royal Society of London Series B-Biological Sciences* 271: S383-S386.
- 448** Johnson, M., P. T. Madsen, W. M. X. Zimmer, N. A. de Soto, and P. L. Tyack. 2006. Foraging Blainville’s beaked whales (*Mesoplodon densirostris*) produce distinct click types matched to different phases of echolocation. *Journal of Experimental Biology* 209: 5038–5050.
- 449** Jones, G. and M. W. Holderied. 2007. Bat echolocation calls: adaptation and convergent evolution. *Proceedings of the Royal Society B-Biological Sciences* 274: 905–912.

- 450** Jones, K. A., J. R. Krebs, and M. J. Whittingham. 2009. Heavier birds react faster to predators: individual differences in the detection of stalking and ambush predators. *Behavioral Ecology and Sociobiology* 63: 1319–1329.
- 451** Jones, K. A. and J. G. J. Godin. 2010. Are fast explorers slow reactors? Linking personality type and anti-predator behaviour. *Proceedings of the Royal Society B-Biological Sciences* 277: 625–632.
- 452** Jones, K. E., A. Purvis, A. MacLarnon, O. R. P. Bininda-Emonds, and N. B. Simmons. 2002. A phylogenetic supertree of the bats (Mammalia: Chiroptera). *Biological Reviews* 77: 223–259.
- 453** Jones, K. J. and W. L. Hill. 2001. Auditory perception of hawks and owls for passerine alarm calls. *Ethology* 107: 717–726.
- 454** Jonsson, K. A., R. C. K. Bowie, J. A. Norman, L. Christidis, and J. Fjeldsa. 2008. Polyphyletic origin of toxic Pitohui birds suggests widespread occurrence of toxicity in corvid birds. *Biology Letters* 4: 71–74.
- 455** Joron, M. 2003. Mimicry. In *Encyclopedia of Insects* (R. T. Cardè and V. H. Resh, eds.), pp. 714–726. New York NY: Academic Press.
- 456** Judd, T. M. and P. W. Sherman. 1996. Naked mole-rats recruit colony mates to food sources. *Animal Behaviour* 52: 957–969.
- 457** Jung, K., E. K. V. Kalko, and O. von Helversen. 2007. Echolocation calls in Central American emballonurid bats: signal design and call frequency alternation. *Journal of Zoology* 272: 125–137.
- 458** Jurisevic, M. A. and K. J. Sanderson. 1998. Acoustic discrimination of passerine anti-predator signals by Australian raptors. *Australian Journal of Zoology* 46: 369–379.
- 459** Kaib, M., O. Bruinsma, and R. H. Leuthold. 1982. Trail-following in termites—evidence for a multicomponent system. *Journal of Chemical Ecology* 8: 1193–1205.
- 460** Kaliszewicz, A. and J. Uchmanski. 2009. A cross-phyla response to *Daphnia* chemical alarm substances by an aquatic oligochaete. *Ecological Research* 24: 461–466.
- 461** Kalko, E. K. V. and H. U. Schnitzler. 1993. Plasticity in echolocation signals of European pipistrelle bats in search flight: implications for habitat use and prey detection. *Behavioral Ecology and Sociobiology* 33: 415–428.

- 462** Kalko, E. K. V. 1995. Insect pursuit, prey capture and echolocation in pipistrelle bats (Microchiroptera). *Animal Behaviour* 50: 861–880.
- 463** Kamilar, J. M. 2009. Interspecific variation in primate countershading: effects of activity pattern, body mass, and phylogeny. *International Journal of Primatology* 30: 877–891.
- 464** Kats, L. B. and L. M. Dill. 1998. The scent of death: chemosensory assessment of predation risk by prey animals. *Ecoscience* 5: 361–394.
- 465** Kauppinen, J. and J. Mappes. 2003. Why are wasps so intimidating: field experiments on hunting dragonflies (Odonata: *Aeshna grandis*). *Animal Behaviour* 66: 505–511.
- 466** Kelley, J. L. and A. E. Magurran. 2003. Learned predator recognition and antipredator responses in fishes. *Fish and Fisheries* 4: 216–226.
- 467** Kelly, E. J. and R. P. Wishner. 1965. Matched-filter theory for high-velocity accelerating targets. *IEEE Transactions on Military Electronics* 9: 56–69.
- 468** Kerr, W. E. 1969. Some aspects of the evolution of social bees. *Evolutionary Biology* 3: 119–175.
- 469** Kicklighter, C. E., M. Germann, M. Kamio, and C. D. Derby. 2007. Molecular identification of alarm cues in the defensive secretions of the sea hare *Aplysia californica*. *Animal Behaviour* 74: 1481–1492.
- 470** Kiesecker, J. M., D. P. Chivers, A. Marco, C. Quilchano, M. T. Anderson, and A. R. Blaustein. 1999. Identification of a disturbance signal in larval red-legged frogs, *Rana aurora*. *Animal Behaviour* 57: 1295–1300.
- 471** Kimchi, T., M. Reshef, and J. Terkel. 2005. Evidence for the use of reflected self-generated seismic waves for spatial orientation in a blind subterranean mammal. *Journal of Experimental Biology* 208: 647–659.
- 472** King, A. J. and G. Cowlshaw. 2007. When to use social information: the advantage of large group size in individual decision making. *Biology Letters* 3: 137–139.
- 473** King, L. E., J. Soltis, I. Douglas-Hamilton, A. Savage, and F. Vollrath. 2010. Bee threat elicits alarm call in African elephants. *PLoS One* 5(4): e10346. doi:10.1371/journal.pone.0010346.
- 474** Kingsley, S. and S. Quegan. 1992. *Understanding Radar Systems*. London, UK: McGraw-Hill Book Company.

- 475** Kingston, T., G. Jones, Z. Akbar, and T. H. Kunz. 2003. Alternation of echolocation call's in five species of aerial-feeding insectivorous bats from Malaysia. *Journal of Mammalogy* 84: 205–215.
- 476** Kirchhof, J. and K. Hammerschmidt. 2006. Functionally referential alarm calls in tamarins (*Saguinus fuscicollis* and *Saguinus mystax*): evidence from playback experiments. *Ethology* 112: 346–354.
- 477** Kiriazis, J. and C. N. Slobodchikoff. 2006. Perceptual specificity in the alarm calls of Gunnison's prairie dogs. *Behavioural Processes* 73: 29–35.
- 478** Kitchen, D. M., D. L. Cheney, and R. M. Seyfarth. 2003. Female baboons' responses to male loud calls. *Ethology* 109: 401–412.
- 479** Kiyokawa, Y., T. Kikusui, Y. Takeuchi, and Y. Mori. 2004. Alarm pheromones with different functions are released from different regions of the body surface of male rats. *Chemical Senses* 29: 35–40.
- 480** Klump, G. M. and M. D. Shalter. 1984. Acoustic behavior of birds and mammals in the predator context. 1. Factors affecting the structure of alarm signals. 2. The functional significance and evolution of alarm signals. *Zeitschrift Fur Tierpsychologie-Journal of Comparative Ethology* 66: 189–226.
- 481** Klump, G. M., E. Kretzschmar, and E. Curio. 1986. The hearing of avian predator and its avian prey. *Behavioral Ecology and Sociobiology* 18: 317–323.
- 482** Kober, R. and H. U. Schnitzler. 1990. Information in sonar echoes of fluttering insects available for echolocating bats. *Journal of the Acoustical Society of America* 87: 882–896.
- 483** Kodandaramaiah, U., A. Vallin, and C. Wiklund. 2009. Fixed eyespot display in a butterfly thwarts attacking birds. *Animal Behaviour* 77: 1415–1419.
- 484** Konishi, M. and E. I. Knudsen. 1979. The oilbird: hearing and echolocation. *Science* 204: 425–427.
- 485** Korine, C. and E. K. V. Kalko. 2005. Fruit detection and discrimination by small fruit-eating bats (Phyllostomidae): echolocation call design and olfaction. *Behavioral Ecology and Sociobiology* 59: 12–23.
- 486** Kotoklo, E. A., D. Sillam-Dusses, G. Ketoh, E. Semon, A. Robert, C. Bordereau, and I. A. Glietho. 2010. Identification of the trail-following pheromone of the pest termite *Amitermes evuncifer* (Isoptera: Termitidae). *Sociobiology* 55: 579–588.

- 487** Krams, I. and T. Krama. 2002. Interspecific reciprocity explains mobbing behaviour of the breeding chaffinches, *Fringilla coelebs*. *Proceedings of the Royal Society of London Series B-Biological Sciences* 269: 2345–2350.
- 488** Krams, I., T. Krama, K. Igaune, and R. Mand. 2008. Experimental evidence of reciprocal altruism in the pied flycatcher. *Behavioral Ecology and Sociobiology* 62: 599–605.
- 489** Krams, I., A. Berzins, T. Krama, D. Wheatcroft, K. Igaune, and M. J. Rantala. 2010. The increased risk of predation enhances cooperation. *Proceedings of the Royal Society B-Biological Sciences* 277: 513–518.
- 490** Kroder, S., J. Samietz, and S. Dorn. 2006. Effect of ambient temperature on mechanosensory host location in two parasitic wasps of different climatic origin. *Physiological Entomology* 31: 299–305.
- 491** Kuhn-Neto, B., F. A. L. Contrera, M. S. Castro, and J. C. Nieh. 2009. Long distance foraging and recruitment by a stingless bee, *Melipona mandacaia*. *Apidologie* 40: 472–480.
- 492** Kunert, G., S. Otto, U. S. R. Rose, J. Gershenson, and W. W. Weisser. 2005. Alarm pheromone mediates production of winged dispersal morphs in aphids. *Ecology Letters* 8: 596–603.
- 493** LaGory, K. E. 1981. The possible communicative role of tail-flicking in white-tailed deer. *Animal Behaviour* 29: 966.
- 494** LaGory, K. E. 1981. The influence of habitat and group characteristics on the alarm and flight response of white-tailed deer. *Animal Behaviour* 35: 20–25.
- 495** Laidre, M. E. 2006. Manipulation without mind-reading: information suppression and leakage during food discovery by mandrills (*Mandrillus sphinx*). *Behaviour* 143: 365–392.
- 496** Laiolo, P., J. L. Tella, M. Carrete, D. Serrano, and G. Lopez. 2004. Distress calls may honestly signal bird quality to predators. *Proceedings of the Royal Society of London Series B-Biological Sciences* 271: S513-S515.
- 497** Laiolo, P., D. Serrano, J. L. Tella, M. Carrete, G. Lopez, and C. Navarro. 2007. Distress calls reflect poxvirus infection in lesser short-toed lark *Calandrella rufescens*. *Behavioral Ecology* 18: 507–512.
- 498** Landolt, P. J., R. R. Heath, H. C. Reed, and K. Manning. 1995. Pheromonal mediation of alarm in the eastern yellowjacket (Hymenoptera: Vespidae). *Florida Entomologist* 78: 101–108.

- 499** Langkilde, T., L. Schwarzkoff, and R. A. Alford. 2005. The function of tail displays in male rainbow skinks (*Carlia jarnoldae*). *Journal of Herpetology* 39: 325–328.
- 500** Langridge, K. V. 2009. Cuttlefish use startle displays, but not against large predators. *Animal Behaviour* 77: 847–856.
- 501** Latty, T. M. and M. L. Reid. 2009. First in line or first in time? Effects of settlement order and arrival date on reproduction in a group-living beetle *Dendroctonus ponderosae*. *Journal of Animal Ecology* 78: 549–555.
- 502** Latty, T. M. and M. L. Reid. 2010. Who goes first? Condition and danger dependent pioneering in a group-living bark beetle (*Dendroctonus ponderosae*). *Behavioral Ecology and Sociobiology* 64: 639–646.
- 503** Lawrence, B. D. and J. A. Simmons. 1982. Echolocation in bats: the external ear and perception of the vertical position of targets. *Science* 218: 481–483.
- 504** Lawrence, B. J. and R. J. F. Smith. 1989. Behavioral response of solitary fathead minnows, *Pimephales promelas*, to alarm substance. *Journal of Chemical Ecology* 15: 209–219.
- 505** Le Roux, A., M. I. Cherry, and M. B. Manser. 2008. The audience effect in a facultatively social mammal, the yellow mongoose, *Cynictis penicillata*. *Animal Behaviour* 75: 943–949.
- 506** Le Roux, A., M. I. Cherry, L. Gyax, and M. B. Manser. 2009. Vigilance behaviour and fitness consequences: comparing a solitary foraging and an obligate group-foraging mammal. *Behavioral Ecology and Sociobiology* 63: 1097–1107.
- 507** Le Trionnaire, G., J. Hardie, S. Jaubert-Possamai, J. C. Simon, and D. Tagu. 2008. Shifting from clonal to sexual reproduction in aphids: physiological and developmental aspects. *Biology of the Cell* 100: 441–451.
- 508** Lea, A. J., J. P. Barrera, L. M. Tom, and D. T. Blumstein. 2008. Heterospecific eavesdropping in a nonsocial species. *Behavioral Ecology* 19: 1041–1046.
- 509** Leal, M. and J. A. RodriguezRobles. 1997. Signalling displays during predator–prey interactions in a Puerto Rican anole, *Anolis cristatellus*. *Animal Behaviour* 54: 1147–1154.
- 510** Leal, M. 1999. Honest signalling during prey–predator interactions in the lizard *Anolis cristatellus*. *Animal Behaviour* 58: 521–526.
- 511** Leavesley, A. J. and R. D. Magrath. 2005. Communicating about danger: urgency alarm calling in a bird. *Animal Behaviour* 70: 365–373.

- 512** Leclercq, S., J. C. Braekman, D. Daloz, and J. M. Pasteels. 2000. The defensive chemistry of ants. In *Progress in the Chemistry of Organic Natural Products, Vol. 79* (W. Herz, H. Falk, G. W. Kirby, and R. E. Moore, eds.), pp. 239–249. New York: Springer Verlag.
- 513** Lee, T. J., N. M. Marples, and M. P. Speed. 2009. Can dietary conservatism explain the primary evolution of aposematism? *Animal Behaviour* 79: 63–74.
- 514** Leimar, O., M. Enquist, and B. Sillentullberg. 1986. Evolutionary stability of aposematic coloration and prey unprofitability: a theoretical analysis. *American Naturalist* 128: 469–490.
- 515** Leippert, D., E. Frank, P. Gabriel, S. Kutter, K. D. Scheidemann, N. von Stillfried, and F. Weller. 2002. Prey-correlated spectral changes in echolocation sounds of the Indian false vampire *Megaderma lyra*. *Ethology* 108: 139–156.
- 516** Li, G., J. H. Wang, S. J. Rossiter, G. Jones, J. A. Cottont, and S. Y. Zhang. 2008. The hearing gene *Prestin* reunites echolocating bats. *Proceedings of the National Academy of Sciences of the United States of America* 105: 13959–13964.
- 517** Li, Y., Z. Liu, P. Shi, and J. Z. Zhang. 2010. The hearing gene *Prestin* unites echolocating bats and whales. *Current Biology* 20: R55–R56.
- 518** Li, Z. Y. 2009. Advances in marine microbial symbionts in the China Sea and related pharmaceutical metabolites. *Marine Drugs* 7: 113–129.
- 519** Lichtenberg, E. M., M. Hrnčir, and J. C. Nieh. 2009. A scientific note: Foragers deposit attractive scent marks in a stingless bee that does not communicate food location. *Apidologie* 40: 1–2.
- 520** Lima, S. L. and L. M. Dill. 1990. Behavioral decisions made under risk of predation: a review and prospectus. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 68: 619–640.
- 521** Lima, S. L. 1995. Back to the basics of antipredatory vigilance. *Animal Behaviour* 49: 11–20.
- 522** Lima, S. L. 1995. Collective detection of predatory attack by social foragers: fraught with ambiguity? *Animal Behaviour* 50: 1097–1108.
- 523** Lima, S. L. and P. A. Bednekoff. 1999. Back to the basics of antipredatory vigilance: can nonvigilant animals detect attack? *Animal Behaviour* 58: 537–543.
- 524** Lindauer, M. 1956. Über die Verständigung bei indischen Bienen. *Zeitschrift für Vergleichende Physiologie* 14: 521–557.

- 525** Lindauer, M. and W. E. Kerr. 1960. Communication between the workers of stingless bees. *Bee World* 41: 29–41; 65–71.
- 526** Lindauer, M. 1961. *Communication among Social Bees*. Cambridge, MA: Harvard University Press.
- 527** Lindstedt, C., J. H. R. Talsma, E. Ihalainen, L. Lindstrom, and J. Mappes. 2010. Diet quality affects warning coloration indirectly: excretion costs in a generalist herbivore. *Evolution* 64: 68–78.
- 528** Linsley, E. G., T. Eisner, and A. B. Klots. 1961. Mimetic assemblages of sibling species of lycid beetles. *Evolution* 15: 15–29.
- 529** Litvin, Y., D. C. Blanchard, and R. J. Blanchard. 2007. Rat 22 kHz ultrasonic vocalizations as alarm cries. *Behavioural Brain Research* 182: 166–172.
- 530** Ljetoff, M., I. Folstad, F. Skarstein, and N. G. Yoccoz. 2007. Zebra stripes as an amplifier of individual quality? *Annales Zoologici Fennici* 44: 368–376.
- 531** London, K. B. and R. L. Jeanne. 2003. Effects of colony size and stage of development on defense response by the swarm-founding wasp *Polybia occidentalis*. *Behavioral Ecology and Sociobiology* 54: 539–546.
- 532** Lopanik, N. B., N. M. Targett, and N. Lindquist. 2006. Ontogeny of a symbiont-produced chemical defense in *Bugula neritina* (Bryozoa). *Marine Ecology-Progress Series* 327: 183–191.
- 533** Lord, K., M. Feinstein, and R. Coppinger. 2009. Barking and mobbing. *Behavioural Processes* 81: 358–368.
- 534** Lutterschmidt, W. I., G. A. Marvin, and V. H. Hutchison. 1994. Alarm response by a plethodontid salamander (*Desmognathus ochropaeus*): conspecific and heterospecific “schreckstoff”. *Journal of Chemical Ecology* 20: 2751–2759.
- 535** Macedonia, J. M. and C. S. Evans. 1993. Variations among mammalian alarm call systems and the problem of meaning in animal signals. *Ethology* 93: 177–197.
- 536** Macwhirter, R. B. 1992. Vocal and escape responses of Columbian ground squirrels to simulated terrestrial and aerial predator attacks. *Ethology* 91: 311–325.
- 537** Madsen, P. T., M. Wahlberg, and B. Mohl. 2002. Male sperm whale (*Physeter macrocephalus*) acoustics in a high-latitude habitat: implications for echolocation and communication. *Behavioral Ecology and Sociobiology* 53: 31–41.

- 538** Madsen, P. T., I. Kerr, and R. Payne. 2004. Echolocation clicks of two free-ranging, oceanic delphinids with different food preferences: false killer whales *Pseudorca crassidens* and Risso's dolphins *Grampus griseus*. *Journal of Experimental Biology* 207: 1811–1823.
- 539** Madsen, P. T., M. Johnson, N. A. de Soto, W. M. X. Zimmer, and P. Tyack. 2005. Biosonar performance of foraging beaked whales (*Mesoplodon densirostris*). *Journal of Experimental Biology* 208: 181–194.
- 540** Madsen, P. T., M. Wilson, M. Johnson, R. T. Hanlon, A. Bocconcelli, N. A. de Soto, and P. L. Tyack. 2007. Clicking for calamari: toothed whales can echolocate squid *Loligo pealeii*. *Aquatic Biology* 1: 141–150.
- 541** Magrath, R. D., B. J. Pitcher, and J. L. Gardner. 2007. A mutual understanding? Interspecific responses by birds to each other's aerial alarm calls. *Behavioral Ecology* 18: 944–951.
- 542** Magrath, R. D., B. J. Pitcher, and J. L. Gardner. 2009. An avian eavesdropping network: alarm signal reliability and heterospecific response. *Behavioral Ecology* 20: 745–752.
- 543** Magrath, R. D., B. J. Pitcher, and J. L. Gardner. 2009. Recognition of other species' aerial alarm calls: speaking the same language or learning another? *Proceedings of the Royal Society B-Biological Sciences* 276: 769–774.
- 544** Mahurin, E. J. and T. M. Freeberg. 2009. Chick-a-dee call variation in Carolina chickadees and recruiting flockmates to food. *Behavioral Ecology* 20: 111–116.
- 545** Mallet, J. and L. E. Gilbert. 1995. Why are there so many mimicry rings? Correlations between habitat, behavior and mimicry in *Heliconius* butterflies. *Biological Journal of the Linnean Society* 55: 159–180.
- 546** Mallet, J. and M. Joron. 1999. Evolution of diversity in warning color and mimicry: polymorphisms, shifting balance, and speciation. *Annual Review of Ecology and Systematics* 30: 201–233.
- 547** Maltby, A., K. E. Jones, and G. Jones. 2009. Understanding the evolutionary origins and diversification of bat echolocation calls. In *Handbook of Mammalian Vocalization: an Integrative Neuroscience Approach* (S. M. Brudzynski, ed.), pp. 37–47. Amsterdam Netherlands: Academic Press.
- 548** Manser, M. B. 1999. Response of foraging group members to sentinel calls in suricates, *Suricata suricatta*. *Proceedings of the Royal Society of London Series B-Biological Sciences* 266: 1013–1019.

- 549** Manser, M. B. 2001. The acoustic structure of suricates' alarm calls varies with predator type and the level of response urgency. *Proceedings of the Royal Society of London Series B-Biological Sciences* 268: 2315–2324.
- 550** Manser, M. B., M. B. Bell, and L. B. Fletcher. 2001. The information that receivers extract from alarm calls in suricates. *Proceedings of the Royal Society of London Series B-Biological Sciences* 268: 2485–2491.
- 551** Manser, M. B., R. M. Seyfarth, and D. L. Cheney. 2002. Suricate alarm calls signal predator class and urgency. *Trends in Cognitive Sciences* 6: 55–57.
- 552** Mappes, J., N. Marples, and J. A. Endler. 2005. The complex business of survival by aposematism. *Trends in Ecology and Evolution* 20: 598–603.
- 553** Marimuthu, G. and G. Neuweiler. 1987. The use of acoustical cues for prey detection by the Indian false vampire bat, *Megaderma lyra*. *Journal of Comparative Physiology a-Sensory Neural and Behavioral Physiology* 160: 509–515.
- 554** Marler, P. 2004. Bird calls: a cornucopia for communication. In *Nature's Music: The Science of Birdsong* (P. Marler and H. Slabbekoorn, eds.), pp. 132–177. Elsevier/Academic Press.
- 555** Marples, N. M. and D. J. Kelly. 1999. Neophobia and dietary conservatism: two distinct processes? *Evolutionary Ecology* 13: 641–653.
- 556** Marples, N. M., D. J. Kelly, and R. J. Thomas. 2005. Perspective: The evolution of warning coloration is not paradoxical. *Evolution* 59: 933–940.
- 557** Martin-Vivaldi, M., M. Ruiz-Rodriguez, J. J. Soler, J. M. Peralta-Sanchez, M. Mendez, E. Valdivia, A. M. Martin-Platero, and M. Martinez-Bueno. 2009. Seasonal, sexual and developmental differences in hoopoe *Upupa epops* preen gland morphology and secretions: evidence for a role of bacteria. *Journal of Avian Biology* 40: 191–205.
- 558** Marzluff, J. M. and B. Heinrich. 1991. Foraging by common ravens in the presence and absence of territory holders: an experimental analysis of social foraging. *Animal Behaviour* 42: 755–770.
- 559** Marzluff, J. M., B. Heinrich, and C. S. Marzluff. 1996. Raven roosts are mobile information centres. *Animal Behaviour* 51: 89–103.
- 560** Masters, W. M. and K. A. S. Raver. 2000. Range discrimination by big brown bats (*Eptesicus fuscus*) using altered model echoes: implications for signal processing. *Journal of the Acoustical Society of America* 107: 625–637.

- 561** Mateo, J. M. 1996. The development of alarm-call response behaviour in free-living juvenile Belding's ground squirrels. *Animal Behaviour* 52: 489–505.
- 562** Mathevon, N., T. Aubin, and J. C. Bremond. 1997. Propagation of bird acoustic signals: comparative study of starling and blackbird distress calls. *Comptes Rendus De L Academie Des Sciences Serie Iii-Sciences De La Vie-Life Sciences* 320: 869–876.
- 563** Mathis, A., D. P. Chivers, and R. J. F. Smith. 1995. Chemical alarm signals: predator deterrents or predator attractants? *American Naturalist* 145: 994–1005.
- 564** Matsuo, I., J. Tani, and M. Yano. 2001. A model of echolocation of multiple targets in 3D space from a single emission. *Journal of the Acoustical Society of America* 110: 607–624.
- 565** Matsuo, I., K. Kunugiyama, and M. Yano. 2004. An echolocation model for range discrimination of multiple closely spaced objects: transformation of spectrogram into the reflected intensity distribution. *Journal of the Acoustical Society of America* 115: 920–928.
- 566** Matsuo, I. and M. Yano. 2004. An echolocation model for the restoration of an acoustic image from a single-emission echo. *Journal of the Acoustical Society of America* 116: 3782–3788.
- 567** Matsuoka, S. 1980. Pseudo warning call in titmice. *Tori* 29: 87–90.
- 568** Maynard Smith, J. and D. Harper. 2003. *Animal Signals*. Oxford, UK: Oxford University Press.
- 569** McCabe, S. I. and W. M. Farina. 2009. Odor information transfer in the stingless bee *Melipona quadrifasciata*: effect of in-hive experiences on classical conditioning of proboscis extension. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 195: 113–122.
- 570** McCormick, M. I. and R. Manassa. 2008. Predation risk assessment by olfactory and visual cues in a coral reef fish. *Coral Reefs* 27: 105–113.
- 571** McCowan, B. and S. L. Hooper. 2002. Individual acoustic variation in Belding's ground squirrel alarm chirps in the High Sierra Nevada. *Journal of the Acoustical Society of America* 111: 1157–1160.
- 572** McCracken, G. F. and J. W. Bradbury. 1981. Social organization and kinship in the polygynous bat *Phyllostomus hastatus*. *Behavioral Ecology and Sociobiology* 8: 11–34.

- 573** Medway, L. 1967. Function of echolocation among swiftlets. *Animal Behaviour* 15: 416–420.
- 574** Menne, D., I. Kaipf, I. Wagner, J. Ostwald, and H. U. Schnitzler. 1989. Range estimation by echolocation in the bat *Eptesicus fuscus*: trading of phase versus time cues. *Journal of the Acoustical Society of America* 85: 2642–2650.
- 575** Mensinger, A. F. and J. F. Case. 1992. Dinoflagellate luminescence increases susceptibility of zooplankton to teleost predation. *Marine Biology* 112: 207–210.
- 576** Menzel, R., R. J. De Marco, and U. Greggers. 2006. Spatial memory, navigation and dance behaviour in *Apis mellifera*. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 192: 889–903.
- 577** Merilaita, S., J. Tuomi, and V. Jormalainen. 1999. Optimization of cryptic coloration in heterogeneous habitats. *Biological Journal of the Linnean Society* 67: 151–161.
- 578** Merilaita, S. and J. Lind. 2005. Background-matching and disruptive coloration, and the evolution of cryptic coloration. *Proceedings of the Royal Society B-Biological Sciences* 272: 665–670.
- 579** Merilaita, S. and B. S. Tullberg. 2005. Constrained camouflage facilitates the evolution of conspicuous warning coloration. *Evolution* 59: 38–45.
- 580** Mesterton-Gibbons, M. and L. A. Dugatkin. 1999. On the evolution of delayed recruitment to food bonanzas. *Behavioral Ecology* 10: 377–390.
- 581** Miller, D. G. 2005. Ecology and radiation of galling aphids (*Tamalia*; Hemiptera: Aphididae) on their host plants (Ericaceae). *Basic and Applied Ecology* 6: 463–469.
- 582** Miller, P. J. O., M. P. Johnson, and P. L. Tyack. 2004. Sperm whale behaviour indicates the use of echolocation click buzzes ‘creaks’ in prey capture. *Proceedings of the Royal Society of London Series B-Biological Sciences* 271: 2239–2247.
- 583** Mirza, R. S., J. J. Scott, and D. P. Chivers. 2001. Differential responses of male and female red swordtails to chemical alarm cues. *Journal of Fish Biology* 59: 716–728.
- 584** Mitani, J. C. and D. P. Watts. 2001. Why do chimpanzees hunt and share meat? *Animal Behaviour* 61: 915–924.
- 585** Miyazawa, K. and T. Noguchi. 2001. Distribution and origin of tetrodotoxin. *Journal of Toxicology-Toxin Reviews* 20: 11–33.

- 586** Mogensen, F. and B. Mohl. 1979. Sound radiation patterns in the frequency domain of cries from a vespertilionid bat. *Journal of Comparative Physiology* 134: 165–171.
- 587** Møhl, B., M. Wahlberg, and P. T. Madsen. 2003. The monopulsed nature of sperm whale clicks. *Journal of the Acoustical Society of America* 114: 1143–1154.
- 588** Moir, F. and M. J. Weissburg. 2009. Cautious cannibals: behavioral responses of juvenile and adult blue crabs to the odor of injured conspecifics. *Journal of Experimental Marine Biology and Ecology* 369: 87–92.
- 589** Molet, M., L. Chittka, R. J. Stelzer, S. Streit, and N. E. Raine. 2008. Colony nutritional status modulates worker responses to foraging recruitment pheromone in the bumblebee *Bombus terrestris*. *Behavioral Ecology and Sociobiology* 62: 1919–1926.
- 590** Molet, M., L. Chittka, and N. E. Raine. 2009. How floral odours are learned inside the bumblebee (*Bombus terrestris*) nest. *Naturwissenschaften* 96: 213–219.
- 591** Moller, A. P. 1988. False alarm calls as a means of resource usurpation in the great tit *Parus major*. *Ethology* 79: 25–30.
- 592** Mora, E. C. and S. Macias. 2007. Echolocation calls of Poey's flower bat (*Phyllonycteris poeyi*) unlike those of other phyllostomids. *Naturwissenschaften* 94: 380–383.
- 593** Moran, N. A. 1992. The evolution of aphid life-cycles. *Annual Review of Entomology* 37: 321–348.
- 594** Morgan, E. D. 2009. Trail pheromones of ants. *Physiological Entomology* 34: 1–17.
- 595** Morse, D. H. 1970. Ecological aspects of some mixed-species foraging flocks of birds. *Ecological Monographs* 40: 119–168.
- 596** Moss, C. F. and H. U. Schnitzler. 1989. Accuracy of target ranging in echolocating bats: acoustic information processing. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 165: 383–393.
- 597** Moss, C. F. and H. U. Schnitzler. 1995. Behavioral studies of hearing in bats. In *Hearing by Bats* (A. N. Popper and R. R. Fay, eds.), pp. 87–145. New York, NY: Springer.
- 598** Moss, C. F. and A. Surlykke. 2001. Auditory scene analysis by echolocation in bats. *Journal of the Acoustical Society of America* 110: 2207–2226.

- 599** Muller, C. A. and M. B. Manser. 2008. The information banded mongooses extract from heterospecific alarms. *Animal Behaviour* 75: 897–904.
- 600** Muller, M. W., J. S. Allen, W. W. L. Au, and P. E. Nachtigall. 2008. Time-frequency analysis and modeling of the backscatter of categorized dolphin echolocation clicks for target discrimination. *Journal of the Acoustical Society of America* 124: 657–666.
- 601** Muller, R. 2004. A numerical study of the role of the tragus in the big brown bat. *Journal of the Acoustical Society of America* 116: 3701–3712.
- 602** Muller, R., H. W. Lu, and J. R. Buck. 2008. Sound-diffracting flap in the ear of a bat generates spatial information. *Physical Review Letters* 100: 108701. doi:10.1103/PhysRevLett.100.108701.
- 603** Munn, C. 1986. Birds that cry “wolf”. *Nature* 319: 143–145.
- 604** Murphy, T. G. 2006. Predator-elicited visual signal: why the turquoise-browed motmot wag-displays its raked tail. *Behavioral Ecology* 17: 547–553.
- 605** Murphy, T. G. 2007. Dishonest ‘preemptive’ pursuit-deterrent signal? Why the turquoise-browed motmot wags its tail before feeding nestlings. *Animal Behaviour* 73: 965–970.
- 606** Murphy, W. J., E. Eizirik, W. E. Johnson, Y. P. Zhang, O. A. Ryder, and S. J. O’Brien. 2001. Molecular phylogenetics and the origins of placental mammals. *Nature* 409: 614–618.
- 607** Nachtigall, P. E. and A. Y. Supin. 2008. A false killer whale adjusts its hearing when it echolocates. *Journal of Experimental Biology* 211: 1714–1718.
- 608** Naguib, M., R. Mundry, R. Ostreiher, H. Hultsch, L. Schrader, and D. Todt. 1999. Cooperatively breeding Arabian babblers call differently when mobbing in different predator-induced situations. *Behavioral Ecology* 10: 636–640.
- 609** Nagy, M., Z. Akos, D. Biro, and T. Vicsek. 2010. Hierarchical group dynamics in pigeon flocks. *Nature* 464: 890–U99.
- 610** Nakata, K. 2008. Spiders use airborne cues to respond to flying insect predators by building orb-web with fewer silk thread and larger silk decorations. *Ethology* 114: 686–692.
- 611** Nakata, K. 2009. To be or not to be conspicuous: the effects of prey availability and predator risk on spider’s web decoration building. *Animal Behaviour* 78: 1255–1260.

- 612** Nelson, M. E. and M. A. MacIver. 2006. Sensory acquisition in active sensing systems. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 192: 573–586.
- 613** Nelson, X. J., R. R. Jackson, and D. Q. Li. 2006. Conditional use of honest signaling by a Batesian mimic. *Behavioral Ecology* 17: 575–580.
- 614** Neretti, N., M. I. Sanderson, N. Intrator, and J. A. Simmons. 2003. Time-frequency model for echo-delay resolution in wideband biosonar. *Journal of the Acoustical Society of America* 113: 2137–2145.
- 615** Neudorf, D. L. and S. G. Sealy. 2002. Distress calls of birds in a neotropical cloud forest. *Biotropica* 34: 118–126.
- 616** Neuweiler, G. 2003. Evolutionary aspects of bat echolocation. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 189: 245–256.
- 617** Newman, C., C. D. Buesching, and J. O. Wolff. 2005. The function of facial masks in “midguild” carnivores. *Oikos* 108: 623–633.
- 618** Newman, J. A. and T. Caraco. 1989. Cooperative and noncooperative bases of food-calling. *Journal of Theoretical Biology* 141: 197–209.
- 619** Newman, J. A. and T. Caraco. 1989. Cooperative and non-cooperative bases of food-calling. *Journal of Theoretical Biology* 141: 197–209.
- 620** Nieh, J. C. 1998. The role of a scent beacon in the communication of food location by the stingless bee, *Melipona panamica*. *Behavioral Ecology and Sociobiology* 43: 47–58.
- 621** Nieh, J. C., S. Ramirez, and P. Nogueira-Neto. 2003. Multi-source odor-marking of food by a stingless bee, *Melipona mandacaia*. *Behavioral Ecology and Sociobiology* 54: 578–586.
- 622** Nieh, J. C. 2004. Recruitment communication in stingless bees (Hymenoptera, Apidae, Meliponini). *Apidologie* 35: 159–182.
- 623** Nieh, J. C., L. S. Barreto, F. A. L. Contrera, and V. L. Imperatriz-Fonseca. 2004. Olfactory eavesdropping by a competitively foraging stingless bee, *Trigona spinipes*. *Proceedings of the Royal Society of London Series B-Biological Sciences* 271: 1633–1640.
- 624** Nieh, J. C., F. A. L. Contrera, R. R. Yoon, L. S. Barreto, and V. L. Imperatriz-Fonseca. 2004. Polarized short odor-trail recruitment communication by a stingless bee, *Trigona spinipes*. *Behavioral Ecology and Sociobiology* 56: 435–448.

- 625** Nijhout, H. F. 1991. *The Development and Evolution of Butterfly Wing Patterns*. Washington, DC: Smithsonian Institution Press.
- 626** Nishida, R. 2002. Sequestration of defensive substances from plants by Lepidoptera. *Annual Review of Entomology* 47: 57–92.
- 627** Niskanen, M. and J. Mappes. 2005. Significance of the dorsal zigzag pattern of *Vipera latastei gaditana* against avian predators. *Journal of Animal Ecology* 74: 1091–1101.
- 628** Nocera, J. J., P. D. Taylor, and L. M. Ratcliffe. 2008. Inspection of mob-calls as sources of predator information: response of migrant and resident birds in the Neotropics. *Behavioral Ecology and Sociobiology* 62: 1769–1777.
- 629** Noguchi, T. and O. Arakawa. 2008. Tetrodotoxin: distribution and accumulation in aquatic organisms, and cases of human intoxication. *Marine Drugs* 6: 220–242.
- 630** Nolen, M. T. and J. R. Lucas. 2009. Asymmetries in mobbing behaviour and correlated intensity during predator mobbing by nuthatches, chickadees and titmice. *Animal Behaviour* 77: 1137–1146.
- 631** Norman, M. D., J. Finn, and T. Tregenza. 2001. Dynamic mimicry in an Indo-Malayan octopus. *Proceedings of the Royal Society of London Series B-Biological Sciences* 268: 1755–1758.
- 632** Nosal, E. M. and L. N. Frazer. 2007. Sperm whale three-dimensional track, swim orientation, beam pattern, and click levels observed on bottom-mounted hydrophones. *Journal of the Acoustical Society of America* 122: 1969–1978.
- 633** Notman, H. and D. Rendall. 2005. Contextual variation in chimpanzee pant hoots and its implications for referential communication. *Animal Behaviour* 70: 177–190.
- 634** Nowak, R. M. 1999. *Walker's Mammals of the World, 6th Edition*. Baltimore, MD: Johns Hopkins University Press.
- 635** Nummela, S., J. G. M. Thewissen, S. Bajpai, S. T. Hussain, and K. Kumar. 2004. Eocene evolution of whale hearing. *Nature* 430: 776–778.
- 636** Nummela, S., J. G. M. Thewissen, S. Bajpai, T. Hussain, and K. Kumar. 2007. Sound transmission in archaic and modern whales: anatomical adaptations for underwater hearing. *The Anatomical Record* 290: 716–733.
- 637** Nur, N. and O. Hasson. 1984. Phenotypic plasticity and the handicap principle. *Journal of Theoretical Biology* 110: 275–297.

- 638** Obrist, M. K., M. B. Fenton, J. L. Eger, and P. A. Schlegel. 1993. What ears do for bats: a comparative study of pinna sound pressure transformation in Chiroptera. *Journal of Experimental Biology* 180: 119–152.
- 639** Obrist, M. K. 1995. Flexible bat echolocation: the influence of individual, habitat, and conspecifics on sonar signal design. *Behavioral Ecology and Sociobiology* 36: 207–219.
- 640** Oda, R. and N. Masataka. 1996. Interspecific responses of ringtailed lemurs to playback of antipredator alarm calls given by Verreaux's sifakas. *Ethology* 102: 441–453.
- 641** Olendorf, R., T. Getty, and K. Scribner. 2004. Cooperative nest defence in red-winged blackbirds: reciprocal altruism, kinship or by-product mutualism? *Proceedings of the Royal Society of London Series B-Biological Sciences* 271: 177–182.
- 642** Opitz, S. E. W. and C. Muller. 2009. Plant chemistry and insect sequestration. *Chemoecology* 19: 117–154.
- 643** Ortolani, A. and T. Caro. 1996. The adaptive significance of color patterns in carnivores: phylogenetic tests of classic hypotheses. In *Carnivore Behavior, Ecology, and Evolution* (J. Gittleman, ed.), pp. 132–188. Ithaca, NY: Cornell University Press.
- 644** Ortolani, A. 1999. Spots, stripes, tail tips and dark eyes: predicting the function of carnivore colour patterns using the comparative method. *Biological Journal of the Linnean Society* 67: 433–476.
- 645** Ouattara, K., A. Lemasson, and K. Zuberbuhler. 2009. Campbell's monkeys concatenate vocalizations into context-specific call sequences. *Proceedings of the National Academy of Sciences of the United States of America* 106: 22026–22031.
- 646** Ouattara, K., K. Zuberbuhler, E. K. N'Goran, J. E. Gombert, and A. Lemasson. 2009. The alarm call system of female Campbell's monkeys. *Animal Behaviour* 78: 35–44.
- 647** Owings, D. H., R. G. Coss, D. McKernon, M. P. Rowe, and P. C. Arrowood. 2001. Snake-directed antipredator behavior of rock squirrels (*Spermophilus variegatus*): population differences and snake-species discrimination. *Behaviour* 138: 575–595.
- 648** Owings, D. H., M. P. Rowe, and A. S. Rundus. 2002. The rattling sound of rattlesnakes (*Crotalus viridis*) as a communicative resource for ground squirrels (*Spermophilus beecheyi*) and burrowing owls (*Athene cunicularia*). *Journal of Comparative Psychology* 116: 197–205.

- 649** Palleroni, A., M. Hauser, and P. Marler. 2005. Do responses of galliform birds vary adaptively with predator size? *Animal Cognition* 8: 200–210.
- 650** Papworth, S., A. S. Bose, J. Barker, A. M. Schel, and K. Zuberbuhler. 2008. Male blue monkeys alarm call in response to danger experienced by others. *Biology Letters* 4: 472–475.
- 651** Partridge, B. L., T. Pitcher, J. M. Cullen, and J. Wilson. 1980. The three-dimensional structure of fish schools. *Behavioral Ecology and Sociobiology* 6: 277–288.
- 652** Pasteels, J. M. and C. Bordereau. 1998. Releaser pheromones in termites. In *Pheromone Communication in Social Insects: Ants, Wasps, Bees, and Termites* (R. K. Vander Meer, M. D. Breed, M. L. Winston, and K. Espelie, eds.), pp. 193–215. Boulder, CO: Westview Press.
- 653** Pasteels, J. M. 2007. Chemical defence, offence and alliance in ants–aphids–ladybirds relationships. *Population Ecology* 49: 5–14.
- 654** Patricelli, G. L., M. S. Dantzker, and J. W. Bradbury. 2007. Differences in acoustic directionality among vocalizations of the male red-winged blackbird (*Agelaius phoeniceus*) are related to function in communication. *Behavioral Ecology and Sociobiology* 61: 1099–1110.
- 655** Pawlik, J. R. 1993. Marine invertebrate chemical defenses. *Chemical Reviews* 93: 1911–1922.
- 656** Pays, O., P. J. Jarman, P. Loisel, and J. F. Gerard. 2007. Coordination, independence or synchronization of individual vigilance in the eastern grey kangaroo? *Animal Behaviour* 73: 595–604.
- 657** Pays, O., P. C. Renaud, P. Loisel, M. Petit, J. F. Gerard, and P. J. Jarman. 2007. Prey synchronize their vigilant behaviour with other group members. *Proceedings of the Royal Society B-Biological Sciences* 274: 1287–1291.
- 658** Pays, O., M. Goulard, S. P. Blomberg, A. W. Goldizen, E. Sirot, and P. J. Jarman. 2009. The effect of social facilitation on vigilance in the eastern gray kangaroo, *Macropus giganteus*. *Behavioral Ecology* 20: 469–477.
- 659** Pays, O., S. P. Blomberg, P. C. Renaud, F. R. Favreau, and P. J. Jarman. 2010. How unpredictable is the individual scanning process in socially foraging mammals? *Behavioral Ecology and Sociobiology* 64: 443–454.

- 660** Pellegrini, A. F. A., B. D. Wisenden, and P. W. Sorensen. 2010. Bold minnows consistently approach danger in the field and lab in response to either chemical or visual indicators of predation risk. *Behavioral Ecology and Sociobiology* 64: 381–387.
- 661** Penteriani, V., M. D. M. Delgado, P. Bartolommei, C. Maggio, C. Alonso-Alvarez, and G. J. Holloway. 2008. Owls and rabbits: predation against substandard individuals of an easy prey. *Journal of Avian Biology* 39: 215–221.
- 662** Peremans, H., V. A. Walker, G. Papadopoulos, and J. C. T. Hallam. 1998. Evolving batlike pinnae for target localisation by an echolocator. In *Evolvable Systems: From Biology to Hardware* (M. Sipper, D. Mange, and A. Perez-Urbe, eds.), pp. 230–239. Heidelberg: Springer-Verlag.
- 663** Perla, B. S. and C. N. Slobodchikoff. 2002. Habitat structure and alarm call dialects in Gunnison's prairie dog (*Cynomys gunnisoni*). *Behavioral Ecology* 13: 844–850.
- 664** Pike, N., J. A. Whitfield, and W. A. Foster. 2007. Ecological correlates of sociality in *Pemphigus* aphids, with a partial phylogeny of the genus. *BMC Evolutionary Biology* 7:185.doi:10.1186/1471-2148-7-185.
- 665** Pinker, S. and R. Jackendoff. 2005. The faculty of language: what's special about it? *Cognition* 95: 201–236.
- 666** Pipia, A., S. Ciuti, S. Grignolio, S. Luchetti, R. Madau, and M. Apollonio. 2009. Effect of predation risk on grouping pattern and whistling behaviour in a wild mouflon *Ovis aries* population. *Acta Theriologica* 54: 77–86.
- 667** Pizzari, T. 2003. Food, vigilance, and sperm: the role of male direct benefits in the evolution of female preference in a polygamous bird. *Behavioral Ecology* 14: 593–601.
- 668** Placer, J., C. N. Slobodchikoff, J. Burns, and R. Middleton. 2006. Using self-organizing maps to recognize acoustic units associated with information content in animal vocalizations. *Journal of the Acoustical Society of America* 119: 3140–3146.
- 669** Platzen, D. and R. D. Magrath. 2005. Adaptive differences in response to two types of parental alarm call in altricial nestlings. *Proceedings of the Royal Society B-Biological Sciences* 272: 1101–1106.
- 670** Pollack, G. D. 1993. Some comments on the proposed perception of phase and nanosecond time disparities by echolocating bats. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 172: 523–531.

- 671** Pollick, A. S., H. Gouzoules, and F. B. M. de Waal. 2005. Audience effects on food calls in captive brown capuchin monkeys, *Cebus apella*. *Animal Behaviour* 70: 1273–1281.
- 672** Poulton, E. B. 1909. The value of colour in the struggle for life. In *Darwin and Modern Science: Essays in Commemoration of the Centenary of the Birth of Charles Darwin and of the Fiftieth Anniversary of the Publication of the Origin of Species* (A. C. Seward, ed.), pp. 207–227. Cambridge, UK: Cambridge University Press.
- 673** Prestwich, G. D. 1984. Defense mechanisms of termites. *Annual Review of Entomology* 29: 201–232.
- 674** Price, J. J., K. P. Johnson, and D. H. Clayton. 2004. The evolution of echolocation in swiftlets. *Journal of Avian Biology* 35: 135–143.
- 675** Price, T., K. Arnold, K. Zuberbuhler, and S. Semple. 2009. Pyow but not hack calls of the male putty-nosed monkey (*Cercopithecus nictitans*) convey information about caller identity. *Behaviour* 146: 871–888.
- 676** Proctor, C. J., M. Broom, and G. D. Ruxton. 2001. Modelling antipredator vigilance and flight response in group foragers when warning signals are ambiguous. *Journal of Theoretical Biology* 211: 409–417.
- 677** Provecho, Y. and R. Josens. 2009. Olfactory memory established during trophallaxis affects food search behaviour in ants. *Journal of Experimental Biology* 212: 3221–3227.
- 678** Pulliam, H. R. 1973. Advantages of flocking. *Journal of Theoretical Biology* 38: 419–422.
- 679** Pureswaran, D. S., B. T. Sullivan, and M. P. Ayres. 2006. Fitness consequences of pheromone production and host selection strategies in a tree-killing bark beetle (Coleoptera: Curculionidae: Scolytinae). *Oecologia* 148: 720–728.
- 680** Pureswaran, D. S., B. T. Sullivan, and M. P. Ayres. 2008. High individual variation in pheromone production by tree-killing bark beetles (Coleoptera: Curculionidae: Scolytinae). *Naturwissenschaften* 95: 33–44.
- 681** Puurtinen, M. and V. Kaitala. 2006. Conditions for the spread of conspicuous warning signals: a numerical model with novel insights. *Evolution* 60: 2246–2256.
- 682** Radford, A. N. and A. R. Ridley. 2006. Recruitment calling: A novel form of extended parental care in an altricial species. *Current Biology* 16: 1700–1704.

- 683** Radford, A. N., L. I. Hollen, and M. B. V. Bell. 2009. The higher the better: sentinel height influences foraging success in a social bird. *Proceedings of the Royal Society B-Biological Sciences* 276: 2437–2442.
- 684** Raihani, N. J. and A. R. Ridley. 2008. Experimental evidence for teaching in wild pied babblers. *Animal Behaviour* 75: 3–11.
- 685** Rainey, H. J., K. Zuberbuhler, and P. J. B. Slater. 2004. The responses of black-casqued hornbills to predator vocalisations and primate alarm calls. *Behaviour* 141: 1263–1277.
- 686** Rainey, H. J., K. Zuberbuhler, and P. J. B. Slater. 2004. Hornbills can distinguish between primate alarm calls. *Proceedings of the Royal Society of London Series B-Biological Sciences* 271: 755–759.
- 687** Rajchard, J. 2006. Antipredator pheromones in amphibians: a review. *Veterinarni Medicina* 51: 409–413.
- 688** Ramaswamy, K. and R. B. Cocroft. 2009. Collective signals in treehopper broods provide predator localization cues to the defending mother. *Animal Behaviour* 78: 697–704.
- 689** Randall, J. A. and M. D. Matocq. 1997. Why do kangaroo rats (*Dipodomys spectabilis*) footdrum at snakes? *Behavioral Ecology* 8: 404–413.
- 690** Randall, J. A., K. A. Rogovin, and D. M. Shier. 2000. Antipredator behavior of a social desert rodent: footdrumming and alarm calling in the great gerbil, *Rhombomys opimus*. *Behavioral Ecology and Sociobiology* 48: 110–118.
- 691** Randall, J. A. and K. A. Rogovin. 2002. Variation in and meaning of alarm calls in a social desert rodent *Rhombomys opimus*. *Ethology* 108: 513–527.
- 692** Randall, J. A., B. McCowan, K. C. Collins, S. L. Hooper, and K. Rogovin. 2005. Alarm signals of the great gerbil: acoustic variation by predator context, sex, age, individual, and family group. *Journal of the Acoustical Society of America* 118: 2706–2714.
- 693** Randler, C. 2006. Is tail wagging in white wagtails, *Motacilla alba*, an honest signal of vigilance? *Animal Behaviour* 71: 1089–1093.
- 694** Randler, C. 2006. Red squirrels (*Sciurus vulgaris*) respond to alarm calls of eurasian jays (*Garrulus glandarius*). *Ethology* 112: 411–416.
- 695** Randler, C. 2007. Observational and experimental evidence for the function of tail flicking in Eurasian Moorhen *Gallinula chloropus*. *Ethology* 113: 629–639.

- 696** Rands, S. A., G. Cowlshaw, R. A. Pettifor, J. M. Rowcliffe, and R. A. Johnstone. 2008. The emergence of leaders and followers in foraging pairs when the qualities of individuals differ. *BMC Evolutionary Biology* 8:51.doi: 10.1186/1471-2148-8-51.
- 697** Rasa, O. A. E. 1986. Coordinated vigilance in dwarf mongoose family groups: the watchman's song hypothesis and the costs of guarding. *Ethology* 71: 340–344.
- 698** Rasa, O. A. E. 1989. Behavioral parameters of vigilance in the dwarf mongoose: social acquisition of a sex-biased role. *Behaviour* 110: 125–145.
- 699** Rashed, A., C. D. Beatty, M. R. Forbes, and T. N. Sherratt. 2005. Prey selection by dragonflies in relation to prey size and wasp-like colours and patterns. *Animal Behaviour* 70: 1195–1202.
- 700** Rasmussen, M. H., M. Wahlberg, and L. A. Miller. 2004. Estimated transmission beam pattern of clicks recorded from free-ranging white-beaked dolphins (*Lagenorhynchus albirostris*). *Journal of the Acoustical Society of America* 116: 1826–1831.
- 701** Ratcliffe, J. M. and M. L. Nydam. 2008. Multimodal warning signals for a multiple predator world. *Nature* 455: 96–99.
- 702** Ratnayake, C. P., E. Goodale, and S. W. Kotagama. 2010. Two sympatric species of passerine birds imitate the same raptor calls in alarm contexts. *Naturwissenschaften* 97: 103–108.
- 703** Reby, D., B. Cargnelutti, and A. J. M. Hewison. 1999. Contexts and possible functions of barking in roe deer. *Animal Behaviour* 57: 1121–1128.
- 704** Reed, H. C. and P. J. Landolt. 2000. Application of alarm pheromone to targets by southern yellowjackets (Hymenoptera: Vespidae). *Florida Entomologist* 83: 193–196.
- 705** Reeve, J. D., B. L. Strom, L. K. Rieske, B. D. Ayres, and A. Costa. 2009. Geographic variation in prey preference in bark beetle predators. *Ecological Entomology* 34: 183–192.
- 706** Reinhard, J. and M. Kaib. 2001. Trail communication during foraging and recruitment in the subterranean termite *Reticulitermes santonensis* De Feytaud (Isoptera, Rhinotermitidae). *Journal of Insect Behavior* 14: 157–171.
- 707** Reinhard, J. and J. L. Clement. 2002. Alarm reaction of European *Reticulitermes* termites to soldier head capsule volatiles (Isoptera, Rhinotermitidae). *Journal of Insect Behavior* 15: 95–107.

- 708** Reinhard, J., A. Quintana, L. Sreng, and J. L. Clement. 2003. Chemical signals inducing attraction and alarm in European *Reticulitermes* termites (Isoptera, Rhinotermitidae). *Sociobiology* 42: 675–691.
- 709** Renner, M. A. and J. C. Nieh. 2008. Bumble bee olfactory information flow and contact-based foraging activation. *Insectes Sociaux* 55: 417–424.
- 710** Richner, H. and P. Heeb. 1995. Is the information centre hypothesis a flop? *Advances in the Study of Behavior* 24: 1–45.
- 711** Ridley, A. R., M. F. Child, and M. B. V. Bell. 2007. Interspecific audience effects on the alarm-calling behaviour of a kleptoparasitic bird. *Biology Letters* 3: 589–591.
- 712** Riley, J. R., U. Greggers, A. D. Smith, D. R. Reynolds, and R. Menzel. 2005. The flight paths of honeybees recruited by the waggle dance. *Nature* 435: 205–207.
- 713** Rimskaya-Korsakova, L. K. and N. A. Dubrovsky. 2006. Dolphins' echolocation strategy of target identification: Is it determined by the peripheral auditory encoding? *Acoustical Physics* 52: 446–454.
- 714** Ritchie, K. B., I. Nagelkerken, S. James, and G. W. Smith. 2000. Environmental microbiology: tetrodotoxin-producing marine pathogen. *Nature* 404: 354–354.
- 715** Ritson-Williams, R. and V. J. Paul. 2007. Marine benthic invertebrates use multimodal cues for defense against reef fish. *Marine Ecology-Progress Series* 340: 29–39.
- 716** Robinson, E. J. H., K. E. Green, E. A. Jenner, M. Holcombe, and F. L. W. Ratnieks. 2008. Decay rates of attractive and repellent pheromones in an ant foraging trail network. *Insectes Sociaux* 55: 246–251.
- 717** Robinson, E. J. H., F. L. W. Ratnieks, and M. Holcombe. 2008. An agent-based model to investigate the roles of attractive and repellent pheromones in ant decision making during foraging. *Journal of Theoretical Biology* 255: 250–258.
- 718** Rose, T. A., A. J. Munn, D. Ramp, and P. B. Banks. 2006. Foot-thumping as an alarm signal in macropodoid marsupials: prevalence and hypotheses of function. *Mammal Review* 36: 281–298.
- 719** Rosvear, D. R. 1965. *Bats of West Africa*. London: Trustees of the British Museum (Natural History).
- 720** Roush, R. S. and C. T. Snowdon. 2000. Quality, quantity, distribution and audience effects on food calling in cotton-top tamarins. *Ethology* 106: 673–690.

- 721** Rowe, C. and T. Guilford. 1999. The evolution of multimodal warning displays. *Evolutionary Ecology* 13: 655–671.
- 722** Rowe, M. P., R. G. Coss, and D. H. Owings. 1986. Rattlesnake rattles and burrowing owl hisses: a case of acoustic Batesian mimicry. *Ethology* 72: 53–71.
- 723** Rowland, H. M., M. P. Speed, G. D. Ruxton, M. Edmunds, M. Stevens, and I. F. Harvey. 2007. Countershading enhances cryptic protection: an experiment with wild birds and artificial prey. *Animal Behaviour* 74: 1249–1258.
- 724** Rowland, H. M., I. C. Cuthill, I. F. Harvey, M. P. Speed, and G. D. Ruxton. 2008. Can't tell the caterpillars from the trees: countershading enhances survival in a woodland. *Proceedings of the Royal Society B-Biological Sciences* 275: 2539–2545.
- 725** Rowland, H. M. 2009. From Abbott Thayer to the present day: what have we learned about the function of countershading? *Philosophical Transactions of the Royal Society B-Biological Sciences* 364: 519–527.
- 726** Roy, L., E. Guilbert, and T. Bourgoïn. 2007. Phylogenetic patterns of mimicry strategies in Darnini (Hemiptera: Membracidae). *Annales De La Societe Entomologique De France* 43: 273–288.
- 727** Russ, J. M., G. Jones, I. J. Mackie, and P. A. Racey. 2004. Interspecific responses to distress calls in bats (Chiroptera: Vespertilionidae): a function for convergence in call design? *Animal Behaviour* 67: 1005–1014.
- 728** Ruxton, G. D., T. N. Sherratt, and M. P. Speed. 2004. *Avoiding Attack: The Evolutionary Ecology of Crypsis, Warning Signals, and Mimicry*. Oxford, UK: Oxford University Press.
- 729** Ruxton, G. D., M. P. Speed, and D. J. Kelly. 2004. What, if anything, is the adaptive function of countershading? *Animal Behaviour* 68: 445–451.
- 730** Ruxton, G. D. 2009. Non-visual crypsis: a review of the empirical evidence for camouflage to senses other than vision. *Philosophical Transactions of the Royal Society B-Biological Sciences* 364: 549–557.
- 731** Ruxton, G. D., M. P. Speed, and M. Broom. 2009. Identifying the ecological conditions that select for intermediate levels of aposematic signalling. *Evolutionary Ecology* 23: 491–501.
- 732** Saillant, P. A., J. A. Simmons, and S. P. Dear. 1993. A computational model of echo processing and acoustic imaging in frequency-modulated echolocating bats: the spectrogram correlation and transformation receiver. *Journal of the Acoustical Society of America* 94: 2691–2712.

- 733** Saleh, N., A. G. Scott, G. P. Bryning, and L. Chittka. 2007. Distinguishing signals and cues: bumblebees use general footprints to generate adaptive behaviour at flowers and nest. *Arthropod–Plant Interactions* 1: 119–127.
- 734** Salibian, A. and D. Montalti. 2009. Physiological and biochemical aspects of the avian uropygial gland. *Brazilian Journal of Biology* 69: 437–446.
- 735** Sanchez-Camara, J., D. J. Booth, J. Murdoch, D. Watts, and X. Turon. 2006. Density, habitat use and behaviour of the weedy seadragon *Phyllopteryx taeniolatus* (Teleostei: Syngnathidae) around Sydney, New SouthWales, Australia. *Marine and Freshwater Research* 57: 737–745.
- 736** Sanderson, M. I., N. Neretti, N. Intrator, and J. A. Simmons. 2003. Evaluation of an auditory model for echo delay accuracy in wideband biosonar. *Journal of the Acoustical Society of America* 114: 1648–1659.
- 737** Santos, J. C., A. P. Korndorfer, and K. Del-Claro. 2005. Defensive behavior of the weaver ant *Camponotus (Myrmobrachys) senex* (Formicidae: Formicinae): drumming and mimicry. *Sociobiology* 46: 279–288.
- 738** Satischandra, S. H. K., P. Kodituwakku, S. W. Kotagama, and E. Goodale. 2010. Assessing “false” alarm calls by a drongo (*Dicrurus paradiseus*) in mixed-species bird flocks. *Behavioral Ecology* 21: 396–403.
- 739** Schaub, A. and H. U. Schnitzler. 2007. Flight and echolocation behaviour of three vespertilionid bat species while commuting on flyways. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 193: 1185–1194.
- 740** Schel, A. M., S. Tranquilli, and K. Zuberbuhler. 2009. The alarm call system of two species of black-and-white *Colobus* monkeys (*Colobus polykomos* and *Colobus guereza*). *Journal of Comparative Psychology* 123: 136–150.
- 741** Schibler, F. and M. B. Manser. 2007. The irrelevance of individual discrimination in meerkat alarm calls. *Animal Behaviour* 74: 1259–1268.
- 742** Schlenloff, D. H. 1984. Novelty: a basis for generalization in prey selection. *Animal Behaviour* 32: 919–921.
- 743** Schlenloff, D. H. 1985. The startle responses of blue jays to *Catocala* (Lepidoptera: Noctuidae) prey models. *Animal Behaviour* 33: 1057–1067.
- 744** Schmidt, J. O. 2004. Venom and the good life in tarantula hawks (Hymenoptera: Pompilidae): How to eat, not be eaten, and live long. *Journal of the Kansas Entomological Society* 77: 402–413.

- 745** Schmidt, K. A., E. Lee, R. S. Ostfeld, and K. Sieving. 2008. Eastern chipmunks increase their perception of predation risk in response to titmouse alarm calls. *Behavioral Ecology* 19: 759–763.
- 746** Schmidt, S., S. Hanke, and J. Pillat. 2000. The role of echolocation in the hunting of terrestrial prey: new evidence for an underestimated strategy in the gleaning bat, *Megaderma lyra*. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 186: 975–988.
- 747** Schmidt, V. M., R. Zucchi, and F. G. Barth. 2003. A stingless bee marks the feeding site in addition to the scent path (*Scaptotrigona* aff. *depilis*). *Apidologie* 34: 237–248.
- 748** Schmidt, V. M., R. Zucchi, and F. G. Barth. 2005. Scent marks left by *Nannotrigona testaceicornis* at the feeding site: cues rather than signals. *Apidologie* 36: 285–291.
- 749** Schmitt, U. and A. Bertsch. 1990. Do foraging bumblebees scent mark food sources, and does it matter? *Oecologia* 82: 137–144.
- 750** Schneider, R. A. Z. and P. A. Moore. 2000. Urine as a source of conspecific disturbance signals in the crayfish *Procambarus clarkii*. *Journal of Experimental Biology* 203: 765–771.
- 751** Schnitzler, H. U. 1973. Control of Doppler-shift compensation in greater horseshoe bat, *Rhinolophus ferrumequinum*. *Journal of Comparative Physiology* 82: 79–92.
- 752** Schnitzler, H. U. and A. D. Grinnell. 1977. Directional sensitivity of echolocation in horseshoe bat, *Rhinolophus ferrumequinum*. I. Directionality of sound emission. *Journal of Comparative Physiology* 116: 51–61.
- 753** Schnitzler, H. U. and O. W. Henson. 1980. Performance of airborne animal sonar systems. I. Microchiroptera. In *Animal Sonar Systems* (R. G. Busnel and J. F. Fish, eds.), pp. 109–181. New York NY: Plenum Press.
- 754** Schnitzler, H. U., D. Menne, and H. Hackbarth. 1985. Range determination by measuring time delays in echolocating bats. In *Time Resolution in Auditory Systems* (A. Michelsen, ed.), pp. 180–204. Berlin Germany: Springer.
- 755** Schnitzler, H. U. and E. K. V. Kalko. 2001. Echolocation by insect-eating bats. *Bioscience* 51: 557–569.
- 756** Schnitzler, H. U., C. F. Moss, and A. Denzinger. 2003. From spatial orientation to food acquisition in echolocating bats. *Trends in Ecology and Evolution* 18: 386–394.

- 757** Schoeppner, N. M. and R. A. Relyea. 2009. Interpreting the smells of predation: how alarm cues and kairomones induce different prey defences. *Functional Ecology* 23: 1114–1121.
- 758** Schorkopf, D. L. P., M. Hrnčir, S. Mateus, R. Zucchi, V. M. Schmidt, and F. G. Barth. 2009. Mandibular gland secretions of meliponine worker bees: further evidence for their role in interspecific and intraspecific defence and aggression and against their role in food source signalling. *Journal of Experimental Biology* 212: 1153–1162.
- 759** Schornich, S. and L. Wiegrebe. 2008. Phase sensitivity in bat sonar revisited. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 194: 61–67.
- 760** Schwagmeyer, P. L. 1980. Alarm calling behavior of the thirteen-lined ground squirrel, *Spermophilus tridecemlineatus*. *Behavioral Ecology and Sociobiology* 7: 195–200.
- 761** Scott-Phillips, T. C. 2008. Defining biological communication. *Journal of Evolutionary Biology* 21: 387–395.
- 762** Searcy, W. A. and S. Nowicki. 2005. *The Evolution of Animal Communication: Reliability and Deception in Signaling Systems*. Princeton NJ: Princeton University Press.
- 763** Seddon, N., J. A. Tobias, and A. Alvarez. 2002. Vocal communication in the pale-winged trumpeter (*Psophia leucoptera*): repertoire, context and functional reference. *Behaviour* 139: 1331–1359.
- 764** Seeley, T. D. 1995. *The Wisdom of the Hive*. Cambridge, MA: Harvard University Press.
- 765** Seeley, T. D., A. S. Mikheyev, and G. J. Pagano. 2000. Dancing bees tune both duration and rate of waggle-run production in relation to nectar-source profitability. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 186: 813–819.
- 766** Seeley, T. D. and P. K. Visscher. 2008. Sensory coding of nest-site value in honeybee swarms. *Journal of Experimental Biology* 211: 3691–3697.
- 767** Servedio, M. R. 2000. The effects of predator learning, forgetting, and recognition errors on the evolution of warning coloration. *Evolution* 54: 751–763.
- 768** Seyfarth, R. M., D. L. Cheney, and P. Marler. 1980. Vervet monkey alarm calls: semantic communication in a free-ranging primate. *Animal Behaviour* 28: 1070–1094.

- 769** Seyfarth, R. M., D. L. Cheney, and P. Marler. 1980. Vervet monkey alarm calls—semantic communication in a free-ranging primate. *Animal Behaviour* 28: 1070–1094.
- 770** Seyfarth, R. M., D. L. Cheney, and P. Marler. 1980. Monkey responses to three different alarm calls: evidence of predator classification and semantic communication. *Science* 210: 801–803.
- 771** Seyfarth, R. M. and D. L. Cheney. 1986. Vocal development in vervet monkeys. *Animal Behaviour* 34: 1640–1658.
- 772** Shabani, S., M. Kamio, and C. D. Derby. 2008. Spiny lobsters detect conspecific blood-borne alarm cues exclusively through olfactory sensilla. *Journal of Experimental Biology* 211: 2600–2608.
- 773** Shelley, E. L. and D. T. Blumstein. 2005. The evolution of vocal alarm communication in rodents. *Behavioral Ecology* 16: 169–177.
- 774** Sherman, G. and P. K. Visscher. 2002. Honeybee colonies achieve fitness through dancing. *Nature* 419: 920–922.
- 775** Sherman, P. W. 1977. Nepotism and evolution of alarm calls. *Science* 197: 1246–1253.
- 776** Sherman, P. W. 1985. Alarm calls of Belding ground squirrels to aerial predators: nepotism or self-preservation? *Behavioral Ecology and Sociobiology* 17: 313–323.
- 777** Sherratt, T. N. 2002. The coevolution of warning signals. *Proceedings of the Royal Society of London Series B-Biological Sciences* 269: 741–746.
- 778** Sherratt, T. N., M. P. Speed, and G. D. Ruxton. 2004. Natural selection on unpalatable species imposed by state-dependent foraging behaviour. *Journal of Theoretical Biology* 228: 217–226.
- 779** Shiori, Y., S. Hiryu, Y. Watanabe, and H. Riquimaroux. 2009. Pulse-echo interaction in free-flying horseshoe bats, *Rhinolophus ferrumequinum nippon*. *Journal of the Acoustical Society of America* 126: EL80–EL85.
- 780** Shriner, W. M. 1998. Yellow-bellied marmot and golden-mantled ground squirrel responses to heterospecific alarm calls. *Animal Behaviour* 55: 529–536.
- 781** Siemers, B. M. and H. U. Schnitzler. 2000. Natterer's bat (*Myotis nattereri* Kuhl, 1818) hawks for prey close to vegetation using echolocation signals of very broad bandwidth. *Behavioral Ecology and Sociobiology* 47: 400–412.

- 782** Siemers, B. M., P. Stilz, and H. U. Schnitzler. 2001. The acoustic advantage of hunting at low heights above water: behavioural experiments on the European 'trawling' bats *Myotis capaccinii*, *M. dasycneme* and *M. daubentonii*. *Journal of Experimental Biology* 204: 3843–3854.
- 783** Siemers, B. M. and T. Ivanova. 2004. Ground gleaning in horseshoe bats: comparative evidence from *Rhinolophus blasii*, *R. euryale* and *R. mehelyi*. *Behavioral Ecology and Sociobiology* 56: 464–471.
- 784** Siemers, B. M. and H. U. Schnitzler. 2004. Echolocation signals reflect niche differentiation in five sympatric congeneric bat species. *Nature* 429: 657–661.
- 785** Siemers, B. M., E. Baur, and H. U. Schnitzler. 2005. Acoustic mirror effect increases prey detection distance in trawling bats. *Naturwissenschaften* 92: 272–276.
- 786** Siemers, B. M., G. Schaueremann, H. Turni, and S. von Merten. 2009. Why do shrews twitter? Communication or simple echo-based orientation. *Biology Letters* 5: 593–596.
- 787** Sieving, K. E., S. A. Hetrick, and M. L. Avery. 2009. The versatility of graded acoustic measures in classification of predation threats by the tufted titmouse *Baeolophus bicolor*: exploring a mixed framework for threat communication. *Oikos* 119: 264–276.
- 788** Sillam-Dusses, D., E. Semon, C. Moreau, I. Valterova, J. Sobotnik, A. Robert, and C. Bordereau. 2005. Neocembrene A, a major component of the trail-following pheromone in the genus *Prorhinotermes* (Insecta, Isoptera, Rhinotermitidae). *Chemoecology* 15: 1–6.
- 789** Sillam-Dusses, D., E. Semon, A. Robert, E. Canello, M. Lenz, I. Valterova, and C. Bordereau. 2010. Identification of multi-component trail pheromones in the most evolutionarily derived termites, the Nasutitermitinae (Termitidae). *Biological Journal of the Linnean Society* 99: 20–27.
- 790** Sillen-Tullberg, B. 1988. Evolution of gregariousness in aposematic butterfly larvae: a phylogenetic analysis. *Evolution* 42: 293–305.
- 791** Sillen-Tullberg, B. and O. Leimar. 1988. The evolution of gregariousness in distasteful insects as a defense against predators. *American Naturalist* 132: 723–734.
- 792** Simard, P., A. L. Hibbard, K. A. McCallister, A. S. Frankel, D. G. Zeddies, G. M. Sisson, S. Gowans, E. A. Forsys, and D. A. Mann. 2010. Depth dependent variation of the echolocation pulse rate of bottlenose dolphins (*Tursiops truncatus*). *Journal of the Acoustical Society of America* 127: 568–578.

- 793** Simmons, J. A. 1973. Resolution of target range by echolocating bats. *Journal of the Acoustical Society of America* 54: 157–173.
- 794** Simmons, J. A. 1979. Perception of echo phase information in bat sonar. *Science* 204: 1336–1338.
- 795** Simmons, J. A. and R. A. Stein. 1980. Acoustic imaging in bat sonar-echolocation signals and the evolution of echolocation. *Journal of Comparative Physiology* 135: 61–84.
- 796** Simmons, J. A. and L. Chen. 1989. The acoustic basis for target discrimination by FM echolocating bats. *Journal of the Acoustical Society of America* 86: 1333–1350.
- 797** Simmons, J. A. 1993. Evidence for perception of fine echo delay and phase by the FM bat, *Eptesicus fuscus*. *Journal of Comparative Physiology a-Sensory Neural and Behavioral Physiology* 172: 533–547.
- 798** Simmons, J. A., P. A. Saillant, J. M. Wotton, T. Haresign, M. J. Ferragamo, and C. F. Moss. 1995. Composition of biosonar images for target recognition by echolocating bats. *Neural Networks* 8: 1239–1261.
- 799** Simmons, J. A., S. P. Dear, M. J. Ferragamo, T. Haresign, and J. Fritz. 1996. Representation of perceptual dimensions of insect prey during terminal pursuit by echolocating bats. *Biological Bulletin* 191: 109–121.
- 800** Simmons, J. A., M. J. Ferragamo, and C. F. Moss. 1998. Echo-delay resolution in sonar images of the big brown bat, *Eptesicus fuscus*. *Proceedings of the National Academy of Sciences of the United States of America* 95: 12647–12652.
- 801** Simmons, J. A., J. M. Wotton, M. J. Ferragamo, and C. F. Moss. 2002. Transformation of external-ear spectral cues into perceived delays by the big brown bat, *Eptesicus fuscus*. *Journal of the Acoustical Society of America* 111: 2771–2782.
- 802** Simmons, J. A., M. J. Ferragamo, and M. I. Sanderson. 2003. Echo delay versus spectral cues for temporal hyperacuity in the big brown bat, *Eptesicus fuscus*. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 189: 693–702.
- 803** Simmons, J. A., N. Neretti, N. Intrator, R. A. Altes, M. J. Ferragamo, and M. I. Sanderson. 2004. Delay accuracy in bat sonar is related to the reciprocal of normalized echo bandwidth, or *Q*. *Proceedings of the National Academy of Sciences of the United States of America* 101: 3638–3643.

- 804** Simmons, N. B. and J. H. Geisler. 1998. Phylogenetic relationships of *Icaronycteris*, *Archaeonycteris*, *Hassianycteris* and *Palaeochiropteryx* to extant bat lineages, with comments on the evolution of echolocation and foraging strategies in Microchiroptera. *Bulletin of the American Museum of Natural History* 235: 1–182.
- 805** Simmons, N. B., K. L. Seymour, J. Habersetzer, and G. F. Gunnell. 2008. Primitive early Eocene bat from Wyoming and the evolution of flight and echolocation. *Nature* 451: 818–U6.
- 806** Sirot, E. and F. Touzalin. 2009. Coordination and synchronization of vigilance in groups of prey: the role of collective detection and predators' preference for stragglers. *American Naturalist* 173: 47–59.
- 807** Skelhorn, J. and C. Rowe. 2006. Avian predators taste-reject aposematic prey on the basis of their chemical defence. *Biology Letters* 2: 348–350.
- 808** Skelhorn, J., D. Griksaitis, and C. Rowe. 2008. Colour biases are more than a question of taste. *Animal Behaviour* 75: 827–835.
- 809** Skelhorn, J. and C. Rowe. 2009. Distastefulness as an antipredator defence strategy. *Animal Behaviour* 78: 761–766.
- 810** Skelhorn, J., H. M. Rowland, and G. D. Ruxton. 2010. The evolution and ecology of masquerade. *Biological Journal of the Linnean Society* 99: 1–8.
- 811** Sledge, M. F., F. R. Dani, A. Fortunato, U. Maschwitz, S. R. Clarke, E. Francescato, R. Hashim, E. D. Morgan, G. R. Jones, and S. Turillazzi. 1999. Venom induces alarm behaviour in the social wasp *Polybioides raphigastra* (Hymenoptera: Vespidae): an investigation of alarm behaviour, venom volatiles and sting autotomy. *Physiological Entomology* 24: 234–239.
- 812** Sloan, J. L., D. R. Wilson, and J. F. Hare. 2005. Functional morphology of Richardson's ground squirrel, *Spermophilus richardsonii*, alarm calls: the meaning of chirps, whistles and chucks. *Animal Behaviour* 70: 937–944.
- 813** Slobodchikoff, C. N., J. Kiriakis, C. Fischer, and E. Creef. 1991. Sematic information distinguishing individual predators in the alarm calls of Gunnison prairie dogs. *Animal Behaviour* 42: 713–719.
- 814** Slobodchikoff, C. N., S. H. Ackers, and M. Van Ert. 1998. Geographic variation in alarm calls of Gunnison's prairie dogs. *Journal of Mammalogy* 79: 1265–1272.
- 815** Slobodchikoff, C. N. and J. Placer. 2006. Acoustic structures in the alarm calls of Gunnison's prairie dogs. *Journal of the Acoustical Society of America* 119: 3153–3160.

- 816** Slobodchikoff, C. N., A. Paseka, and J. L. Verdolin. 2009. Prairie dog alarm calls encode labels about predator colors. *Animal Cognition* 12: 435–439.
- 817** Slocombe, K. E. and K. Zuberbuhler. 2005. Functionally referential communication in a chimpanzee. *Current Biology* 15: 1779–1784.
- 818** Slocombe, K. E. and K. Zuberbuhler. 2006. Food-associated calls in chimpanzees: responses to food types or food preferences? *Animal Behaviour* 72: 989–999.
- 819** Smee, D. L. and M. J. Weissburg. 2006. Hard clams (*Mercenaria mercenaria*) evaluate predation risk using chemical signals from predators and injured conspecifics. *Journal of Chemical Ecology* 32: 605–619.
- 820** Smith, C. L. and C. S. Evans. 2008. Multimodal signaling in fowl, *Gallus gallus*. *Journal of Experimental Biology* 211: 2052–2057.
- 821** Smith, C. L. and C. S. Evans. 2009. Silent tidbitting in male fowl, *Gallus gallus*: a referential visual signal with multiple functions. *Journal of Experimental Biology* 212: 835–842.
- 822** Smith, J. A. and P. G. Koehler. 2006. Behavioral evidence for minor pheromone components modulating termite trail following responses (Isoptera). *Sociobiology* 48: 457–470.
- 823** Smith, M. E. 2000. Alarm response of *Arius felis* to chemical stimuli from injured conspecifics. *Journal of Chemical Ecology* 26: 1635–1647.
- 824** Smith, R. J. F. 1992. Alarm signals in fishes. *Reviews in Fish Biology and Fisheries* 2: 33–63.
- 825** Smith, W. P. 1991. Ontogeny and adaptiveness of tail flagging behavior in white-tailed deer. *American Naturalist* 138: 190–200.
- 826** Smyth, D. M. and J. R. Roberts. 1983. The sensitivity of echolocation by the grey swiftlet *Aerodramus spodiopygius*. *Ibis* 125: 339–345.
- 827** Soard, C. M. and G. Ritchison. 2009. ‘Chick-a-dee’ calls of Carolina chickadees convey information about degree of threat posed by avian predators. *Animal Behaviour* 78: 1447–1453.
- 828** Soto, N. A., M. P. Johnson, P. T. Madsen, F. Diaz, I. Dominguez, A. Brito, and P. Tyack. 2008. Cheetahs of the deep sea: deep foraging sprints in short-finned pilot whales off Tenerife (Canary Islands). *Journal of Animal Ecology* 77: 936–947.
- 829** Speed, M. P. 2001. Can receiver psychology explain the evolution of aposematism? *Animal Behaviour* 61: 205–216.

- 830** Speed, M. P. and G. D. Ruxton. 2005. Warning displays in spiny animals: One (more) evolutionary route to aposematism. *Evolution* 59: 2499–2508.
- 831** Speed, M. P. and G. D. Ruxton. 2005. Aposematism: what should our starting point be? *Proceedings of the Royal Society B-Biological Sciences* 272: 431–438.
- 832** Springer, M. S., E. C. Teeling, O. Madsen, M. J. Stanhope, and W. W. de Jong. 2001. Integrated fossil and molecular data reconstruct bat echolocation. *Proceedings of the National Academy of Sciences of the United States of America* 98: 6241–6246.
- 833** Sproul, C., A. Palleroni, and M. D. Hauser. 2006. Cottontop tamarin, *Saguinus oedipus*, alarm calls contain sufficient information for recognition of individual identity. *Animal Behaviour* 72: 1379–1385.
- 834** Sridhar, H., G. Beauchamp, and K. Shanker. 2009. Why do birds participate in mixed-species foraging flocks? A large-scale synthesis. *Animal Behaviour* 78: 337–347.
- 835** Staaterman, E. R., T. Claverie, and S. N. Patek. 2010. Disentangling defense: the function of spiny lobster sounds. *Behaviour* 147: 235–258.
- 836** Stamper, S. A., J. A. Simmons, C. M. DeLong, and R. Bragg. 2008. Detection of targets colocalized in clutter by big brown bats (*Eptesicus fuscus*). *Journal of the Acoustical Society of America* 124: 667–673.
- 837** Stang, A. T. and S. B. McRae. 2009. Why some rails have white tails: the evolution of white undertail plumage and anti-predator signaling. *Evolutionary Ecology* 23: 943–961.
- 838** Stangler, E. S., S. Jarau, M. Hrncir, R. Zucchi, and M. Ayasse. 2009. Identification of trail pheromone compounds from the labial glands of the stingless bee *Geotrigona mombuca*. *Chemoecology* 19: 13–19.
- 839** Stankowich, T. 2008. Tail-flicking, tail-flagging, and tail position in ungulates with special reference to black-tailed deer. *Ethology* 114: 875–885.
- 840** Stankowich, T. and R. G. Coss. 2008. Alarm walking in Columbian black-tailed deer: its characterization and possible antipredatory signaling functions. *Journal of Mammalogy* 89: 636–645.
- 841** Stanton, T. K., A. C. Lavery, M. P. Johnson, P. T. Madsen, and P. L. Tyack. 2008. Classification of broadband echoes from prey of a foraging Blainville's beaked whale. *Journal of the Acoustical Society of America* 123: 1753–1762.

- 842** Steeman, M. E., M. B. Hebsgaard, R. E. Fordyce, S. Y. W. Ho, D. L. Rabosky, R. Nielsen, C. Rahbek, H. Glenner, M. V. Sorensen, and E. Willerslev. 2009. Radiation of extant cetaceans driven by restructuring of the oceans. *Systematic Biology* 58: 573–585.
- 843** Stefanski, R. A. and J. B. Falls. 1972. Study of distress calls of song, swamp, and white-throated sparrows (Aves-Fringillidae). I. Intraspecific responses and functions. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 50: 1501–1512.
- 844** Stefanski, R. A. and J. B. Falls. 1972. A study of distress calls of song, swamp, and white-throated sparrows (Aves-Fringillidae). II. Interspecific responses and properties used in recognition. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 50: 1501–1512.
- 845** Stegmann, U. E. 2005. John Maynard Smith's notion of animal signals. *Biology and Philosophy* 20: 1011–1025.
- 846** Stephan, C. and K. Zuberbuhler. 2008. Predation increases acoustic complexity in primate alarm calls. *Biology Letters* 4: 641–644.
- 847** Stern, D. L. and W. A. Foster. 1996. The evolution of soldiers in aphids. *Biological Reviews of the Cambridge Philosophical Society* 71: 27–79.
- 848** Stevens, J. R. and I. C. Gilby. 2004. A conceptual, framework for nonkin food sharing: timing and currency of benefits. *Animal Behaviour* 67: 603–614.
- 849** Stevens, M. 2005. The role of eyespots as anti-predator mechanisms, principally demonstrated in the Lepidoptera. *Biological Reviews* 80: 573–588.
- 850** Stevens, M. and I. C. Cuthill. 2006. Disruptive coloration, crypsis and edge detection in early visual processing. *Proceedings of the Royal Society B-Biological Sciences* 273: 2141–2147.
- 851** Stevens, M., I. C. Cuthill, A. M. M. Windsor, and H. J. Walker. 2006. Disruptive contrast in animal camouflage. *Proceedings of the Royal Society B-Biological Sciences* 273: 2433–2438.
- 852** Stevens, M. 2007. Predator perception and the interrelation between different forms of protective coloration. *Proceedings of the Royal Society B-Biological Sciences* 274: 1457–1464.
- 853** Stevens, M., E. Hopkins, W. Hinde, A. Adcock, Y. Connolly, T. Troscianko, and I. C. Cuthill. 2007. Field experiments on the effectiveness of 'eyespot' as predator deterrents. *Animal Behaviour* 74: 1215–1227.

- 854** Stevens, M., C. J. Hardman, and C. L. Stubbins. 2008. Conspicuousness, not eye mimicry, makes “eyespot” effective antipredator signals. *Behavioral Ecology* 19: 525–531.
- 855** Stevens, M. and S. Merilaita. 2009. Defining disruptive coloration and distinguishing its functions. *Philosophical Transactions of the Royal Society B-Biological Sciences* 364: 481–488.
- 856** Stevens, M. and S. Merilaita. 2009. Animal camouflage: current issues and new perspectives. *Philosophical Transactions of the Royal Society B-Biological Sciences* 364: 423–427.
- 857** Stiles, F. G. and A. F. Skutch. 1989. *A Guide to the Birds of Costa Rica*. Ithaca, NY: Comstock Publishing Associates.
- 858** Stobbe, N., M. Dimitrova, S. Merilaita, and H. M. Schaefer. 2009. Chromaticity in the UV/blue range facilitates the search for achromatically background-matching prey in birds. *Philosophical Transactions of the Royal Society B-Biological Sciences* 364: 511–517.
- 859** Stoddard, P. K. 1988. The bugs call of the cliff swallow: a rare food signal in a colonially nesting bird species. *Condor* 90: 714–715.
- 860** Stokes, A. W. and H. W. Williams. 1972. Courtship feeding calls in gallinaceous birds. *Auk* 89: 177.
- 861** Stoner, C. J., O. R. P. Bininda-Emonds, and T. Caro. 2003. The adaptive significance of coloration in lagomorphs. *Biological Journal of the Linnean Society* 79: 309–328.
- 862** Stout, J. C. and D. Goulson. 2001. The use of conspecific and interspecific scent marks by foraging bumblebees and honeybees. *Animal Behaviour* 62: 183–189.
- 863** Stout, J. C. and D. Goulson. 2002. The influence of nectar secretion rates on the responses of bumblebees (*Bombus* spp.) to previously visited flowers. *Behavioral Ecology and Sociobiology* 52: 239–246.
- 864** Struhsaker, T. T. 1967. Auditory communication among vervet monkeys (*Cercopithecus aethiops*). In *Social Communication among Primates* (S. A. Altman, ed.), pp. 281–324. Chicago: University of Chicago Press.
- 865** Stuart-Fox, D., A. Moussalli, and M. J. Whiting. 2008. Predator-specific camouflage in chameleons. *Biology Letters* 4: 326–329.

- 866** Stuart-Fox, D. and A. Moussalli. 2009. Camouflage, communication and thermoregulation: lessons from colour changing organisms. *Philosophical Transactions of the Royal Society B-Biological Sciences* 364: 463–470.
- 867** Sullivan, A. M., D. M. Madison, and J. R. Rohr. 2003. Behavioural responses by red-backed salamanders to conspecific and heterospecific cues. *Behaviour* 140: 553–564.
- 868** Summers, K. and M. E. Clough. 2001. The evolution of coloration and toxicity in the poison frog family (Dendrobatidae). *Proceedings of the National Academy of Sciences of the United States of America* 98: 6227–6232.
- 869** Supin, A. Y., P. E. Nachtigall, and M. Breese. 2008. Forward masking as a mechanism of automatic gain control in odontocete biosonar: a psychophysical study. *Journal of the Acoustical Society of America* 124: 648–656.
- 870** Supin, A. Y., P. E. Nachtigall, and M. Breese. 2008. Hearing sensitivity during target presence and absence while a whale echolocates. *Journal of the Acoustical Society of America* 123: 534–541.
- 871** Supin, A. Y., P. E. Nachtigall, and M. Breese. 2009. Forward-masking based gain control in odontocete biosonar: an evoked-potential study. *Journal of the Acoustical Society of America* 125: 2432–2442.
- 872** Surlykke, A., J. E. Yack, A. J. Spence, and I. Hasenfuss. 2003. Hearing in hooktip moths (Drepanidae: Lepidoptera). *Journal of Experimental Biology* 206: 2653–2663.
- 873** Surlykke, A. and E. K. V. Kalko. 2008. Echolocating bats cry out loud to detect their prey. *PLoS One* 3: e2036.doi:10.1371/journal.pone.0002036.
- 874** Surlykke, A., K. Ghose, and C. F. Moss. 2009. Acoustic scanning of natural scenes by echolocation in the big brown bat, *Eptesicus fuscus*. *Journal of Experimental Biology* 212: 1011–1020.
- 875** Surlykke, A., S. B. Pedersen, and L. Jakobsen. 2009. Echolocating bats emit a highly directional sonar sound beam in the field. *Proceedings of the Royal Society B-Biological Sciences* 276: 853–860.
- 876** Suthers, R. A. and D. H. Hector. 1982. Mechanism for the production of echolocating clicks by the grey swiftlet, *Collocalia spodiopygia*. *Journal of Comparative Physiology* 148: 457–470.
- 877** Suthers, R. A. and D. H. Hector. 1985. The physiology of vocalization by the echolocating oilbird, *Steatornis caripensis*. *Journal of Comparative Physiology a-Sensory Neural and Behavioral Physiology* 156: 243–266.

- 878** Swan, D. C. and J. F. Hare. 2008. Signaler and receiver ages do not affect responses to Richardson's ground squirrel alarm calls. *Journal of Mammalogy* 89: 889–894.
- 879** Tanu, M. B., Y. Mahmud, O. Arakawa, T. Takatani, H. Kajihara, K. Kawatsu, Y. Hamano, M. Asakawa, K. Miyazawa, and T. Noguchi. 2004. Immunoenzymatic visualization of tetrodotoxin (TTX) in *Cephalothrix* species (Nernerteia: Anopla: Palaeonemertea: Cephalotrichidae) and *Planocera reticulata* (Platyhelminthes: Turbellaria: Polycladida: Planoceridae). *Toxicon* 44: 515–520.
- 880** Tate, D. P. 1994. Observations on nesting behavior of the common potoo in Venezuela. *Journal of Field Ornithology* 65: 447–452.
- 881** Tautz, J., S. W. Zhang, J. Spaethe, A. Brockmann, A. Si, and M. Srinivasan. 2004. Honeybee odometry: performance in varying natural terrain. *PLoS Biology* 2: 915–923.
- 882** Teeling, E. C., M. Scally, D. J. Kao, M. L. Romagnoli, M. S. Springer, and M. J. Stanhope. 2000. Molecular evidence regarding the origin of echolocation and flight in bats. *Nature* 403: 188–192.
- 883** Teeling, E. C., M. S. Springer, O. Madsen, P. Bates, S. J. O'Brien, and W. J. Murphy. 2005. A molecular phylogeny for bats illuminates biogeography and the fossil record. *Science* 307: 580–584.
- 884** Teeling, E. C. 2009. Hear, hear: the convergent evolution of echolocation in bats? *Trends in Ecology and Evolution* 24: 351–354.
- 885** Templeton, C. N., E. Greene, and K. Davis. 2005. Allometry of alarm calls: Black-capped chickadees encode information about predator size. *Science* 308: 1934–1937.
- 886** Templeton, C. N. and E. Greene. 2007. Nuthatches eavesdrop on variations in heterospecific chickadee mobbing alarm calls. *Proceedings of the National Academy of Sciences of the United States of America* 104: 5479–5482.
- 887** Tenaza, R. R. and R. L. Tilson. 1977. Evolution of long distance alarm calls in Kloss gibbon. *Nature* 268: 233–235.
- 888** They, M. and J. Casas. 2002. Predator and prey views of spider camouflage: both hunter and hunted fail to notice crab-spiders blending with coloured petals. *Nature* 415: 133–133.
- 889** They, M. 2007. Colours of background reflected light and of the prey's eye affect adaptive coloration in female crab spiders. *Animal Behaviour* 73: 797–804.

- 890** Thery, M. and J. Casas. 2009. The multiple disguises of spiders: web colour and decorations, body colour and movement. *Philosophical Transactions of the Royal Society B-Biological Sciences* 364: 471–480.
- 891** Thewissen, J. G. M. and E. M. Williams. 2002. The early radiations of cetacea (Mammalia): Evolutionary pattern and developmental correlations. *Annual Review of Ecology and Systematics* 33: 73–90.
- 892** Thom, C., D. C. Gilley, J. Hooper, and H. E. Esch. 2007. The scent of the waggle dance. *PLoS Biology* 5: 1862–1867.
- 893** Thomas, R. J., N. M. Marples, I. C. Cuthill, M. Takahashi, and E. A. Gibson. 2003. Dietary conservatism may facilitate the initial evolution of aposematism. *Oikos* 101: 458–466.
- 894** Thomassen, H. A., U. M. Djasim, and G. D. E. Povel. 2004. Echoclick design in swiftlets: single as well as double clicks. *Ibis* 146: 173–174.
- 895** Thomassen, H. A. and G. D. E. Povel. 2006. Comparative and phylogenetic analysis of the echo clicks and social vocalizations of swiftlets (Aves: Apodidae). *Biological Journal of the Linnean Society* 88: 631–643.
- 896** Thomassen, H. A., S. Gea, S. Maas, R. G. Bout, J. J. J. Dirckx, W. F. Decraemer, and G. D. E. Povel. 2007. Do swiftlets have an ear for echolocation? The functional morphology of swiftlets' middle ears. *Hearing Research* 225: 25–37.
- 897** Tien, J. H., S. A. Levin, and D. I. Rubenstein. 2004. Dynamics of fish shoals: identifying key decision rules. *Evolutionary Ecology Research* 6: 555–565.
- 898** Toledo, R. C. and C. Jared. 1995. Cutaneous granular glands and amphibian venoms. *Comparative Biochemistry and Physiology a-Physiology* 111: 1–29.
- 899** Treisman, M. 1975. Predation and the evolution of gregariousness. II. An economic model for predator–prey interactions. *Animal Behaviour* 23: 801–825.
- 900** Trivers, R. 1971. The evolution of reciprocal altruism. *Quarterly Review of Biology* 46: 35–57.
- 901** Tseng, L. and I. M. Tso. 2009. A risky defence by a spider using conspicuous decoys resembling itself in appearance. *Animal Behaviour* 78: 425–431.
- 902** Tullberg, B. S., O. Leimar, and G. Gamberale-Stille. 2000. Did aggregation favour the initial evolution of warning coloration? A novel world revisited. *Animal Behaviour* 59: 281–287.

- 903** Turillazzi, S. 2006. *Polistes* venom: a multifunctional secretion. *Annales Zoologici Fennici* 43: 488–499.
- 904** Turner, J. R. G. 1977. Butterfly mimicry: the genetical evolution of an adaptation. *Evolutionary Biology* 10: 163–206.
- 905** Turner, J. R. G. 1984. The palatability spectrum and its consequences. In *The Biology of Butterflies* (R. I. Vane-Wright and P. R. Ackery, eds.), pp. 140–160. London: Academic Press.
- 906** Turner, J. R. G. 1987. The evolutionary dynamics of Batesian and Müllerian mimicry: similarities and differences. *Ecological Entomology* 12: 81–95.
- 907** Uster, D. and K. Zuberbuhler. 2001. The functional significance of Diana monkey ‘clear’ calls. *Behaviour* 138: 741–756.
- 908** Vallin, A., S. Jakobsson, J. Lind, and C. Wiklund. 2005. Prey survival by predator intimidation: an experimental study of peacock butterfly defence against blue tits. *Proceedings of the Royal Society B-Biological Sciences* 272: 1203–1207.
- 909** Vallin, A., S. Jakobsson, and C. Wiklund. 2007. “An eye for an eye?”—on the generality of the intimidating quality of eyespots in a butterfly and a hawkmoth. *Behavioral Ecology and Sociobiology* 61: 1419–1424.
- 910** Van den Bussche, R. A. and S. R. Hooper. 2004. Phylogenetic relationships among recent chiropteran families and the importance of choosing appropriate out-group taxa. *Journal of Mammalogy* 85: 321–330.
- 911** Van Kampen, H. S. 1997. Courtship food-calling in Burmese red junglefowl .II. Sexual conditioning and the role of the female. *Behaviour* 134: 775–787.
- 912** Van Kampen, H. S. and J. A. Hogan. 2000. Courtship food-calling in Burmese red junglefowl: III. Factors influencing the male’s behavior. *Behaviour* 137: 1191–1209.
- 913** Van Krunkelsven, E., J. Dupain, L. Van Elsacker, and R. F. Verheyen. 1996. Food calling by captive bonobos (*Pan paniscus*): an experiment. *International Journal of Primatology* 17: 207–217.
- 914** Vane-Wright, R. I., D. C. Raheem, A. Cieslak, and A. P. Vogler. 1999. Evolution of the mimetic African swallowtail butterfly *Papilio dardanus*: molecular data confirm relationships with *P. phorcas* and *P. constantinus*. *Biological Journal of the Linnean Society* 66: 215–229.
- 915** Vaughan, T., J. Ryan, and N. Czaplewski. 2000. *Mammalogy, 4th Edition*. Toronto, ON: Brooks Cole.

- 916** Vavrek, M. A., C. K. Elvidge, R. DeCaire, B. Belland, C. D. Jackson, and G. E. Brown. 2008. Disturbance cues in freshwater prey fishes: do juvenile convict cichlids and rainbow trout respond to ammonium as an 'early warning' signal? *Chemoecology* 18: 255–261.
- 917** Vega-Redondo, F. and O. Hasson. 1993. A game theoretic model of predator–prey signaling. *Journal of Theoretical Biology* 162: 309–319.
- 918** Venuto, V., V. Ferraiuolo, L. Bottoni, and R. Massa. 2001. Distress call in six species of African *Poicephalus* parrots. *Ethology Ecology and Evolution* 13: 49–68.
- 919** Verfuss, U. K., L. A. Miller, P. K. D. Pilz, and H. U. Schnitzler. 2009. Echolocation by two foraging harbour porpoises (*Phocoena phocoena*). *Journal of Experimental Biology* 212: 823–834.
- 920** Vespe, M., G. Jones, and C. J. Baker. 2009. Lessons for radar waveform diversity in echolocating mammals. *IEEE Signal Processing Magazine* 26: 65–75.
- 921** Villadsgaard, A., M. Wahlberg, and J. Tougaard. 2007. Echolocation signals of wild harbour porpoises, *Phocoena phocoena*. *Journal of Experimental Biology* 210: 56–64.
- 922** Villinger, J. and B. Waldman. 2008. Self-referent MHC type matching in frog tadpoles. *Proceedings of the Royal Society B-Biological Sciences* 275: 1225–1230.
- 923** Visscher, P. K. 2007. Group decision making in nest-site selection among social insects. *Annual Review of Entomology* 52: 255–275.
- 924** Vitousek, M. N., J. S. Adelman, N. C. Gregory, and J. J. H. St Clair. 2007. Heterospecific alarm call recognition in a non-vocal reptile. *Biology Letters* 3: 632–634.
- 925** von der Emde, G. and H. U. Schnitzler. 1990. Classification of insects by echolocating greater horseshoe bats. *Journal of Comparative Physiology a-Sensory Neural and Behavioral Physiology* 167: 423–430.
- 926** Von Frisch, K. 1941. Über einen Schreckstoff der Fischhaut und seine biologische Bedeutung. *Zeitschrift für vergleichende Physiologie* 29: 45–145.
- 927** Von Frisch, K. and R. Jander. 1957. Über den schwanzel Tanz der Bienen. *Zeitschrift für Vergleichende Physiologie* 40: 239–263.
- 928** Von Frisch, K. 1967. *The Dance Language and Orientation of Bees*. Cambridge, MA: Harvard University Press.

- 929** Wager, B. R. and M. D. Breed. 2000. Does honey bee sting alarm pheromone give orientation information to defensive bees? *Annals of the Entomological Society of America* 93: 1329–1332.
- 930** Walling, C. A., N. Dawnay, A. J. N. Kazem, and J. Wright. 2004. Predator inspection behaviour in three-spined sticklebacks (*Gasterosteus aculeatus*): body size, local predation pressure and cooperation. *Behavioral Ecology and Sociobiology* 56: 164–170.
- 931** Walls, S. C., C. S. Conrad, M. L. Murillo, and A. R. Blaustein. 1996. Agonistic behaviour in larvae of the northwestern salamander (*Ambystoma gracile*): The effects of kinship, familiarity and population source. *Behaviour* 133: 965–984.
- 932** Wang, X. B. and R. Muller. 2009. Pinna-rim skin folds narrow the sonar beam in the lesser false vampire bat (*Megaderma spasma*). *Journal of the Acoustical Society of America* 126: 3311–3318.
- 933** Ward, P. and A. Zahavi. 1973. Importance of certain assemblages of birds as information-centers for food-finding. *Ibis* 115: 517–534.
- 934** Warkentin, K. J., A. T. H. Keeley, and J. F. Hare. 2001. Repetitive calls of juvenile Richardson's ground squirrels (*Spermophilus richardsonii*) communicate response urgency. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 79: 569–573.
- 935** Waters, D. A. 2007. Echolocation in air: biological systems, technical challenges, and transducer design. *Proceedings of the Institution of Mechanical Engineers Part C-Journal of Mechanical Engineering Science* 221: 1165–1175.
- 936** Watson, R. T., A. Mathis, and R. Thompson. 2004. Influence of physical stress, distress cues, and predator kairomones on the foraging behavior of Ozark zigzag salamanders, *Plethodon angusticlavius*. *Behavioural Processes* 65: 201–209.
- 937** Watts, D. P. and J. C. Mitani. 2002. Hunting behavior of chimpanzees at Ngogo, Kibale National Park, Uganda. *International Journal of Primatology* 23: 1–28.
- 938** Watwood, S. L., P. J. O. Miller, M. Johnson, P. T. Madsen, and P. L. Tyack. 2006. Deep-diving foraging behaviour of sperm whales (*Physeter macrocephalus*). *Journal of Animal Ecology* 75: 814–825.
- 939** Wauters, A. M. and M. A. Richard-Yris. 2003. Maternal food calling in domestic hens: influence of feeding context. *Comptes Rendus Biologies* 326: 677–686.

- 940** Weissenbacher, P., L. Wiegrabe, and M. Kossl. 2002. The effect of preceding sonar emission on temporal integration in the bat, *Megaderma lyra*. *Journal of Comparative Physiology a-Neuroethology Sensory Neural and Behavioral Physiology* 188: 147–155.
- 941** Welbergen, J. A. and N. B. Davies. 2008. Reed warblers discriminate cuckoos from sparrowhawks with graded alarm signals that attract mates and neighbours. *Animal Behaviour* 76: 811–822.
- 942** Welbergen, J. A. and N. B. Davies. 2009. Strategic variation in mobbing as a front line of defense against brood parasitism. *Current Biology* 19: 235–240.
- 943** Weldon, P. J. and J. H. Rappole. 1997. A survey of birds odorous or unpalatable to humans: possible indications of chemical defense. *Journal of Chemical Ecology* 23: 2609–2633.
- 944** Wenstrup, J. J. and R. A. Suthers. 1984. Echolocation of moving targets by the fish-catching bat, *Noctilio leporinus*. *Journal of Comparative Physiology* 155: 75–89.
- 945** Wheeler, B. C. 2008. Selfish or altruistic? An analysis of alarm call function in wild capuchin monkeys, *Cebus apella nigrinus*. *Animal Behaviour* 76: 1465–1475.
- 946** Whitlock, M. C., B. H. Davis, and S. Yeaman. 2007. The costs and benefits of resource sharing: reciprocity requires resource heterogeneity. *Journal of Evolutionary Biology* 20: 1772–1782.
- 947** Wich, S. A. and E. H. M. Sterck. 2003. Possible audience effect in Thomas langurs (Primates; *Presbytis thomasi*): an experimental study on male loud calls in response to a tiger model. *American Journal of Primatology* 60: 155–159.
- 948** Wich, S. A. and H. de Vries. 2006. Male monkeys remember which group members have given alarm calls. *Proceedings of the Royal Society B-Biological Sciences* 273: 735–740.
- 949** Wickler, W. 1985. Coordination of vigilance in bird groups: the watchman's song hypothesis. *Zeitschrift Fur Tierpsychologie-Journal of Comparative Ethology* 69: 250–253.
- 950** Wiegrebe, L. 2008. An autocorrelation model of bat sonar. *Biological Cybernetics* 98: 587–595.
- 951** Wiklund, C. and T. Jarvi. 1982. Survival of distasteful insects after being attacked by naive birds: a reappraisal of the theory of aposematic coloration evolving through individual selection. *Evolution* 36: 998–1002.

- 952** Wilkinson, G. S. and J. W. Boughman. 1998. Social calls coordinate foraging in greater spear-nosed bats. *Animal Behaviour* 55: 337–350.
- 953** Williams, B. L. 2010. Behavioral and chemical ecology of marine organisms with respect to tetrodotoxin. *Marine Drugs* 8: 381–398.
- 954** Williams, C. S. 1998. The identity of the previous visitor influences flower rejection by nectar-collecting bees. *Animal Behaviour* 56: 673–681.
- 955** Williams, H. W., A. W. Stokes, and J. C. Wallen. 1968. Food call and display of bobwhite quail (*Colinus virginianus*). *Auk* 85: 464–476.
- 956** Williams, H. W. 1969. Vocal behavior of adult California quail. *Auk* 86: 631–659.
- 957** Wilms, J. and T. Eltz. 2008. Foraging scent marks of bumblebees: footprint cues rather than pheromone signals. *Naturwissenschaften* 95: 149–153.
- 958** Wilson, D. R. and J. F. Hare. 2006. The adaptive utility of Richardson's ground squirrel (*Spermophilus richardsonii*) short-range ultrasonic alarm signals. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 84: 1322–1330.
- 959** Wilson, D. R. and C. S. Evans. 2008. Mating success increases alarm-calling effort in male fowl, *Gallus gallus*. *Animal Behaviour* 76: 2029–2035.
- 960** Wilson, E. O. 1971. *The Insect Societies*. Cambridge, MA: Belknap/Harvard University Press.
- 961** Wilson, E. O. 1975. *Sociobiology: The New Synthesis*. Cambridge, MA: Belknap/Harvard University Press.
- 962** Wise, K. K., M. R. Conover, and F. F. Knowlton. 1999. Response of coyotes to avian distress calls: testing the startle-predator and predator-attraction hypotheses. *Behaviour* 136: 935–949.
- 963** Wisenden, B. D., S. G. Pohlman, and E. E. Watkin. 2001. Avoidance of conspecific injury-released chemical cues by free-ranging *Gammarus lacustris* (Crustacea: Amphipoda). *Journal of Chemical Ecology* 27: 1249–1258.
- 964** Wisenden, B. D. 2008. Active space of chemical alarm cue in natural fish populations. *Behaviour* 145: 391–407.
- 965** Wisenden, B. D., M. L. Rugg, N. L. Korpi, and L. C. Fuselier. 2009. Lab and field estimates of active time of chemical alarm cues of a cyprinid fish and an amphipod crustacean. *Behaviour* 146: 1423–1442.

- 966** Witjes, S. and T. Eltz. 2007. Influence of scent deposits on flower choice: experiments in an artificial flower array with bumblebees. *Apidologie* 38: 12–18.
- 967** Wolters, S. and K. Zuberbuhler. 2003. Mixed-species associations of Diana and Campbell's monkeys: the costs and benefits of a forest phenomenon. *Behaviour* 140: 371–385.
- 968** Wood, J. B., K. E. Pennoyer, and C. D. Derby. 2008. Ink is a conspecific alarm cue in the Caribbean reef squid, *Sepioteuthis sepioidea*. *Journal of Experimental Marine Biology and Ecology* 367: 11–16.
- 969** Wood, S. R., K. J. Sanderson, and C. S. Evans. 2000. Perception of terrestrial and aerial alarm calls by honeyeaters and falcons. *Australian Journal of Zoology* 48: 127–134.
- 970** Woodland, D. J., Z. Jaafar, and M. L. Knight. 1980. The pursuit deterrent function of alarm signals. *American Naturalist* 115: 748–753.
- 971** Woodward, P. M. 1953. *Probability and Information Theory, with Applications to Radar*. New York: McGraw-Hill.
- 972** Wool, D. 2004. Galling aphids: specialization, biological complexity, and variation. *Annual Review of Entomology* 49: 175–192.
- 973** Wotton, J. M., T. Haresign, M. J. Ferragamo, and J. A. Simmons. 1996. Sound source elevation and external ear cues influence the discrimination of spectral notches by the big brown bat, *Eptesicus fuscus*. *Journal of the Acoustical Society of America* 100: 1764–1776.
- 974** Wotton, J. M. and J. A. Simmons. 2000. Spectral cues and perception of the vertical position of targets by the big brown bat, *Eptesicus fuscus*. *Journal of the Acoustical Society of America* 107: 1034–1041.
- 975** Wright, J., E. Berg, S. R. De Kort, V. Khazin, and A. A. Maklakov. 2001. Cooperative sentinel behaviour in the Arabian babbler. *Animal Behaviour* 62: 973–979.
- 976** Wright, J., A. A. Maklakov, and V. Khazin. 2001. State-dependent sentinels: an experimental study in the Arabian babbler. *Proceedings of the Royal Society of London, B-Biological Sciences* 268: 821–826.
- 977** Wu, G. M., G. Boivin, J. Brodeur, L. A. Giraldeau, and Y. Outreman. 2010. Altruistic defence behaviours in aphids. *BMC Evolutionary Biology* 10: 19. doi:10.1186/1471-2148-10-19

- 978** Wyatt, T. D. 2003. *Pheromones and Animal Behaviour: Communication by Smell and Taste*. Cambridge, UK: Cambridge University Press.
- 979** Yaber, M. C. and E. A. Herrera. 1994. Vigilance, group size, and social status in capybaras. *Animal Behaviour* 48: 1301–1307.
- 980** Yager, D. D., A. P. Cook, D. L. Pearson, and H. G. Spangler. 2000. A comparative study of ultrasound-triggered behaviour in tiger beetles (Cicindelidae). *Journal of Zoology* 251: 355–368.
- 981** Yano, M., I. Matsuo, and J. Tani. 2002. Echolocation of multiple targets in 3-D space from a single emission. *Journal of Biological Physics* 28: 509–525.
- 982** Yasukawa, K., L. K. Whittenberger, and T. A. Nielsen. 1992. Antipredator vigilance in the red-winged blackbird, *Agelaius phoeniceus*: do males act as sentinels? *Animal Behaviour* 43: 961–969.
- 983** Yokoi, T., D. Goulson, and K. Fujisaki. 2007. The use of heterospecific scent marks by the sweat bee *Halictus aerarius*. *Naturwissenschaften* 94: 1021–1024.
- 984** Yokoi, T. and K. Fujisaki. 2009. Recognition of scent marks in solitary bees to avoid previously visited flowers. *Ecological Research* 24: 803–809.
- 985** Yorzinski, J. L., S. L. Vehrencamp, A. B. Clark, and K. J. McGowan. 2006. The inflected alarm call of the american crow: differences in acoustic structure among individuals and sexes. *Condor* 108: 518–529.
- 986** Yorzinski, J. L. and G. L. Patricelli. 2010. Birds adjust acoustic directionality to beam their antipredator calls to predators and conspecifics. *Proceedings of the Royal Society B-Biological Sciences* 277: 923–932.
- 987** Yovel, Y., M. O. Franz, P. Stilz, and H. U. Schnitzler. 2008. Plant classification from bat-like echolocation signals. *PLoS Computational Biology* 4:(3): e1000032.doi:10.1371/journal.pcbi.1000032.
- 988** Yovel, Y., B. Falk, C. F. Moss, and N. Ulanovksy. 2010. Optimal localization by point off axis. *Science* 327: 701–704.
- 989** Zahavi, A. 1990. Arabian babblers: the quest for social status in a cooperative breeder. In *Cooperative Breeding in Birds: Long Term Studies of Ecology and Behaviour* (P. B. Stacey and W. D. Koenig, eds.), pp. 103–130. Cambridge, UK: Cambridge University Press.
- 990** Zahavi, A. and A. Zahavi. 1997. *The Handicap Principle: The Missing Piece of Darwin's Puzzle*. Oxford, UK: Oxford University Press.

- 991** Zhang, Z. W., S. N. Truong, and R. Müller. 2009. Acoustic effects accurately predict an extreme case of biological morphology. *Physical Review Letters* 103: 038701.doi:10.1103/PhysRevLett.103.038701.
- 992** Zhuang, Q. and R. Müller. 2006. Noseleaf furrows in a horseshoe bat act as resonance cavities shaping the biosonar beam. *Physical Review Letters* 97: 218701.doi:10.1103/PhysRevLett.97.218701.
- 993** Zhuang, Q. and R. Müller. 2007. Numerical study of the effect of the noseleaf on biosonar beamforming in a horseshoe bat. *Physical Review E* 76: 051902. 10.1103/PhysRevE.76.051902.
- 994** Zimmer, R. K., D. W. Schar, R. P. Ferrer, P. J. Krug, L. B. Kats, and W. C. Michel. 2006. The scent of danger: tetrodotoxin (TTX) as an olfactory cue of predation risk. *Ecological Monographs* 76: 585–600.
- 995** Zimmer, R. K. and R. P. Ferrer. 2007. Neuroecology, chemical defense, and the keystone species concept. *Biological Bulletin* 213: 208–225.
- 996** Zimmer, W. M. X., M. P. Johnson, P. T. Madsen, and P. L. Tyack. 2005. Echolocation clicks of free-ranging Cuvier's beaked whales (*Ziphius cavirostris*). *Journal of the Acoustical Society of America* 117: 3919–3927.
- 997** Zimmer, W. M. X., P. L. Tyack, M. P. Johnson, and P. T. Madsen. 2005. Three-dimensional beam pattern of regular sperm whale clicks confirms bent-horn hypothesis. *Journal of the Acoustical Society of America* 117: 1473–1485.
- 998** Zuberbühler, K., R. Noe, and R. M. Seyfarth. 1997. Diana monkey long-distance calls: messages for conspecifics and predators. *Animal Behaviour* 53: 589–604.
- 999** Zuberbühler, K., D. Jenny, and R. Bshary. 1999. The predator deterrence function of primate alarm calls. *Ethology* 105: 477–490.
- 1000** Zuberbühler, K. 2000. Causal cognition in a non-human primate: field playback experiments with Diana monkeys. *Cognition* 76: 195–207.
- 1001** Zuberbühler, K. 2000. Interspecies semantic communication in two forest primates. *Proceedings of the Royal Society of London Series B-Biological Sciences* 267: 713–718.
- 1002** Zuberbühler, K. 2000. Referential labelling in Diana monkeys. *Animal Behaviour* 59: 917–927.
- 1003** Zuberbühler, K. 2001. Predator-specific alarm calls in Campbell's monkeys, *Cercopithecus campbelli*. *Behavioral Ecology and Sociobiology* 50: 414–422.

- 1004** Zuberbühler, K. 2002. A syntactic rule in forest monkey communication. *Animal Behaviour* 63: 293–299.
- 1005** Zuberbühler, K. 2009. Survivor signals: The biology and psychology of animal alarm calling. In *Advances in the Study of Behavior*, Vol. 40 (Marc Naguib, Klaus Zuberbühler, Nicola S. Clayton, and Vincent M. Janik, eds.). pp. 277–322. London: Academic Press.